Public Works
Travaux publics

APPROVED PRODUCTS

FOR

SURFACE WORKS

February 21, 2025

ENGINEERING DIVISION
106-1155 Pacific Avenue, Winnipeg (Manitoba) R3E 3P1
DIVISION DE L'INGENIERIE
106-1155, avenue Pacific, Winnipeg (Manitoba) R3E 3P1

Table of Contents

Page No.

1. Bonding Agents/Dowel Adhesive 1
2. Hot-Poured Joint Sealer 3
3. Backer Rod 4
4. Curing Compounds 5
5. Evaporation Retardants 6
6. Separation/Filtration Geotextile Fabric 7
7. Separation Geotextile Fabric 8
8. Geogrid 9
9. Stabilization Geotextile Fabric and Composite Geogrid 11
10. Pavement Repair Fabric / Fiberglass Geogrid 12
11. Drainage Pipe 13
12. Culvert Pipe/Culvert End Marker 14
13. Detectable Warning Surface Tile 16
14. Sidewalk Expansion Joints 17
15. Reinforcing Steel 18
16. Repair Materials 19

1. Bonding Agents/Dowel Adhesive

1.1 General

Dowel adhesives approved for use shall be in accordance with Clause 2.7.7 of Specification CW 3310.

1.2 Referenced Standard Construction Specifications

CW 3230 – Full-Depth Patching of Existing Slabs and Joints
CW 3240 – Renewal of Existing Curbs
CW 3310 – Portland Cement Concrete Pavement Works

1.3 Referenced Standard Details

SD-213B – Full-Depth Patches Details of Moving and Tied Joints.

1.4 Approved Products

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
Dowel Adhesive			
Dural Fast Set Gel	Euclid Canada Inc. Brock White Specialty Construction Products	1 (416) 747-7101 1 (877) 438-3826 1 (204) 661-6738	b.corradetti@euclidcanada.com rtrithart@brockwhite.com jsolomon@speconst.mb.ca
Sikadur 31 Hi-Mod	Sika Canada Inc. Brock White	1 (780) 231-7888 1 (204) 782-8965	primiani.pasquale@ca.sika.com dgiesbrecht@brockwhite.com
Sika Anchorfix 3001			
Hilti HIT-RE 100	Hilti Canada	1 (972) 404-3722	michael.hoffmann@hilti.com
Hilti HIT-RE 10			
Rezi-Weld Gel Paste State	W.R. Meadows	1 (780) 400-1772	LVerhelst@wrmeadows.com
Flo-Rok FR6-SD	UCAN Fastening Products	1 (416) 631-9400 Ext. 252	balwant@ucanfast.com

See Next Page

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
Dowel Adhesive (cont'd)			
DeWalt Pure 50+	Brock White Anchor Products Prime Fasteners Mid Fasteners	1 (204) 782-8965 1 (204) 633-0064 1 (204) 633-6624 1 (204) 697-0635	dgiesbrecht@brockwhite.com scottf@anchorproducts.ca matt@primefasteners.mb.ca brett@midcanadafasteners.com
DeWalt Pure 110+			
DeWalt Pure 220+			
DeWalt AC 100+ Gold[1]			
DeWalt AC 200+[1]			
Bonding Agents			
Sika Latex R[2]	Sika Canada Inc. Brock White	1 (780) 231-7888 1 (204) 782-8965	primiani.pasquale@ca.sika.com dgiesbrecht@brockwhite.com
Sikatop Armatec 110 EpoCem			
SBR Latex[3]	Euclid Canada Inc. Brock White Specialty Construction Products	1 (416) 747-7101 1 (877) 438-3826 1 (204) 661-6738	b.corradetti@euclidcanada.com rtrithart@brockwhite.com jsolomon@speconst.mb.ca
Eucoweld 2.0			
Duralprep A.C.			
Acry-Lok	W.R. Meadows	1 (780) 400-1772	LVerhelst@wrmeadows.com
Intralok			

[1]Product shall be used when ambient temperature is at or below 10°C
[2]An admixture to produce latex improved bonding agents for bonding new section of concrete to old.
[3]SBR Latex shall not be used as a primer bonding agent by itself. It shall be used as a cement bond coat as per the manufacturer datasheet.

2. Hot-Poured Joint Sealer

2.1 General

Hot-Poured Joint Sealers approved for use shall be in accordance with Clause 2.7.1 of Specification CW 3310.

2.2 Referenced Standard Construction Specifications

CW 3250 – Joint and Crack Maintenance
CW 3310 – Portland Cement Concrete Pavement Works
CW 3620 – Installation of Underground Traffic Signal Services

2.3 Referenced Standard Details

SD-212 – Sawn Joint, Keyed Joint and Butt Joint for Reinforced and Plain-Dowelled Pavements
ST-62 – Saw Cut Specifications for Traffic Signals Vehicle Detector Loops in Concrete
ST-144 – Deep Saw Cut Specifications for Traffic Signals Vehicle Detector Loops in Asphalt or Asphalt Overlay

2.4 Approved Products

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
Crafco 522 (Roadsaver 522)	Crafco Inc. Road Products Manitoba Inc.	1 (602) 276 0406 1 (204) 338 9449	Mike.sucee@crafco.com Rpm.sales@mymts.net
Crafco 34244 (Asphalt Rubber Plus Type 2)			
MACSEAL 6690-4	McAsphalt Industries Limited	1 (905) 436-2946 1 (204) 233-1425	cschonberg@mcasphalt.com mwiese@mcasphalt.com

3. Backer Rod

3.1 General

Backer rod approved for use shall be in accordance with Clause 2.7.10 of Specification CW 3310

3.2 Referenced Standard Construction Specifications

CW 3310 – Portland Cement Concrete Pavement Works
CW 3250 – Joint and Crack Maintenance

3.3 Approved Products

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
Cera-Rod	W.R. Meadows	1 (780) 400-1772	LVerhelst@wrmeadows.com
HBR XL	Nomaco, Inc.	1 (252) 969-2970	lweimer@nomaco.com

4. Curing Compounds

4.1 General

Curing compounds approved for use shall be in accordance with Clause 2.7.5 of Specification CW 3310.

4.2 Referenced Standard Construction Specifications

CW 3310 – Portland Cement Concrete Pavement Works
CW 3325 – Portland Cement Concrete Sidewalk
CW 3230 – Full-Depth Patching of Existing Slabs and Joints
CW 3240 – Renewal of Existing Curbs

4.3 Approved Products

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
White Pigmented (Type 2)			
1215-White	W.R. Meadows	1 (780) 400-1772	LVerhelst@wrmeadows.com
3001 W/B Rescure - White	Innovative Manufacturing Specialty Construction Products	1 (204) 661-6738	jsolomon@speconst.mb.ca
Clear with Fugitive Dye (Type 1D)			
Kurez DR 100	Euclid Canada Inc. Brock White Specialty Construction Products	1 (416) 747-7101 1 (877) 438-3826 1 (204) 661-6738	b.corradetti@euclidcanada.com rtrithart@brockwhite.com jsolomon@speconst.mb.ca
3001 W/B Rescure - Green	Innovative Manufacturing Specialty Construction Products	1 (204) 661-6738	jsolomon@speconst.mb.ca

5. Evaporation Retardants

5.1 General

Evaporation Retardants approved for use shall be in accordance with Clause 2.7.9 of Specification CW 3310.

5.2 Referenced Standard Construction Specifications

CW 3310 – Portland Cement Concrete Pavement Works

5.3 Approved Products

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
EVAPRE	W.R. Meadows	1 (780) 400-1772	LVerhelst@wrmeadows.com
Eucobar	Euclid Canada Inc. Brock White Specialty Construction Products	1 (416) 747-7101 1 (877) 438-3826 1 (204) 661-6738	b.corradetti@euclidcanada.com rtrithart@brockwhite.com jsolomon@speconst.mb.ca

6. Separation/Filtration Geotextile Fabric

6.1 General

Separation/Filtration Geotextile Fabric approved for use shall be non-woven in accordance with Section 2.5 of Specification CW 3130.

6.2 Referenced Standard Construction Specifications

CW 3120 – Installation of Sub Drains
CW 3130 – Supply and Installation of Geotextile Fabrics
CW 3135 – Supply and Installation of Geogrid

6.3 Referenced Standard Details

SD-245 – Sub Drain Installation Detail

6.4 Approved Products

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
Mirafi 180N	TenCate Geosynthetics Americas Iconix Waterworks Armtec Inc.	1 (905) 467-1828 1 (204) 632-0331 1(204) 957-7787	alister@solmax.com manitoba@armtec.com
Texel 080C	Texel Technical Materials Inc. Brock White Canada Culvert EMCO	1 (418) 387-4801	jpcarrier@alkegen.com
TE-8[1]	Titan Environmental Containment	1 (204) 612-7661	matthew.east@titanenviro.ca
Armtec CC8	Armtec Inc	1 (204) 222-7354	Manitoba@armtec.com
WINFAB 800N	Willacoochee Industrial Fabrics, Inc.	1 (912) 381-9508	melissa@winfabusa.com

[1] Products Conditionally Approved. Please contact the Research and Standards Engineer before using the product.

7. Separation Geotextile Fabric

7.1 General

Separation Geotextile Fabric approved for use shall be woven fabric in accordance with Section 2.5 of Specification CW 3130.

7.2 Referenced Standard Construction Specifications

CW 3130 – Supply and Installation of Geotextile Fabrics
CW 2165 – Stormwater Retention Basin Revetment and Soil Sterilization

7.3 Referenced Standard Details

SD-026 – Stormwater Retention Basin Shoreline Revetment

7.4 Approved Products

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
MacTex MXW13S	Maccaferri Canada Ltd.	1 (519) 623-9990	s.tersigni@maccaferri.com
Mirafi 600X	TenCate Geosynthetics Americas Iconix Waterworks Armtec Inc.	1 (905) 467-1828 1 (204) 632-0331 1(204) 957-7787	alister@solmax.com manitoba@armtec.com
Texel SX-130T	Texel Technical Materials Inc. Brock White Canada Culvert EMCO	1 (418) 387-4801	jpcarrier@alkegen.com
TE-W315	Titan Environmental Containment	1 (204) 612-7661	matthew.east@titanenviro.ca
Armtec CC315	Armtec Inc	1 (204) 222-7354	Manitoba@armtec.com
WINFAB 315W	Willacoochee Industrial Fabrics, Inc.	1 (912) 381-9508	melissa@winfabusa.com

8. Geogrid

8.1 General

Geogrid approved for use shall be in accordance with Section 2.5 of Specification CW 3135.

8.2 Referenced Standard Construction Specifications

CW 3310 – Sub-grade, Sub-base and Base Course Construction
CW 3130 – Supply and Installation of Geotextile Fabrics
CW 3135 – Supply and Installation of Geogrid

8.3 Approved Products

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
Class A Geogrid			
Mirafi BXG300	TenCate Geosynthetics Americas Iconix Waterworks Armtec Inc.	1 (905) 467-1828 1 (204) 632-0331 1(204) 957-7787	alister@solmax.com manitoba@armtec.com
MacGrid EG30S	Maccaferri Canada Ltd.	1 (519) 623-9990	s.tersigni@maccaferri.com
Titan Earth Grid™ 30	Titan Environmental Containment	1 (204) 612-7661	matthew.east@titanenviro.ca
Titan Rail Grid™ 30			
Amerigrid BX Geogrid 3030	Brock White Canada Tensar International	1 (204) 564 1288 1 (704) 607 8642	mfawcett@brockwhite.com kgregory@tensarcorp.com
Tensar BX SQ3030	Tensar, A Division of CMC Layfield Group Ltd. Brock White	1 (250) 503-6363 1 (647) 678-8665 1 (204) 694-3600	kbroadhead@tensarcorp.com dgiesbrecht@brockwhite.com

See Next Page

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
Class B Geogrid			
Mirafi BXG120	TenCate Geosynthetics Americas Iconix Waterworks Armtec Inc.	1 (905) 467-1828 1 (204) 632-0331 1(204) 957-7787	alister@solmax.com manitoba@armtec.com
Titan Earth Grid™ 2	Titan Environmental Containment	1 (204) 612-7661	matthew.east@titanenviro.ca
Titan Earth Grid™ 24			
AmeriGrid BX Geogrid 12	Brock White Canada Tensar International	1 (204) 564 1288 1 (704) 607 8642	mfawcett@brockwhite.com kgregory@tensarcorp.com
Tensar BX TYPE 2F	Tensar, A Division of CMC Layfield Group Ltd. Brock White	1 (250) 503-6363 1 (647) 678-8665 1 (204) 694-3600	kbroadhead@tensarcorp.com dgiesbrecht@brockwhite.com
Tensar BX 1200			

9. Stabilization Geotextile Fabric and Composite Geogrid

9.1 General

Stabilization geotextile fabric or composite geogrid approved for use shall be in accordance Section 2.5 of CW 3130 and CW 3135.

9.2 Referenced Standard Construction Specifications

CW 3310 – Sub-grade, Sub-base and Base Course Construction
CW 3130 – Supply and Installation of Geotextile Fabrics
CW 3135 – Supply and Installation of Geogrid

9.3 Approved Products

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
Stabilization geotextile			
Mirafi® HP570	TenCate Geosynthetics Americas Iconix Waterworks Armtec Inc.	1 (905) 467-1828 1 (204) 632-0331 1(204) 957-7787	alister@solmax.com manitoba@armtec.com
Texel SX-4H4	Texel Technical Materials Inc. Brock White Canada Culvert EMCO	1 (418) 387-4801	jpcarrier@alkegen.com
WINFAB 570 HP	Willacoochee Industrial Fabrics, Inc.	1 (912) 381-9508	melissa@winfabusa.com
Composite Geogrid			
Titan Wick Grid[1]	Titan Environmental Containment	1 (204) 612-7661	matthew.east@titanenviro.ca

[1] Products Conditionally Approved. Please contact the Research and Standards Engineer before using the product.

10. Pavement Repair Fabric / Fiberglass Geogrid

10.1 General

Fabric / Fiberglass Geogrid approved for use shall be in accordance Section 2.5 of CW 3140.

10.2 Referenced Standard Construction Specifications

CW 3130 – Supply and Installation of Geotextile Fabrics
CW 3135 – Supply and Installation of Geogrid
CW 3410 – Asphaltic Concrete Pavement Works

10.3 Approved Products

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
Type A			
Spartan Road Grid™ 10	Titan Environmental Containment	1 (204) 612-7661	matthew.east@titanenviro.ca
Spartan Road Grid™ 11			
GlasGrid 8501[1]	Tensar, A Division of CMC Layfield Group Ltd. Brock White	1 (250) 503-6363 1 (647) 678-8665 1 (204) 694-3600	kbroadhead@tensarcorp.com dgiesbrecht@brockwhite.com
GlasGrid 8511[1]			
Type B			
Spartan Road Grid™ 20	Titan Environmental Containment	1 (204) 612-7661	matthew.east@titanenviro.ca
GlasGrid 8502[1]	Tensar, A Division of CMC Layfield Group Ltd. Brock White	1 (250) 503-6363 1 (647) 678-8665 1 (204) 694-3600	kbroadhead@tensarcorp.com dgiesbrecht@brockwhite.com
GlasGrid 8512[1]			

[1] Products Conditionally Approved. Please contact the Research and Standards Engineer before using the product.

11. Drainage Pipe

11.1 General

Drainage Pipe approved for use in sub-drains shall be in accordance with Section 2.7 of Specification 3120.

11.2 Referenced Standard Construction Specifications

CW 3120 – Installation of Sub Drains

11.3 Referenced Standard Details

SD-245 – Sub Drain Installation Detail

11.4 Approved Products

High Density Polyethylene (HDPE) Drainage Pipe – Perforated

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
ADS - N12 ST IB Pipe - 320 kPa	ADS Canada Inc.	1 (204) 218-2901	Ryan.Martin@ads-pipe.com
ADS - N12 WT IB Pipe - 320 kPa			
Boss 2000 HDPE Pipe - 320 kPa	Armtec Inc	1 (204) 222-7354	Manitoba@armtec.com

12. Culvert Pipe/Culvert End Marker

12.1 General

Culvert Pipe approved for use shall be in accordance with Section 2 of Specification CW 3610.

12.2 Referenced Standard Construction Specifications

CW 3610 – Installation of Culverts

12.3 Referenced Standard Details

SD – 234 Private Approach on Regional Streets (with Ditch Drainage)
SD – 239 Residential Approach – Gravel, Concrete, or Asphalt

12.4 Approved Products

12.4.1 Corrugated Steel Pipe (CSP)

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
SteelCor CSP	Armtec Inc	1 (204) 222-7354	Manitoba@armtec.com
Corrugated Steel Pipe (CSP)	Atlantic Industries Ltd. Titan Environmental Containment	1 (403) 471-4790 1 (431) 338-4358	kthompson@ail.com

12.4.2 Precast Concrete Pipe (PCP)

There is no list of approved products for Precast Concrete Pipe.

12.4.3 High Density Polyethylene Pipe (HDPE)

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
ADS – N12 Plain End 450-900 Dia. - 320 kPa	ADS Canada Inc.	1 (204) 218-2901	Ryan.Martin@ads-pipe.com
ADS - N12 ST IB Pipe 450-900 Dia. - 320 kPa			
ADS - N12 WT IB Pipe 450-900 Dia. - 320 kPa			

See Next Page

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
High Density Polyethylene Pipe (HDPE) (cont'd)			
Boss 2000 HDPE Pipe - 320 kPa	Armtec Inc	1 (204) 222-7354	Manitoba@armtec.com

12.4.4 Culvert End Marker

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
SteelCor – Culvert End Marker	Armtec Inc	1 (204) 222-7354	Manitoba@armtec.com

13. Detectable Warning Surface Tile

13.1 General

Detectable Warning Surface Tile approved for use shall be in accordance with Section 2 of Specification 3326.

13.2 Referenced Standard Construction Specifications

CW 3326 – Detectable Warning Tiles

13.3 Referenced Standard Details

SD-229AA – Detectable Surface Tile for Intersections – Layout Option 1
SD-229AB – Detectable Surface Tile for Intersections – Layout Option 2
SD-229AF – Detectable Warning Surface Tile for Offset Intersections
SD-229BB – Detectable Warning Surface Tile in Curb Ramps for Medians
SD-229E – Curb Ramp and Depressed Curb with Detectable Warning Surface Tile

13.4 Approved Products

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
ADA Solutions Cast in Place 24”x48”	SureWerx Brock White Canada	1 (403) 690 3826 1 (910) 695-5462 1 (204) 793-5211	szaidi@surewerx.com jstieby@surewerx.com rtrithart@brockwhite.com
ADA Solutions Cast in Place Replaceable 24”x48”			
ADA Solutions Cast in Place Replaceable Wayfinding 6”x48” [1]			
Armor-Tile® Cast in Place (24”x48” ADA-C-2448)			
Armor-Tile Wayfinding Tile 6”x48” [1]			
Access-Tile® Cast in Place			
Access -Tile Wayfinding Tile [1]			

[1] Wayfinding Tile will only be used to facilitate wayfinding by indicating the primary routes of travel.

14. Sidewalk Expansion Joints

14.1 General

Sidewalk expansion joints shall be a closed-cell expansion joint filler

14.2 Referenced Standard Construction Specifications

CW 3310 – Portland Cement Concrete Pavement Works
CW 3325 – Portland Cement Concrete Sidewalk

14.3 Approved Products

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
X-Foam	W.R. Meadows	1 (780) 400-1772	LVerhelst@wrmeadows.com
Nomaflex	Nomaco, Inc.	1 (252) 969-2970	lweimer@nomaco.com

15. Reinforcing Steel

15.1 General

Reinforcing Steel approved for use shall be in accordance with Sections 2.7.3 and 6.3 of Specification CW 3310.

15.2 Referenced Standard Construction Specifications

CW 3310 – Portland Cement Concrete Pavement Works
CW 3325 – Portland Cement Concrete Sidewalk
CW 3230 – Full-Depth Patching of Existing Slabs and Joints
CW 3240 – Renewal of Existing Curbs

15.3 Approved Products

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
Epoxied Tie Bars			
Cowin Steel – Tie Bars (10M/15M/20M/25M)	Cowin Steel Co. Ltd.	1 (204) 775-8161	murray@cowinsteel.com
Mid Canada – Tie Bars (10M/15M/20M/25M)	Mid Canada Reinforcing Inc.	1 (204) 338-6070	jason@midcanadarebar.com
Epoxied Dowels			
Cowin Steel – Dowels (19.1mm/28.6mm)	Cowin Steel Co. Ltd.	1 (204) 775-8161	murray@cowinsteel.com
Mid Canada – Dowels (19.1mm/28.6mm)	Mid Canada Reinforcing Inc.	1 (204) 338-6070	jason@midcanadarebar.com

16. Repair Materials

16.1 General

Repair materials approved for partial-depth or pothole repairs or patching wide cracks and joints.

16.2 Referenced Standard Construction Specifications

CW 3250 – Joint and Crack Maintenance
CW 3310 – Portland Cement Concrete Pavement Works
CW 3230 – Full-Depth Patching of Existing Pavement Slabs and Joints

16.3 Approved Products

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
Hot-Poured Repair Products			
Mastic One™ [1]	Crafco Inc. Road Products Manitoba Inc.	1 (602) 276 0406 1 (204) 338 9449	Mike.sucee@crafco.com Rpm.sales@mymts.net
MACSEAL M.A.R.S. [1]	McAsphalt Industries Limited	1 (905) 436-2946 1 (204) 233-1425	cschonberg@mcasphalt.com mwiese@mcasphalt.com
Asphalt Repair Products			
Instarmac Permanent Pothole Repair[3,15]	Da-Lee Pavement Products Go Paving	1 (905) 975-0556 1 (204) 232-0992	matt@daleegroup.com
Permanent Road Repair Cold Lay Asphalt Concrete[4,15]			
SCJ Seal & Tack Coat Spray[5,15]			
1170 Road Repair[15]	W.R. Meadows	1 (780) 400-1772	LVerhelst@wrmeadows.com
1175, 1178 Road Repair[15]			
1180 SS-1 Primer[14]			
Concrete Partial-Depth Repair Products			
Sika King RS-S10[9]	Sika Canada Inc. Brock White	1 (780) 231-7888 1 (204) 782-8965	primiani.pasquale@ca.sika.com dgiesbrecht@brockwhite.com
Sika King RS-S10SCC[10]			
Sika Top® 122 PLUS[11]			
Sikacrete 211 FlowPLUS[13, 15]			

See Next Page

Product Name	Manufacturer / Supplier (s)	Contact information	
		Phone	Email
Concrete Partial-Depth Repair Products (cont'd)			
EucoRepair SCC Fast[12,15]	Euclid Canada Inc. Brock White Specialty Construction Products	1 (416) 747-7101 1 (877) 438-3826 1 (204) 661-6738	b.corradetti@euclidcanada.com rtrithart@brockwhite.com jsolomon@speconst.mb.ca
VersaSpeed 100[6,15]			
VersaSpeed LS100[7,15]			
VersaSpeed RMC[14,15]			

[1]Mastic One™ and MACSEAL M.A.R.S. will be used for filling wide cracks and joints more than 37.5 mm wide.

[3]Instarmac Permanent Pothole Repair is a cold bituminous patching mix and generally can be used in all weather conditions when traffic must be quickly reinstated. Suitable for repair of potholes and small utility cuts on driveways when finer grade is required with thickness between 10 to 50 mm.

[4]Permanent Road Repair Cold Lay Asphalt Concrete is a cold bituminous patching mix and generally can be used in all weather conditions when traffic must be quickly reinstated. Suitable for repair of utility cuts in roadways and permanent repairs around manholes or catch basins.

[5]SCJ Seal & Tack Coat Spray is cold joint sealer that is applied onto vertical edges and surface base before the application of cold asphalt.

[6]VersaSpeed 100 is a high early strength patching and generally can be used during the summer when temperatures are in the range of 8°C to 30°C and traffic must be quickly reinstated.

[7]VersaSpeed LS100 is a moderate early strength patching and generally can be used during the summer when temperatures are in the range of 8°C to 35°C and traffic must be reinstated within one day.

[9]Sika King RS-S10 is high early strength patching and generally can be used during spring and late fall when temperatures are in the range of 0°C to 10°C and traffic must be quickly reinstated. Place RS-S10 at a minimum thickness of 38 mm.

[10]Sika King RS-S10SCC is high early strength patching and generally can be used during spring and late fall when temperatures are in the range of 0°C to 10°C and traffic must be quickly reinstated. Place RS-S10 at a minimum thickness of 50 mm.

[11]SikaTop 122 PLUS is normal strength patching and generally can be used during the summer when temperatures are above 10°C and traffic must be reinstated within three days.

[12]EUCOREPAIR SCC FAST is high early strength self-consolidating repair mortar that is shrinkage-compensated, pozzolan and microfiber modified, and contains an integral corrosion inhibitor.

[13]Sikacrete 211 FlowPLUS is flowable normal strength concrete and generally can be used during the summer when temperatures are above 10°C and traffic must be reinstated within three days for concrete thicknesses exceeding 25 mm.

[14]VersaSpeed RMC is a fast setting patching for applications from 1 inch (2.5 cm) to full depth and generally can be used during the summer when temperatures are in the range of 8°C to 30°C and traffic must be quickly reinstated.

[15] Products Conditionally Approved. Please contact the Research and Standards Engineer before using the product.