

CLIENT CITY OF WINNIPEG

JOB NO. 04-107-11

PROJECT SANSOME AVENUE & SILVER AVENUE GEOTECHNICAL INVESTIGATIONS

GROUND ELEV.

SITE

LOCATION Murray Industrial Park - Adjacent 130 Cree Crescent

WATER ELEV.

DRILLING METHOD 150 mm ø Solid Stem Auger, Acker MP5

DATE DRILLED 19-May-04

ELEVATION (m)	DEPTH		GRAPHICS	DESCRIPTION AND CLASSIFICATION	SAMPLE TYPE NUMBER	RECOVERY %	SPT (N) blows/0.30 m▲ CONE blows/0.15 m△	Cu from Uncon. Comp. Test (kPa) ◇	
	(m)	(ft)						20	40
				SILTY CLAY (CH) - Brown, moist, stiff, high plasticity, trace fine grained sand, trace fine grained gravel.					
				- Trace to some fine to coarse grained subangular gravel, trace fine grained angular sand, trace silt inclusions below 1.52 m.	1				
				SILT TILL - Beige, moist, non plastic, trace to some fine to coarse grained subangular gravel, trace fine grained sand.	2				
				END OF HOLE AT 4.57 m	3				
				Notes: 1. Hole back filled to ground surface with soil cuttings.					

SAMPLE TYPE  Auger Grab

CONTRACTOR Paddock Drilling Ltd.

INSPECTOR J. CHING

APPROVED _____ **DATE** 20/05/04