



## 330-2005 ADDENDUM 1

**ROOF REPLACEMENT AT BILLY MOSIENKO ARENA –  
709 KEEWATIN ST.**

### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE BID  
OPPORTUNITY**

ISSUED: June 3, 2005  
BY: Norm Carrothers  
TELEPHONE NO. (204) 986-7280

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE BID OPPORTUNITY AND SHALL  
FORM A PART OF THE CONTRACT  
DOCUMENTS**

Template Version: A20050301

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.**

---

### **PART E – SPECIFICATIONS**

Revise: E2.5 to read: Expanded Polystyrene Type II with a minimum slope of 3/16" per foot and a minimum thickness of 1". This shall be a manufactured by Plastifab Ltd. or AMC Insulation Corp. Slopes are to be as per the attached Drawings.

2" Soprema Colgrip A polyisocyanurate insulation with acrylic facer or approved equal. Paper facers will not be accepted.

Revise: E4.21 to read: Install the new cap flashing, termination flashing and metal siding on all parapets in a manner as the enclosed details. The siding is to extend to the bottom of the top course of concrete block.