

Template Version: C120041223

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:
- (Choose one)
- a bid bond (Form G1: Bid Bond and Agreement to Bond)
 - an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
 - a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | | | | |
|-----|-------|-------|-------|
| No. | _____ | Dated | _____ |
| | _____ | | _____ |
| | _____ | | _____ |
11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

Template Version: C120041223

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B (R1): PRICES
 (See B9)

ALEXANDER/BANNATYNE COMBINED SEWER OVERFLOW ABATEMENT UPGRADES

UNIT PRICES						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.	WATERMAINS					
A.1	Watermain Renewals	CW2110				
	a) 300mm					
	i) Trenchless Installation Type 3 Bedding Class 1 Backfill		m	55		
A.2	Watermain Valves	CW2110				
	a) 300mm		unit	1		
A.3	Fittings	CW2110				
	a) Tees					
	i) 300mm x 300mm x 300mm		unit	2		
	ii) 300mm x 300mm x 100mm		unit	1		
	b) Bends					
	i) 300mm - 45°		unit	6		
	c) Reducers					
	i) 300mm - 100mm		unit	1		
	ii) 300mm - 200mm		unit	1		
A.4	Connecting to Existing Watermains and Large Diameter Water Services	CW2110				
	a) plug not existing (in-line connection)					
	i) 100mm		unit	2		
	ii) 150mm		unit	1		
	iii) 300mm		unit	4		
A.5	10.9 Kiliogram Sacrificial Zinc Anodes on metallic watermains	CW2110	unit	2		
A.6	Watermain Box Insulation	CW2110	m	55		
A.7	Connecting Existing Copper Services to New Watermain					
	i) 20mm to 12mm lead		unit	1		
	ii) 38mm		unit	1		
TOTAL WATERMAINS						

 Name of Bidder

FORM B (R1): PRICES
 (See B9)

ALEXANDER/BANNATYNE COMBINED SEWER OVERFLOW ABATEMENT UPGRADES

UNIT PRICES						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.	STORM RELIEF SEWERS/COMBINED SEWERS					
B.1	Storm Relief Sewers/Combined Sewers	CW2130				
	a) 600mm C76-V RCP or SDR 35 PVC i) Trenchless installation, Class B Type 3 Bedding Class 1 Backfill		m	13		
	b) 1050mm C76-V RCP or SDR 35 PVC i) Trenchless installation, Class A Type 3 Bedding Class 1 Backfill		m	70		
	c) 1500mm C76-IV RCP or SDR 35 PVC i) Trenchless installation, Class A Type 3 Bedding Class 1 Backfill		m	10.4		
B.2	Connection Chambers	E5				
	a) Chamber #1		l.s.	1		
	b) Chamber #2		l.s.	1		
	c) Chamber #3		l.s.	1		
B.3	Weir Manhole	E5	l.s.	1		
B.4	New Manholes	CW2130				
	a) SD-010					
	i) 1200mm x 0.92 base (MH.3)		vert. m	2		
	ii) 1350mm x 1.83 base (MH.2)		vert. m	6		
	iii) 1800mm x 2.44 base (MH.1)		vert. m	6		
B.5	Catch Basins/Catch Pits	CW2130				
	a) SD-024 1800mm deep (AP-008,009,010,011)		unit	2		
B.6	Sewer Services	CW2130				
	a) 200mm					
	i) trenchless installation, Class B Type 3 Bedding Class 1 Backfill		m	21		
	b) 250mm					
	i) trenchless installation, Class B Type 3 Bedding Class 1 Backfill		m	6		
B.7	300mm Service Duct	CW2130	m	13		
B.8	Connecting to Existing Chamber	CW2130				
	a) 1500mm		unit	1		

 Name of Bidder

FORM B (R1): PRICES
 (See B9)

ALEXANDER/BANNATYNE COMBINED SEWER OVERFLOW ABATEMENT UPGRADES

UNIT PRICES						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.9	Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW2130				
	a) 250mm		unit	2		
	b) 600mm		unit	2		
B.10	Abandoning Existing Structures with Cement-Stabilized Flowable Fill	CW2130	m3	50		
B.11	Abandoning Existing Sewer Services Under Pavement	CW2130, E6				
	a) 3 - 300 CI CS		unit	1		
	b) 600 CS		unit	1		
B.12	Concrete Pipe - Three Edge Bearing Test	CW2130				
	a) 600mm C76-V		unit	1		
	b) 1050mm C76-V		unit	1		
	c) 1500mm C76-IV		unit	1		
B.13	Sewer Inspection (New Sewers)	CW2130				
	a) 600mm		lin.m.	13		
	b) 1050mm		lin.m.	70		
	c) 1500mm		lin.m.	14		
B.14	Misc.Sewer Inspection (Existing Sewers)	CW2130				
	a) 600mm CS (Post-Construction)		lin.m.	30		
	b) 1125mm CS (Post-Construction)		lin.m.	70		
	c) 1500mm CS (Post-Construction)		lin.m.	105		
B.15	Removal of Comminutor Station	E5	l.s.	1		
B.16	Regrading Existing Interlocking Paving Stone	CW3330	m2	50		
B.17	Pavement (Removal)	CW2130				
	a) Concrete					
	i) 150mm Pavement		m2	30		
	ii) 200mm Pavement		m2	250		

 Name of Bidder

FORM B (R1): PRICES
 (See B9)

ALEXANDER/BANNATYNE COMBINED SEWER OVERFLOW ABATEMENT UPGRADES

UNIT PRICES						
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.18	Reinforced Concrete Pavement	CW2130				
	a) 150mm Pavement		m2	30		
	b) 200mm Pavement		m2	125		
	c) 200mm Pavement for early opening (24 hour)		m2	125		
	d) 150mm temporary pavement		m3	280		
B.19	Concrete Curb Installation	CW2130				
	a) barrier/modified barrier		lin.m.	35		
	b) ramp		lin.m.	10		
B.20	Concrete Curb Renewal	CW2130				
	a) barrier/modified barrier		lin.m.	10		
	b) ramp		lin.m.	10		
B.21	Installation of MH/CB Cast Iron Lifter Ring Inserts	CW3210				
	a) 50mm		unit	4		
B.22	Asphaltic Concrete Planing	CW3450				
	a) planing 0-50mm depth		m2	400		
B.23	Hot Mix Asphaltic Concrete Pavement Type 1A	CW2130				
	a) patching		tonne	20		
	b) overlay		tonne	75		
B.24	Miscellaneous Boulevard Sodding	CW3510	m2	50		
TOTAL COMBINED SEWERS						
TOTAL BID PRICE (GST extra) (in figures) _____						
(in words)						

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 507-2005 ADDENDUM 1

ALEXANDER/BANNATYNE COMBINED SEWER OVERFLOW ABATEMENT UPGRADES

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND
(Page 2 of 2)
(See B11)

AGREEMENT TO BOND
(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 507-2005 ADDENDUM 1

ALEXANDER/BANNATYNE COMBINED SEWER OVERFLOW ABATEMENT UPGRADES

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on November 14, 2005.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)