SHEET: COW-A1 (05/2005)

BH BG BF BE BD

250 250 250 250

TOC 249.700
TOC 249.100

BM13 BM13 BM13 BM13 BM13

600

NOTES:

1. SEE DWG WR-S0101 FOR ADDITIONAL WALL REINFORCING.
2. SEE DWG WR-S0111 AND WR-S0121 FOR ADDITIONAL SLAB REINFORCING.

ACCESS CORRIDOR NO.6

260(W) x 200(H) CONC CURB, SEE 5 WB-S0456 TYP

35 EXP JT

TOC 245.000

FOR REINF SEE PLAN DWG WR-S0131

35 EXP JT

BM3

300

01

15M@200 EF, EW (BEND HORIZ BARS @ DISCONTINUOUS ENDS)

DAF PUMP GALLERY

ACCESS CORRIDOR NO.3

STAIR NO. 9

USE EMBEDDED PL FOR STAIR CONN, SEE 7 WB-S0457

15M@200 EF, EW

3090

2495

2160

TOC 242.205

2140

FOR STAIR LANDING REINF SEE 7 WB-S0457

200

8530

2200 OPNG

200

TOC 239.410

5835

4 WB-S0456 TYP

2200 OPNG

2200 OPNG

B WB-S0202 FOR REINF

TOC 236.170

SLOPE

TOC 236.245

SLOPE

3040

FOR REINF SEE PLAN DWG WR-S0111

20M@200 EF, EW

500

300

TOC 236.170

USE EMBEDDED PL FOR STAIR CONN, SEE 7 WB-S0457

20M@200 EF, EW

2870

3070

01

1 WB-S0456

1 WB-S0501

50

TOC 232.800

1 WB-S0456 1 WB-S0501

600 500

20M@200, T&B
3-25M TOP
3-25M BOT

600

20M@200, T&B, EW

F WR-S0101 SECTION 1:50

WR-S0111, WR-S0121
WR-S0131, WR-S0141
WR-S0146

SCALE 1:50 METRES 0 1 2 3 4 5

SCALE 1:1 MILLIMETRES 0 20 40 60 80 100

APEGM
Certificate of Authorization
CH2M HILL Canada Ltd.
No. 1441 Expiry: April 30, 2006

B.M. ELEV.

NO.	REVISIONS	DATE	BY
01	583-2005 ADDENDUM 3	06/03/10	EL
00	ISSUED FOR TENDER	2006/02/03	EL

CH2MHILL Fredericksen Cooper ARCHITECTS
EarthTech A Tyco International Ltd. Company

DESIGNED BY	EL	CHECKED BY	AP
DRAWN BY	RL/CA	APPROVED BY	DJT
SCALE:	1:50	RELEASED FOR CONSTRUCTION BY:	R. SOROKOWSKI
DATE	2005/09/29	DATE	2006/02/08

ENGINEER'S SEAL
ORIGINAL SIGNED BY
D. KRUGER
2006/02/06

CONSULTANT DRAWING NO.
WR-S0206

THE CITY OF WINNIPEG
WATER AND WASTE DEPARTMENT
ENGINEERING DIVISION

WATER TREATMENT PLANT
RESIDUALS HANDLING
FOUNDATIONS AND CONCRETE STRUCTURES

CITY FILE NUMBER
SHEET OF

STRUCTURAL
RESIDUALS HANDLING AREA
SECTION

CITY DRAWING NUMBER
1-0601R-A-S0206-001-01D

Last Save: 2006-03-08 1:42 PM

P:\EARTHTECH\321352WINNIPEGWTP\NDM\DESIGN\ACAD\583-POSTTENDER\DN_WR-S0206_CH2M.DWG