FORM A: BID (See B8)

1.	Project Title	DUGALD ROAD SECONDARY SEWER REPLACEMENT AND GRAVEL SIDEWALK, CONTRACT NO. 9				
2.	Bidder					
		Name of Bidder				
		Street				
		City	Province	Postal Code		
		Facsimile Number				
	(Mailing address if different)	Street or P.O. Box				
		City	Province	Postal Code		
		The Bidder is:				
	(Choose one)	a sole proprietor				
		a partnership				
		a corporation				
		carrying on business under t	he above name.			
3.	Contact Person	The Bidder hereby authorize the Bidder for purposes of th		son to represent		
		Contact Person	Title			
		Telephone Number	Facsimile Number			
4.	Definitions	All capitalized terms used ascribed to them in the Gene		e the meanings		
5.	Offer	The Bidder hereby offers to Contract for the Total Bid P Prices, appended hereto.				

rempiate ve	rsion: C120050301	
6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

SEAL

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Part A:	Dugald Secondary Sewer Replacemen	it	I	1 1		
A. 1 a)	Interceptor Sewers 600mm, C76 CL V Concrete or DR 35 PVC	CW 2130				
i)	trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	283.0		
ii)	trenchless installation, Class B Type 2 bedding, Class 5 backfill		m	500.0		
,	750mm, C76 CL V Concrete trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	800.0		
ii)	trenchless installation, Class B Type 2 bedding, Class 5 backfill		m	1600.0		
c)	1200mm, C76 CL V Concrete					
i)	trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	70.0		
A. 2 a)	Wastewater Sewers 250mm, DR 35 PVC	CW 2130				
i)	trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	45.0		
b)	300mm, DR 35 PVC					
i)	trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	45.0		
c)	375mm, DR 35 PVC					
i)	trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	2.0		
,	450mm, DR 35 PVC					
i)	trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	15.0		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.		AMOUNT
	900mm, C76 CL V Concrete	REF.		QUANTITY	PRICE	
e) i)	trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	4.0		
A. 3	Manhole	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	37.0		
ii)	1500mm diameter base		vert. m	95.0		
iii)	2100mm diameter base		vert. m	6.0		
iv)	2400mm diameter base		vert. m	6.0		
A. 4	Connecting to Existing Manhole	CW 2130				
a)	150mm Sewer Service		each	1		
b)	250mm		each	5		
c)	450mm		each	1		
d)	1200mm		each	1		
A. 5 a) b)	Connecting to Existing Sewer 375mm (Conc.) to 375mm (PVC) 900mm (Conc.) to 900mm (Conc.)	CW 2130	each each	1 1		
A. 6	Sewer Services	CW 2130				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	200.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill					
b)	200mm		m	450.0		
,	trenchless installation, Class B sand bedding, Class 3 backfill			20.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m m	30.0 40.0		
c)	250mm					
,	trenchless installation, Class B sand bedding, Class 3 backfill		m	50.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	50.0		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.	0	QUANTITY	PRICE	,
A. 7	Sewer Service Risers	CW 2130				
a)	SD-014	011 2100				
· ·	150mm		vert. m	100.0		
,	200mm		vert. m	5.0		
	250mm		vert. m	5.0		
,			vora m	0.0		
A. 8	Connecting Existing Sewer Service to New Sewer	CW 2130				
a)	150mm to 150mm		each	36		
b)	200mm to 200mm		each	2		
c)	250mm to 250mm		each	2		
A. 9	Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW 2130				
a)	150mm		each	1		
b)	250mm		each	1		
A. 10	Construction of Concrete Brick Bulkhead	E16				
a)	900mm		each	8		
b)	1050mm		each	2		
A. 11	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m ³	25.0		
A. 12	Abandoning Existing Manholes	E14	each	20		
A. 13	Abandaning Evicting Concerdent Course	E15				
a)	Abandoning Existing Secondary Sewer 900mm	EIS	m	2015.0		
b)	1050mm		m	1140.0		
2)				1140.0		
	Sewer Inspection	CW 2145				
a)	250mm		m	45.0		
b)	300mm		m	45.0		
c)	450mm		m	15.0		
d)	600mm		m	783.0		
e)	750mm		m	2450.0		
A. 15	Partial Slab Patches	E10				
	150mm reinforced concrete pavement		m²	30.0		
ii)	200mm reinforced concrete pavement		m²	100.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. 16	Miscellaneous Concrete Slab Renewal					
a)	Sidewalk	E11	m²	20.0		
,				30.0		
b)	Monolithic Median Slab	CW 3235	m²	30.0		
A. 17	Concrete Curb Renewal	E12				
a)	Barrier curb		m	100.0		
b)	Splash Strip		m	30.0		
c)	Ramp curb		m	10.0		
		004/0440				
A. 18	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	m²	20.0		
			m-	30.0		
A. 19	Construction of Asphaltic Concrete	CW 3410				
	Overlays Type 1A		tonne	12.0		
	Compared Otabilized Fill Material	0144 0000	m ³	00.0		
A. 20	Cement Stabilized Fill Material	CW 2030	m	60.0		
A. 21	Supply of Extendible Curb Stop					
	Sections	CW 3210	each	5		
A. 22	Sodding	CW 3510	m²	200.0		
/ \. <i>22</i>				200.0		
A. 23	Surfacing Material	CW 3150				
a)	Limestone		tonne	50.0		
A. 24	Construction of Manhole Approach					
A. 24	(Detail A)	E15	each	8		
				_		
A. 25	Construction of Manhole Approach c/w CSP Culvert (Detail B)	E15				
a)	450mm culvert	EIJ	each	1		
b)	600mm culvert		each	15		
~,			Caon	.0		
Part A:	Dugald Secondary Sewer Replacement	t		Subtotal:		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Part B:	Dugald Road Gravel Sidewalk	1 1	l			
B. 1	Excavation	CW 2130	m³	250.0		
B. 2	Sub-Grade Compaction	CW 3110	m²	5100.0		
B. 3	Placing Suitable Site Sub-base Material	CW 3110	m³	1000.0		
B. 4 a)	Crushed Sub-base Material 50 mm - Limestone	CW 3110	tonne	1800.0		
B. 5 a)	Surfacing Material Limestone	CW 3110	tonne	600.0		
B. 6	Imported Fill Material	CW 3110	m³	2500.0		
B. 7	Separation/Reinforcement Geotextile Fabric	CW 3130	m ³	5100.0		
B. 8	Corrugated Steel Pipe - Supply	CW 3610-R3				
a)	(250mm,16 gauge)		m	24.0		
b)	(400mm,16 gauge)		m	10.0		
C)	(600mm,16 gauge)		m	20.0		
B. 9	Corrugated Steel Pipe - Install	CW 3610				
a)	(250mm,16 gauge)		m	24.0		
b)	(400mm,16 gauge)		m	10.0		
c)	(600mm,16 gauge)		m	20.0		
B. 10	Connections to Existing 400mm Culverts	CW 3610	each	1.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. 11	Connections to Existing 600mm Culverts	CW 3610	each	1.0		
				• • • • •		
Part B:	Dugald Road Gravel Sidewalk			Subtotal:		

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____ , 20_____ , 20_____ for

BID OPPORTUNITY NO. 13-2006

DUGALD ROAD SECONDARY SEWER REPLACEMENT AND GRAVEL SIDEWALK, CONTRACT NO. 9

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of ______ , 20_____ .

SIGNED AND SEALED in the presence of:

(Witness)

(Name of Principal)	
Per:	(Seal)
Per:	
(Name of Surety)	

of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 13-2006

DUGALD ROAD SECONDARY SEWER REPLACEMENT AND GRAVEL SIDEWALK, CONTRACT NO. 9

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this ______ day of ______, 20_____.

(Name of Surety)

_____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING

(BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 13-2006

DUGALD ROAD SECONDARY SEWER REPLACEMENT AND GRAVEL SIDEWALK, CONTRACT NO. 9

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 9, 2006.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	
---	--

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)