FORM A (R1): BID (See B8)

1.	Project Title	ALEXANDER/BANNATYNE CO 2A	OMBINED SEWER RELIEF CO	NTRACT
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B		represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Genera		meanings
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Price Prices, appended hereto.		

Template Vers	sion: C120050301	
6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES

(See B9)

	RICES					
ITEM				APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
Α.	STORM RELIEF SEWERS/COMBINED SEWERS					
A.1	Storm Relief Sewers/Combined Sewers	CW2130				
	a) 300mm C76-III RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	5		
	b) 375mm C76-III RCP or SDR 35 PVC					
	i) Trenchless installation, Class B			07		
	Type 3 Bedding Class 1 Backfill		m	37		
	ii) Trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	60		
	c) 375mm C76-IV RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	105		
	Type o bedding class o backini			100		
	d) 375mm C76-V RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	45		
	e) 450mm C76-IV RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	35		
	ii) Trenchless installation, Class B					
	Type 3 Bedding Class 5 Backfill		m	190		
	f) 450mm C76-V RCP or SDR 35 PVC i) Trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		~	100		
	Type 5 Bedding Class 5 Backini		m	100		
	g) 525mm C76-V RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	135		
	h) 750mm C76-IV RCP or SDR 35 PVC					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	13		
	i) 900mm C76-IV RCP or SDR 35 PVC i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	100		
	Type 5 bedding Class T Backini		m	100		
	j) 1050mm C76-IV RCP					
	i) Trenchless installation, Class B					
	Type 3 Bedding Class 1 Backfill		m	361		
1		1			1 1	

FORM B: PRICES

(See B9)

	RICES					
ITEM				APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
A.2	Aquaduat Lindoraragaing	E9		1		
A.Z	Aqueduct Undercrossing	E9	l.s.	1		
A.3	New Manholes	CW2130				
-						
	a) SD-010					
	i) 1200mm x 1.83 base		vert. m	28		
	ii) 1500mm x 1.83 base		vert. m	6		
	iii) 1800mm x 1.83 base		vert. m	47		
	b) SD-011 1500mm ø					
	i) 1050mm to 1050mm (MH.9)		vert. m	6		
	,			_		
A.4	New Manholes on Existing Sewers	CW2130				
	a) SD-010 i) 1200mm		vert. m	26		
	ii) 1200mm C/W OF		l.s.	26 4		
	iii) 1800mm x 1.83 base C/W OF (MH.27)		l.s.	1		
	iv) 2100mm x 1.83 base C/W OF (MH.17)		l.s.	1		
	v) 2400mm x 2.44 base C/W OF (MH.25)		l.s.	1		
	vi) 2700mm x 2.44 base C/W OF (MH.12)		l.s.	1		
	vii) 2700mm x 2.44 base C/W OF (MH.13)		l.s.	1		
A.5	Catch Basins/Catch Pits	CW2130				
A.5	Calch Basilis/Calch Fils	CVV2130				
	a) SD-024 1800mm deep (AP-008,009,010,011)		unit	12		
A.6	Sewer Services	CW2130				
	a) 150mm					
	a) 150mm i) trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	25		
	b) 250mm			20		
	i) trenchless installation, Class B					
	Type 3 Bedding Class 3 Backfill		m	125		
A.7	Replacing Existing Manhole Cover	CW2130				
	a) AP-004 - Manhole Frame		unit	5		
	b) AP-005 - Manhole Cover (Solid)		unit	5		
	,			-		
A.8	Patching Existing Manholes/Catchbasins	CW2130	vt.m.	5		
	Depletion Friddler M. J. J.					
A.9	Replacing Existing Manhole	014/04/00	1.00-14	10		
	or Catch Basin Rungs	CW2130	unit	10		
A.10	Replacing Existing Catch Basin Hoods	CW2130	unit	4		
	I topissing Existing eater Babin noodo	1 0112100	Grift	I '	1 1	

FORM B: PRICES

(See B9)

	RICES					
ITEM				APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
A.11	Adjustment of Existing					
A. I I	Catch Basins and Manholes	CW3210	unit	6		
				_		
A.12	Re-connecting to Existing Sewer	CW2130				
) 450		.,			
	a) 150mm		unit	4		
A.13	Connecting to Existing 1250mm Plug	E6	l.s.	1		
A.14	Connecting to Existing Manhole	CW2130				
	a) 275			4		
	a) 375mm b) 450mm		unit unit	4		
			unit	1		
A.15	Connecting to Existing Catch Basin	CW2130				
	a) 250mm		unit	4		
A.16	Plugging Existing Sewers and Sewer					
A.10	Services Smaller Than 300mm	CW2130				
		0.12.00				
	a) 150mm		unit	3		
	b) 200mm		unit	6		
	c) 250mm d) 375mm		unit	4 2		
	a) 375mm		unit	2		
A.17	Abandoning Existing Sewers with					
	Cement Stabilized Flowable Fill	CW2130	m3	15		
			_			
A.18	Cement Stabilized Fill	CW2130	m3	20		
A.19	Abandoning Existing Sewer Services					
/ 10	Under Pavement	CW2130				
	a) 200mm		unit	3		
	b) 250mm		unit	3		
A.20	Abandon Existing Catch Basins	CW2130	unit	6		
/		0112100	Grift	Ũ		
A.21	Abandon Existing Manholes	CW2130	unit	1		
A.22	Removing Existing Manholes	CW2130				
	a) Standard Manhole		unit	1		
	b) Flush Tank Manhole		unit	4		
1	,	1		1 -	ı 1	

FORM B: PRICES (See B9)

UNIT F	PRICES					
ITEM				APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
A.23	Concrete Pipe - Three					
	Edge Bearing Test	CW2130				
	a) 200mm CZC III			4		
	a) 300mm C76-III		unit	1		
	b) 375mm C76-III c) 375mm C76-IV		unit unit	1		
	d) 375mm C76-V		unit	1		
	e) 450mm C76-IV		unit	1		
	f) 450mm C76-V		unit	1		
	g) 525mm C76-V		unit	1		
	h) 750mm C76-IV		unit	1		
	i) 900mm C76-IV		unit	1		
	j) 1050mm C76-IV		unit	1		
	J, · · · · · · · · · · · · · · · · · · ·					
A.24	Sewer Inspection (New Sewers)	CW2130				
	a) 375mm		lin.m.	242		
	b) 450mm		lin.m.	318		
	c) 525mm		lin.m.	134		
	d) 750mm		lin.m.	13		
	e) 900mm		lin.m.	100		
	f) 1050mm		lin.m.	361		
A.25	Misc. Sewer Inspection (Existing Sewers)	CW2130				
	a) 300mm CS (Post-Construction)		lin.m.	172		
	b) 375mm CS (Post-Construction)		lin.m.	85		
	c) 1250mm SRS (Post-Construction)		lin.m.	8		
	d) Aqueduct Sub-Drain: 150mm(Post-Construction)		lin.m.	35		
A.26	Pavement (Removal)	CW2130				
	a) Concrete		~ 0	400		
	i) 150mm Pavement		m2	400		
	ii) 200mm Pavement iii) 100mm Sidewalk		m2 m2	1075 55		
			1112	00		
A.27	Reinforced Concrete Pavement	CW2130				
	a) 150mm Pavement		m2	320		
	b) 150mm Pavement		1112	020		
	for early opening (24 hour)		m2	80		
	c) 200mm Pavement		m2	285		
	d) 200mm Pavement					
	for early opening (24 hour)		m2	790		
	e) 150mm temporary pavement		m2	230		
•				1	· I	

FORM B: PRICES (See B9)

	RICES					
ITEM				APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
A.28	Concrete Curb Installation	CW2130				
A.20		0002130				
	a) barrier/modified barrier		lin.m.	140		
	b) lip/modified lip		lin.m.	15		
	c) ramp		lin.m.	15		
A.29	Concrete Curb Renewal	CW2130				
	a) barrier/modified barrier		lin.m.	30		
			lin.m.	30 10		
	b) lip/modified lip			10		
	c) ramp		lin.m.	10		
A.30	100mm Concrete Sidewalk	CW3235	m2	55		
A.31	Installation of MH/CB Cast Iron					
-	Lifter Ring Inserts	CW3210				
	5					
	a) 50mm		unit	5		
A.32	Asphaltic Concrete Planing	CW3450				
	a) planing 0-50mm depth		m2	420		
A.33	Hot Mix Asphaltic Concrete					
	Pavement Type 1A	CW2130				
	a) patching		tonne	15		
	b) overlay		tonne	110		
	b) overlay		tonno	110		
A.34	Miscellaneous Pavement Restorations	CW3150				
	a) Limestone		tonne	20		
	b) Cold Mix		tonne	20		
A.35	Miscellaneous Boulevard Sodding	CW3510	m2	100		
τοται	BID PRICE (GST extra) (in figures)					
	DD TRICE (GOT EXITA) (IT ligues)					
(in wor	ds)					

FORM G1 (R1): BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____ , 20_____ , 20_____ for

BID OPPORTUNITY NO. 132-2006 Addendum 1

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 2A

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of ______ , 20_____ .

1

SIGNED AND SEALED in the presence of:

(Witness)

(Name of Principal)	
Per:	(Sea
Per:	
(Name of Surety)	

_____ of

FORM G1 (R1): BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____ , 20_____ for

BID OPPORTUNITY NO. 132-2006 Addendum 1

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 2A

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20____.

(Name of Surety)

_____ By: (Attorney-in-Fact) (Seal)

FORM G2 (R1): IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING

(BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 132-2006 Addendum 1

ALEXANDER/BANNATYNE COMBINED SEWER RELIEF CONTRACT 2A

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2 (R1): IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 28, 2006.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	ne of bank or financial institution)					
Per:						
	(Authorized Signing Officer)					

Per:

(Authorized Signing Officer)