FORM A: BID (See B8)

1.	Project Title	2006 WATERMAIN REN	EWALS – CONTRACT NO. 4	
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	er the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	rizes the following contact pe f the Bid.	rson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Offer		s to perform the Work in acc I Price, in Canadian funds, se	

5.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
6.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
7.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
8.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
9.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
10.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty five (45) Calendar Days following the Submission Deadline.

11.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		, 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B(R1): PRICES (See B9)

2006 WATERMAIN RENEWALS - CONTRACT NO. 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>A</u>	Alexander Avenue, King Street, Lo		and Her		111102	<u> </u>
A.1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	11.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	353.0		
c)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	17.0		
d)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	126.0		
A.2	Hydrant Assembly	CW 2110				
a)	SD-006		each	5		
A.3	Watermain Valve	CW 2110				
a)	150mm		each	2		
b)	200mm		each	5		
c)	300mm		each	3		

FORM B(R1): PRICES (See B9)

2006 WATERMAIN RENEWALS - CONTRACT NO. 4

	PRICES	0050	LINUT	ADDDCV	LINUT	ANAOLINIT
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.4	Fittings	CW 2110				
a)	Tees					
i)	200mm X 200mm X 150mm		each	5		
ii)	250mm X 250mm X 250mm		each	1		
iii)	300mm X 300mm X 200mm		each	1		
iv)	300mm X 300mm X 250mm		each	1		
b)	Bends (SD-004)					
i)	150mm - 90°		each	1		
ii)	200mm – 22 1/2°		each	1		
iii)	200mm - 45°		each	1		
iv)	200mm - 90°		each	2		
v)	250mm - 45°		each	4		
vi)	250mm - 90°		each	1		
c)	Crosses					
i)	200mm X 200mm X 200mm X		each	1		
ii)	200mm 300mm X 300mm X200mm X		each	1		
	200mm					
d)	Reducers					
i)	200mm – 150mm		each	2		
ii)	250mm – 100mm		each	1		
iii)	250mm – 200mm			1		
iv)	300mm – 200mm		each	1		
v)	300mm – 250mm		each	1		
vi)	350mm – 300mm		each	2		

FORM B(R1): PRICES (See B9)

2006 WATERMAIN RENEWALS - CONTRACT NO. 4

	PRICES	0050		ADDDCV		4 4 4 Q L I 1 - T
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
e)	Plugs					
i)	250mm		each	1		
A.5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	35.0		
b)	25mm					
i)	trenchless installation, Class B		m	5.0		
	sand bedding, Class 3 backfill					
c)	38mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
	salid bedding, Class 3 backlill					
A.6	Corporation Stops	CW 2110				
a)	19mm		each	6		
b)	25mm		each	5		
c)	38mm		each	1		
A.7	Curb Stops	CW 2110				
a)	19mm		each	2		
b)	25mm		each	1		
A.8	Curb Stop Boxes	CW 2110				
a)	19mm		each	2		
b)	25mm		each	1		
	•	•		•		•

FORM B(R1): PRICES (See B9)

2006 WATERMAIN RENEWALS - CONTRACT NO. 4

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
NO.	Connecting to Existing Watermains	REF. CW 2110		QUANTITY	PRICE	
	and Large Diameter Water Services	011 2110				
a)	In-line connection – no plug existing					
i)	100mm		each	2		
ii)	150mm		each	7		
iii)	250mm		each	3		
iv)	300mm		each	2		
v)	350mm		each	2		
A.10	Connecting Existing Cooper Water Services to New Watermains	CW 2110				
a)	19mm		each	7		
b)	25mm		each	5		
c)	38mm		each	1		
A.11	10.9 Kilogram Sacrificial Zinc	CW 2110				
a)	Anodes On metallic watermains		each	10		
b)	On water services		each	13		
	On water services		Gaoii	15		
A.12	Continuity Bonding	CW 2110	each	13		
7.12	Continuity Bonding	CWZIIO	Gaoii	15		
A.13	Maintaining Curb Stop Excavations	CW 2110	Each/	2		
A.13	Ivialitalilling Curb Stop Excavations	CW 2110	day	2		
A.14	Partial Slab Patches	E8				
a)	200mm reinforced concrete pavement		m ²	335.0		
A.15	Miscellaneous Concrete Slab	E9				
a)	Renewal Sidewalk (SD-228A)		m ²	100.0		
	, ,					

Tomplete Version: C0200E020

FORM B(R1): PRICES (See B9)

2006 WATERMAIN RENEWALS - CONTRACT NO. 4

UNII	PRICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.16	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m ²	30.0		
A.17	Concrete Curb Renewal	E10				
a)	Barrier Curb		m	135.0		
b)	Ramp curb and gutter		m	21.0		
A.18	Street Lighting Cable	E6				
b)	Coring		m	130.0		
A.19	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	40.0		
A.20	Regrading of Interlocking Paving Stones on a Lean Concrete Base	E11	m²	30.0		
A.21	Cement Stabilized Backfill Material	E12	m³	50.0		
			•	Part A Subto	otal:	
<u>B</u>	Broadway and Osborne Street					
B.1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	89.0		
b)	250mm					
			m	665.0		
i)	trenchless installation, Class B sand bedding, Class 3 backfill					
i) B.2	trenchless installation, Class B sand bedding, Class 3 backfill Hydrant Assembly	CW 2110	""			
,	sand bedding, Class 3 backfill	CW 2110	each	8		

FORM B(R1): PRICES (See B9)

2006 WATERMAIN RENEWALS – CONTRACT NO. 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.3	Watermain Valve	CW 2110				
a)	150mm		each	1		
b)	250mm		each	7		
B.4	Fittings	CW 2110				
a)	Tees					
i)	250mm X 250mm X 150mm		each	4		
ii)	250mm X 250mm X 250mm		each	1		
b)	Bends (SD-004)					
i)	250mm - 45°		each	2		
ii)	250mm – 22 1/2°		each	1		
iii)	250mm – 11 1/4°		each	3		
c)	Crosses					
i)	250 X 25 X 250 X 250		each	1		
B.5	Water Services	CW 2110				
a)	25mm					
i)	trenchless installation, Class B		m	4.0		
	sand bedding, Class 3 backfill					
b)	38mm					
i)	trenchless installation, Class B		m	3.0		
	sand bedding, Class 3 backfill					
c)	50mm					
i)	trenchless installation, Class B		m	6.0		
	sand bedding, Class 3 backfill					

FORM B(R1): PRICES (See B9)

2006 WATERMAIN RENEWALS - CONTRACT NO. 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.6	Corporation Stops	CW 2110			-	
a)	25mm		each	3		
b)	38mm		each	1		
c)	50mm		each	3		
B.7	Connecting to Existing Watermains	CW 2110				
a)	and Large Diameter Water Services In-line connection – no plug existing					
i)	150mm		each	4		
ii)	250mm		each	4		
B.8	Connecting Existing Cooper Water	CW 2110				
a)	Services to New Watermains 25mm		each	3		
b)	38mm		each	1		
c)	50mm		each	3		
,						
B.9	10.9 Kilogram Sacrificial Zinc	CW 2110				
a)	Anodes On metallic watermains		each	3		
b)	On water services		each	7		
D 40	Continuity Danding	01410440		7		
B.10	Continuity Bonding	CW 2110	each	7		
D 40	Dortini Clab Databas	Ε0				
B.12	Partial Slab Patches	E8	2			
a)	200mm reinforced concrete pavement		m ²	350.0		
B.13	Miscellaneous Concrete Slab Renewal	E9				
a)	Sidewalk (SD-228A)		m ²	230.0		

FORM B(R1): PRICES (See B9)

2006 WATERMAIN RENEWALS - CONTRACT NO. 4

	PRICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.14	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m ²	50.0		
B.15	Concrete Curb Renewal	E10				
a)	Barrier Curb		m	180.0		
b)	Ramp curb and gutter		m	20.0		
B.16	Street Lighting Cable	E6				
a)	Coring		m	250.0		
B.17	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	42.0		
B.18	Regrading of Interlocking Paving Stones on a Lean Concrete Base	E11	m²	50.0		
B.19	Cement Stabilized Backfill	E12	m ³	65.0		
	Material					
				Part B Subto	tal:	
<u>C</u>				Part B Subto	 otal:	
<u>C</u> C.1	Material			Part B Subto	otal:	
	Material Dagmar and Street Bannatyne Ave	nue		Part B Subto	otal:	
C.1	Material Dagmar and Street Bannatyne Ave Watermain Renewal	nue	m	Part B Subto	otal:	
C.1 a)	Material Dagmar and Street Bannatyne Ave Watermain Renewal 150mm trenchless installation, Class B	nue	m		otal:	
C.1 a) i)	Material Dagmar and Street Bannatyne Ave Watermain Renewal 150mm trenchless installation, Class B sand bedding, Class 3 backfill	nue	m		otal:	
C.1 a) i)	Material Dagmar and Street Bannatyne Ave Watermain Renewal 150mm trenchless installation, Class B sand bedding, Class 3 backfill 250mm trenchless installation, Class B	nue		6.0	otal:	
C.1 a) i) b)	Material Dagmar and Street Bannatyne Ave Watermain Renewal 150mm trenchless installation, Class B sand bedding, Class 3 backfill 250mm trenchless installation, Class B sand bedding, Class 3 backfill	cnue CW 2110		6.0	otal:	

FORM B(R1): PRICES (See B9)

2006 WATERMAIN RENEWALS - CONTRACT NO. 4

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
NO.	Fitting o	REF.		QUANTITY	PRICE	
C.3	Fittings	CW 2110				
a)	Tees					
i)	250mm X 250mm X 150mm		each	1		
,						
b)	Reducers					
i)	250mm – 150mm		each	1		
ii)	250mm – 200mm		each	1		
0.5		0)4/ 04/40				
C.5	Corporation Stops	CW 2110				
a)	25mm		each	3		
b)	38mm		each	1		
0.6	Connecting to Evicting Wetermains	CW 2110				
C.6	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection – no plug existing					
i)	150mm		each	2		
ii)	200mm		each	1		
iii)	250mm		each	2		
0.7	Composition Frieding Composition	0111 0440				
C.7	Connecting Existing Cooper Water Services to New Watermains	CW 2110				
a)	25mm		each	3		
b)	38mm		each	1		
	40.0167	0)4/6/46				
C.8	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On metallic watermains		each	1		
b)	On water services		each	4		
0.0	Continuity Reading	CW 2110	acak	4		
C.9	Continuity Bonding	CVV 2110	each	4		

FORM B(R1): PRICES (See B9)

2006 WATERMAIN RENEWALS - CONTRACT NO. 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.11	Partial Slab Patches	E8				
a)	200mm reinforced concrete pavement		m ²	55.0		
C.12	Miscellaneous Concrete Slab Renewal	E9	2	45.0		
a)	Sidewalk (SD-228A)		m ²	15.0		
C.13	Concrete Curb Renewal	E10				
a)	Barrier Curb		m	40.0		
C.14	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
C.15	Sodding	CW 3510	m ²	70.0		
			•	Part C Subto	otal:	
<u>D</u>	Honeyman Avenue					
D.1	Watermain Renewal	CW 2110				
a)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	109.0		
D.2	Watermain Valve	CW 2110				
a)	200mm		each	2		
D.3	Fittings	CW 2110				
a)	Tees					
i)	200mm X 200mm X 150mm		each	1		
ii)	200mm X 200mm X 200mm		each	1		
b)	Bends (SD-004)					
i)	200mm - 11 1/4°		each	1		

FORM B(R1): PRICES (See B9)

2006 WATERMAIN RENEWALS - CONTRACT NO. 4

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.4	Water Services	CW 2110		QO/IIIII	THOL	
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	55.0		
D.5	Corporation Stops	CW 2110				
a)	19mm		each	12		
D.6	Curb Stops	CW 2110				
a)	19mm		each	5		
D.7	Curb Stop Boxes	CW 2110				
a)	19mm		each	5		
D.0	Occupation to Edition Webseries	01410				
D.8	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection – no plug existing					
i)	150mm		each	1		
ii)	200mm		each	3		
D.9	Connecting Existing Cooper Water Services to New Watermains	CW 2110				
a)	19mm		each	12		
D.10	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On metallic watermains		each	1		
b)	On water services		each	16		
D.11	Continuity Bonding	CW 2110	each	12		

FORM B(R1): PRICES (See B9)

2006 WATERMAIN RENEWALS - CONTRACT NO. 4

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
NO. D.12	Maintaining Curb Stop Excavations	REF. CW 2110	Each/	QUANTITY 4	PRICE	
D.12	Walitalining Curb Stop Excavations	CWZIIO	day	_		
D.13	Partial Slab Patches	E8				
a)	150mm reinforced concrete		m ²	20.0		
	pavement					
5.44						
D.14	Miscellaneous Concrete Slab Renewal	E9				
a)	Sidewalk (SD-228A)		m ²	50.0		
D.15	Concrete Curb Renewal	E10				
a)	Barrier Curb		m	12.0		
b)	Ramp Curb and Gutter			6		
D)	Ramp Curb and Guiter		m	0		
D.16	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
	Overlays Type 1A					
D.17	Sodding	CW 3510	m²	75.0		
	3					
D 40	Chroat I jobt Cabla	F.C.				
D.18	Street Light Cable	E6				
a)	Trenching		m	95.0		
				Part D Subto	otal:	
TOTA	L BID PRICE (GST extra) (in figures) \$	\$				
(in words)						

Name of Bidder	

Template Version: C020050301

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS T	HAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten perchereinafter described, for the payment of wh	and firmly bound unto THE CITY OF WINNIP ent (10%) of the Total Bid Price set out in the nich sum the Principal and Surety bind themsel ssigns, jointly and severally, firmly by these pres	Bid Submission ves, their heirs,
WHEREAS the Principal has submitted a Bio	d to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 242 - 2006		
2006 WATERMAIN RENEWALS – CONTRA	ACT NO. 4	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	igation is such that if the Bid of the Principal is r ccordance with the terms of the Bid, enters into performance security for guaranteeing the faith but otherwise shall remain in full force and effec	a Contract with ful performance
IN WITNESS WHEREOF the Principal and S	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of: (Witness)	(Name of Principal) Per:	(Seal)
	(Name of Surety) By:	(Seal)

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 242 - 2006 2006 WATERMAIN RENEWALS - CONTRACT NO. 4 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(D - 1 -)	
(Date)	
Corpo Mater	ity of Winnipeg rate Finance Department als Management Branch ng Street, Main Floor
Winni	peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 242 - 2006
	2006 WATERMAIN RENEWALS – CONTRACT NO. 4
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
(Addres	s of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
dema Letter payme	standby Letter of Credit may be drawn on by you at any time and from time to time upon written not for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 9, 2006

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)			
Per:			
	(Authorized Signing Officer)		
Per:			
	(Authorized Signing Officer)		