FORM A: BID (See B7)

1.	Project Title	Residential Street Rener	ry of Winnipeg/Local Improver wal Program – Part 1: Pacific bund, Part 3: Helmsdale/Kimb	Avenue, Part 2:
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact pof the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		sed in the Contract shall have been been seen and D3.	ave the meanings
5.	Offer		rs to perform the Work in acid Price, in Canadian funds, s	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

rompiato re	131011. 0420041231		
12.	Signatures	In witness whereof the Bidder or the Bidder officials have signed this	's authorized official or
		day of	, 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials	
	(Witness)	(Print here name and official capacity of individual wh	ose signature appears above)
	(Witness)	(Print here name and official capacity of individual wh	ose signature appears above)

SEAL

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
PART	1	CITY FUNDED WORK	NEF.	<u> </u>	QUANTITY		
Α		PACIFIC AVENUE RECONSTRUCTION- Isa	bel Street to F	llen Stre	et		
A.1		Excavation	CW 3110-R9 E12.	m³	1250		
A.2		Sub-Grade Compaction	CW 3110-R9 E12.	m²	2650		
٨.3		Crushed Sub-base Material	CW 3110-R9 E12.				
	i)	50 mm - Limestone		tonne	1880		
	ii)	150 mm - Limestone		tonne	500		
A. 4		Supplying and Placing Base Course Material	CW 3110-R9	m³	320		
4. 5		Grading of Boulevards	CW 3110-R9	m²	1200		
۹.6		Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	2650		
4.7		Pavement Removal	CW 3110-R9 E12.				
	i)	Concrete Pavement		m²	600		
	ii)	Asphalt Pavement		m²	2000		
4.8		Miscellaneous Concrete Slab Renewal	CW 3235-R6 E11.				
	i)	Sidewalk	SD-228A				
		a) Less than 5 sq.m.		m²	20		
		b) 5 sq.m. to 20 sq.m.		m²	90		
		c) Greater than 20 sq.m.		m²	720		
٨.9		Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	5		
۸.10		Concrete Curb Renewal	CW 3240-R6				
	i)	Barrier (150mm ht, Dowelled)	SD-205, SD206A				
		a) 3 m to 30 m	5525011	m	10		

ITEM	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
۸.11		Construction of Asphaltic Concrete Overlay	CW 3410-R7		QUANTITY		
	i١	Tie-ins and Approaches					
	')	Tie-ins and Approaches					
		a) Type IA		tonne	15		
۸.12		Planing of Pavement	CW 3450-R4				
	i)	0 - 50 mm Depth (Asphalt)		m²	100		
A.13		Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R10				
	i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	2575		
\.14		Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
	i)	Construction of Barrier (180mm ht, Integral)	SD-204	m	425		
		Construction of Modified Barrier (180mm ht, Integral)	SD-203B	m	32		
	iii)	Construction of Curb Ramp (10mm ht)	SD-229E	m	20		
A.15		Reflective Crack Maintenance	CW 3250-R6	m	25		
A.16		Catch Basin	CW 2130-R10				
	i)	SD-024		each	2		
A.17		Catch Pit	CW 2130-R10				
	i)	SD-023		each	2		
A.18		Sewer Service	CW 2130-R10				
	i)	250 mm					
		a) in a Trench, Class B Bedding with Sand, Class 2 Backfill		m	10		
A.19		Drainage Connection Pipe	CW 2130-R10	m	5		
A.20		Replacing Standard Frames & Covers	CW 2130-R10				
	i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
	ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		

DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Connecting to Existing Catch Basin	CW 2130-R10				
250 mm Drainage Connection Pipe		each	2		
Connecting to Existing Sewer	CW 2130-R10				
250 mm Sewer Service Pipe					
a) Connecting to 300 Combined Sewer (c/w 300 CS connection video)		each	2		
Connecting new Sewer Service to Existing Sewer Service	CW 2130-R10				
) 250 mm		each	2		
Removal of Existing Catchbasins	CW 2130-R10	each	2		
Relocation of Existing Catchbasins	CW 2130-R10	each	2		
Abandonment of Existing Drainage Inlets	CW 2130-R10	each	4		
Installation of Subdrains	CW 3120-R1	m	120		
Backfill Material	CW 2030-R7				
) Sand		m³	5		
Removal of Existing Pipes	E14.	m	10		
Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres	CW 2130-R10				
250 mm		each	2		
Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	12		
Replacing Existing Risers	CW 2130-R10				
Pre-cast concrete risers		vert. m	3.0		
Lifter Rings	CW 3210-R6				
51mm		each	9		
Adjustment of Valve Boxes	CW 3210-R6	each	3		
Valve Box Extensions	CW 3210-R6	each	2		
	Connecting to Existing Catch Basin 250 mm Drainage Connection Pipe Connecting to Existing Sewer 250 mm Sewer Service Pipe a) Connecting to 300 Combined Sewer (c/w 300 CS connection video) Connecting new Sewer Service to Existing Sewer Service 250 mm Removal of Existing Catchbasins Relocation of Existing Catchbasins Abandonment of Existing Drainage Inlets Installation of Subdrains Backfill Material Sand Removal of Existing Pipes Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres 250 mm Adjustment of Catch Basins / Manholes Frames Replacing Existing Risers Pre-cast concrete risers Lifter Rings 51mm Adjustment of Valve Boxes	DESCRIPTION Connecting to Existing Catch Basin CW 2130-R10 Connecting to Existing Sewer Connecting to Existing Sewer Connecting to Existing Sewer Connecting to Existing Sewer CW 2130-R10 Connecting to 300 Combined Sewer (c/w 300 CS connection video) Connecting new Sewer Service to Existing Sewer Service Connecting new Sewer Service to Existing Sewer Service CW 2130-R10 Removal of Existing Catchbasins CW 2130-R10 Relocation of Existing Drainage Inlets CW 2130-R10 Installation of Subdrains CW 3120-R1 Backfill Material CW 2030-R7 Backfill Material CW 2030-R7 CW 2130-R10 CW 2130-R10 CW 2130-R10 CW 2130-R10 CW 2030-R7 E14. CW 2030-R7 Adjustment of Catch Basins / Manholes Frames Replacing Existing Risers CW 2130-R10 Pre-cast concrete risers Lifter Rings CW 3210-R6 E151 CW 3210-R6 CW 3210-R6 CW 3210-R6	DESCRIPTION Connecting to Existing Catch Basin Description Connecting to Existing Catch Basin Description Connecting to Existing Sewer Connecting to Existing Sewer Connecting to Existing Sewer Connecting to Sewer Service Pipe a) Connecting to 300 Combined Sewer (c/w 300 CS connection video) Connecting new Sewer Service to Existing Sewer Service Description Connecting new Sewer Service to Existing CW 2130-R10 Each Removal of Existing Catchbasins CW 2130-R10 Each Relocation of Existing Drainage Inlets CW 2130-R10 Each Installation of Subdrains CW 3120-R1 Each Each Each Each CW 2030-R7 Description Each CW 2030-R7 Each CW 2030-R7 CW 2030-R7 Each CW 2130-R10 Each CW 2030-R7 CW 2030-R7 CW 2030-R7 Each CW 2130-R10 Each CW 2030-R7 CW 2130-R10 Each CW 2130-R10 Frames CW 2130-R10 CW 2130-R10 Frames CW 2130-R10 Each CW 2130-R10 CW 2130-R10 Each Each CW 2130-R10 Each Each Each Each Each Each Each Eac	DESCRIPTION	DESCRIPTION

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
A.36	Adjustment of Curb Stop Boxes	CW 3210-R6	each	5		
A.37	Curb Stop Extensions	CW 3210-R6	each	5		
A.38	Patching Existing Manhole	CW 2130-R10	vert. m	0.5		
A.39	Sodding	CW 3510-R8				
i)	width < 600mm		m²	50		
<u> </u>						
ii)	width > or = 600mm		m²	1200		
'						
		<u> </u>				
Α	PACIFIC AVENUE RECONSTRUCTION- Isa	bel Street to E	llen Stre	<u>et</u>	Cubtotali	
					Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART	2 PROVINCIALLY FUNDED W		2)			
В	BURROWS AVENUE WESTBOUND RECO	ONSTRUCTION-	Battery S	Street to Sgt.		
3.1	Excavation	CW 3110-R9	m³	1600		
3.2	Sub-Grade Compaction	CW 3110-R9	m²	2205		
3.3	Crushed Sub-base Material	CW 3110-R9				
	i) 50 mm - Limestone		tonne	800		
i	ii) 150 mm - Limestone		tonne	2400		
3.4	Supplying and Placing Base Course Materia	CW 3110-R9	m³	170		
3.5	Grading of Boulevards	CW 3110-R9	m²	1725		
3.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	2205		
3.7	Pavement Removal	CW 3110-R9				
	i) Concrete Pavement		m²	1830		
3.8	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	58		
3.9	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	22		
3.10	Miscellaneous Concrete Slab Renewal	CW 3235-R6 E11.				
	i) Sidewalk	SD-228A				
	a) Greater than 20 sq.m.		m²	385		
3.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	5		
3.12	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Tie-ins and Approaches					
	a) Type IA		tonne	5		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.13	Planing of Pavement	CW 3450-R4				
i	0 - 50 mm Depth (Asphalt)		m²	45		
B.14	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R10				
i	Construction of 200 mm Concrete Pavement (Reinforced)		m²	1810		
B.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
i	Construction of Barrier (180mm ht, Integral)	SD-204	m	490		
ii	Construction of Modified Barrier (180mm ht, Integral)	SD-203B	m	45		
iii) Construction of Curb Ramp (10mm ht)	SD-229E	m	13		
B.16	Reflective Crack Maintenance	CW 3250-R6	m	25		
B.17	Catch Basin	CW 2130-R10				
i) SD-024		each	2		
B.18	Sewer Service	CW 2130-R10				
i) 250 mm					
	a) in a Trench, Class B Bedding with Sand, Class 2 Backfill		m	40		
B.19	Replacing Standard Frames & Covers	CW 2130-R10				
i) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	4		
ii	AP-009 - Barrier Curb and Gutter Inlet Cover		each	4		
B.20	Connecting to Existing Sewer	CW 2130-R10				
i) 250 mm Sewer Service Pipe					
	a) Connecting to 300 Concrete Combined Sewer (c/w 300 CS connection video)		each	2		
	b) Connecting to 2100 Concrete Storm Relief Sewer, 8-9 m deep (c/w 2100 SRS		each	4		
B.21	connection video) Removal of Existing Catchbasins	CW 2130-R10	each	2		
B.22	Relocation of Existing Catchbasins	CW 2130-R10	each	4		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.23	Abandonment of Existing Drainage Inlets	CW 2130-R10	each	6		
3.24	Installation of Subdrains	CW 3120-R1	m	470		
3.25	Backfill Material	CW 2030-R7				
i	Sand		m³	5		
3.26	Removal of Existing Pipes	E14.	m	25		
3.27	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres	CW 2130-R10				
i	250 mm		each	3		
3.28	Adjustment of Catch Basins / Manholes Frames	CW 3210-R6	each	2		
B.29	Replacing Existing Risers	CW 2130-R10				
i	Pre-cast concrete risers		vert. m	0.5		
3.30	Lifter Rings	CW 3210-R6				
i	51mm		each	2		
3.31	Adjustment of Curb Stop Boxes	CW 3210-R6	each	15		
3.32	Curb Stop Extensions	CW 3210-R6	each	1		
B.33	Patching Existing Manhole	CW 2130-R10	vert. m	1		
3.34	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R10	each	5		
3.35	Replacing Existing Catch Basin Hoods	CW 2130-R10	each	2		
3.36	Sodding	CW 3510-R8				
i	width < 600mm		m²	25		
ii	width > or = 600mm		m²	1700		
3.37	Trenching and Backfilling for Street Lighting Cable	E26.	m	250		

The City of Winnipeg Bid Opportunity No. 299-2006 Bid Submission Page 11 of 24 Addendum No. 2

FORM B (R2): PRICES (SEE B8)

		1				
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
B.38	Pipe Pushing for Street Lighting Cable	E26.	m	40		
	BURROWS AVENUE WESTBOUND RECO	NSTRUCTION-	Battery S	Street to Sgt.		
В	Tommy Prince Street				Subtotal:	

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PAR	Γ3	LOCAL IMPROVEMENTS (Se					
С		LOCAL IMPROVEMENT- HELMSDALE/ KIN	BERLY ALLE	/ ROADI	<u>WORKS</u>		
C.1		Excavation	CW 3110-R9	m³	1000		
C.2		Sub-Grade Compaction	CW 3110-R9	m²	2060		
C.3		Crushed Sub-base Material	CW 3110-R9				
	i)	50 mm - Limestone		tonne	1500		
	ii)	150 mm - Limestone		tonne	150		
C.4		Supplying and Placing Base Course Material	CW 3110-R9	m³	180		
C.5		Grading of Boulevards	CW 3110-R9	m²	150		
C.6		Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	2060		
C.7		Pavement Removal	CW 3110-R9				
	i)	Concrete Pavement		m²	130		
	ii)	Asphalt Pavement		m²	25		
C.8		Partial Slab Patches - Early Opening (72 hour)	CW 3230-R5 E11.				
		150 mm Concrete Pavement (Type D)		m²	30		
C.9		Drilled Dowels	CW 3230-R5				
	i)	19.1 mm Diameter		each	20		
C.10		Drilled Tie Bars	CW 3230-R5				
	i)	20 M Deformed Tie Bar		each	100		
C.11		Miscellaneous Concrete Slab Renewal	CW 3235-R6 E11.				
	i)	Sidewalk	SD-228A				
		a) Less than 5 sq.m.		m²	30		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
C.12	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Tie-ins and Approaches					
	a) Type IA		tonne	10		
C.13	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R10				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	1800		
C.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R10				
i)	Construction of Modified Barrier Curb 180 mm (Integral)	SD-203B	m	40		
ii)	Construction of Mountable Curb 120 mm (Integral)	SD-201	m	50		
C.15	Installation of Subdrains	CW 3120-R1	m	80		
C.16	Sodding	CW 3510-R8				
i)	Width > or = 600 mm		m²	80		
C.17	Seeding	CW 3520-R6	m²	60		
С	LOCAL IMPROVEMENT- HELMSDALE/ KIN	MBERLY ALLEY	/ ROAD	<u>WORKS</u>	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART	4 UNDERGROUND WORKS					
D	LOCAL IMPROVEMENT- HELMSDALE/ KII	MBERLY ALLEY	/ LAND I	DRAINAGE		
D.1	Manholes	CW 2130-R10				
	i) SD-010, 1200 mm diameter base		vert. m	4		
D.2	Catch Basin	CW 2130-R10				
	i) SD-025		each	4		
D.3	Sewer Service	CW 2130-R10				
	i) 250 mm					
	a) Trenchless Installation, Class B bedding with sand, Class 3 Backfill		m	127		
	ii) 300 mm					
	a) Trenchless Installation, Class B bedding with sand, Class 3 Backfill		m	68		
D.4	Connecting to Existing Manhole	CW 2130-R10				
	i) 300 mm PVC SDR-35 Sewer Service Pipe		each	1		
D.5	Connecting to Existing Sewer	CW 2130-R10				
	i) 300 mm PVC SDR-35					
	a) Connecting to 450 Combined Sewer (c/w 450 C.S. connection video)		each	1		
D.6	Sewer Inspection (New Sewer Service)	CW 2145-R3				
	a) 250 mm		m	127		
	b) 300 mm		m	68		
D.7	Manhole Inspection	CW 2145-R3	each	1		
D	LOCAL IMPROVEMENT- HELMSDALE/ KII	⊔ MBERLY ALLE	LAND I	DRAINAGE	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	PACIFIC AVENUE- STORM RELIEF SEWE	•	SEWER I			
E.1	Storm Relief Sewers/ Combined Sewers	CW 2130-R10				
į	300 mm, C76-IV RCP or SDR 35 PVC					
	a) Trenchless Installation, Class B Type 3 Bedding, Class 3 Backfill		m	83		
E.2	New Manholes	CW 2130-R10				
i	SD-010					
	a) 1200mm x 1.83 base (MH.1)		vert. m	4		
E.3	New Manholes on Existing Sewers	CW 2130-R10 E14.				
i	SD-010					
	a) 1800mm x 1.83 base c/w O/F (MH.2)		L.S.	1		
≣.4	Sewer Service	CW 2130-R10				
i	i) 150 mm					
	a) Trenchless Installation, Class B Type 3 Bedding, Class 3 Backfill		m	10		
E.5	Re-connecting to Existing Sewer	CW 2130-R10				
į	i) 150 mm		each	3		
≣.6	Concrete Pipe - Three Edge Bearing Test	CW 2130-R10				
i	i) 300 mm C76-IV		each	1		
E.7	Lifter Rings	CW 3210-R6				
i	5) 51mm		each	1		
≣.8	Sewer Inspection (New Sewers)	CW 2130-R10				
i	i) 300 mm		m	83		
i	i) 300 mm		m	83		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
E.9	Pavement Removal	CW 2130-R10				
,	Concrete a) 230 mm Reinforced		m²	15		
E.10	Reinforced Concrete Pavement	CW 2130-R10				
i)	230 mm Pavement for Early Opening (24 hr)		m²	15		
E	E PACIFIC AVENUE- STORM RELIEF SEWER/ COMBINED SEWER RELIEF				Subtotal:	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
F	PACIFIC AVENUE- Sewer MA 20018815 (M	H 20016869 to	MH 2001	(<u>6979</u>)		
F.1	Sewer Inspection	CW 2145-R3				
i)	Combined Sewers					
	a) 300 mm (Post-Repair Inspection)		m	63		
F.2	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R10				
i)	300 mm, SDR 35 PVC					
	a) Class 3 Backfill		each	1		
F.3	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R10				
i)	300 mm, SDR 35 PVC					
	a) Class 3 Backfill		m	1		
F	PACIFIC AVENUE- Sewer MA 20018815 (MH 20016869 to MH 20016979)				Subtotal:	

ITEM	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G		PACIFIC AVENUE- Branch 1 Aqueduct t	Inderdrain Manho	oles			
G.1		Supply and Installation of Underdrain Manholes	CW 2130-R10 E19.				
	i)	1220 mm diameter		each	5		
G.2		Underdrain Cleaning	CW 2140-R3 E20.				
	i)	150 mm		m	1280		
G.3		Underdrain Inspection	CW 2145-R3 E21.				
	i)	150 mm		m	1280		
G.4		Solid Debris Cutting	CW 2140-R3				
	i)	First 3 metres		each	5		
	ii)	Additional Cut in same sewer		m	50		
3 .5		Reverse Set-Up Cleaning	CW 2140-R3 E20.	each	5		
3.6		Reverse Set-Up Inspection	CW 2145-R3 E21.	each	5		
G.7		Underdrain Point Repairs	E22.				
	i)	150 mm		each	5		
G.8		Concrete Curb	E24.				
	i)	Removal		m	50		
	ii)	Barrier Curb Replacement		m	10		
	iii)	Barrier Curb & Gutter Replacement		m	30		
3.9		Reinforced Concrete Pavement Slabs	E24.				
	i)	Removal		m²	20		
	ii)	Replacement (150 mm thick)		m²	20		
	iii)	Replacement (230 mm thick)		m²	10		

G	PACIFIC AVENUE- Branch 1 Aqueduct Underdrain Manholes					
G.14	Cement Stabilized Backfill Material	CW 2030-R7	m³	10		
i)	Width > or = 600 mm		m²	100		
G.13	Sodding	CW 3510-R8				
G.12	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	30		
ii)	Replacement (100 mm thick)		m²	30		
i)	Removal		m²	40		
G.11	Concrete Sidewalk Slabs	E24.				
ii)	Replacement (100 mm thick, Type IA)		tonne	10		
i)	Removal		m²	50		
G.10	Asphaltic Concrete Pavement	E23.				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT

UNIT PRI	CES	(====)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SI	JMMARY				
PART 1	I CITY FUNDED WORK					
Α	PACIFIC AVENUE RECONSTRUCTION- Isa	abel Street to E	Ilen Stre	<u>et</u>	Subtotal:	
				(total	price) PART 1	
PART 2	PROVINCIALLY FUNDED W	ORK (See D	02)			
В	BURROWS AVENUE WESTBOUND RECO Tommy Prince Street	NSTRUCTION-	Battery	Street to Sgt.	Subtotal:	
				(total	price) PART 2	
PART 3	B LOCAL IMPROVEMENTS (Se	ee D2)				
С	LOCAL IMPROVEMENT- HELMSDALE/ KII	MBERLY ALLE	Y ROAD\	WORKS	Subtotal:	
				(total	price) PART 3	
PART 4	4 UNDERGROUND WORKS					
D	LOCAL IMPROVEMENT- HELMSDALE/ KII	MBERLY ALLE	Y LAND	<u>DRAINAGE</u>	Subtotal:	
E	PACIFIC AVENUE- STORM RELIEF SEWE	R/ COMBINED	SEWER	RELIEF	Subtotal:	
F	PACIFIC AVENUE- Sewer MA 20018815 (M	IH 20016869 to	MH 2001	(6979)	Subtotal:	
G	PACIFIC AVENUE- Branch 1 Aqueduct Underdrain Manholes Subtotal:					
				(total	price) PART 4	
TOTAL BI	D PRICE (GST extra)			(in figures)		
(in words)						
(III WOIGS)						

(Seal)

Template Version: C420041231

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	ГНАТ		
(hereinafter called the "Principal") and			
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten perchereinafter described, for the payment of we executors, administrators, successors and a	cent (10%) of the Total E hich sum the Principal a	Bid Price set out in the Bid and Surety bind themselves	Submission s, their heirs,
WHEREAS the Principal has submitted a B	id to the Obligee dated th	ne	
day of	, 20	for	
BID OPPORTUNITY NO. 299-2006			
PROVINCE OF MANITOBA/CITY OF WIND STREET RENEWAL PROGRAM – PART 1 WESTBOUND, PART 3: HELMSDALE/KIM	: PACIFIC AVENUE, PA	RT 2: BURROWS AVENU	E
as more fully set out in the Bid Opportunity.			
NOW THEREFORE the condition of this obif said Bid is accepted and the Principal, in the said Obligee and furnishes the required of the Contract, this obligation shall be void	accordance with the term I performance security fo	is of the Bid, enters into a 0 r guaranteeing the faithful	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and	sealed this bond the	
day of	, 20	·	
SIGNED AND SEALED in the presence of:	(Name of Principal)		
			(Seal)
(Witness)	Per:	(===,	
	(Name of Surety)		

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 299-2006 PROVINCE OF MANITOBA/CITY OF WINNIPEG/LOCAL IMPROVEMENTS. 2006 RESIDENTIAL STREET RENEWAL PROGRAM - PART 1: PACIFIC AVENUE, PART 2: BURROWS AVENUE WESTBOUND, PART 3: HELMSDALE/KIMBERLY ALLEY, PART 4: UNDERGROUND WORKS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20_____. (Name of Surety) (Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 299-2006
PROVINCE OF MANITOBA/CITY OF WINNIPEG/LOCAL IMPROVEMENTS, 2006 RESIDENTIAL STREET RENEWAL PROGRAM – PART 1: PACIFIC AVENUE, PART 2: BURROWS AVENUE WESTBOUND, PART 3: HELMSDALE/KIMBERLY ALLEY, PART 4: UNDERGROUND WORKS
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder) WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon writter demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 27, 2006.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)