FORM A: BID (See B8)

1.	Project Title	2006 WATERMAIN REN	IEWALS – CONTRACT 18	
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	der the above name.	
3.	Definitions	All capitalized terms us ascribed to them in the C	sed in the Contract shall have General Conditions.	the meanings
4.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact person of the Bid.	n to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
5.	Offer		rs to perform the Work in accord id Price, in Canadian funds, set o	

Template Ve	rsion: C120050301	
6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
		a bid bond (Form G1: Bid Bond and Agreement to Bond)
	(Choose one)	an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a

This offer shall be open for acceptance, binding and irrevocable for a period of thirty (30) Calendar Days following the Submission Deadline

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

	PRICES					
NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
NU.	DESCRIPTION	KEF.	UNIT	QUANTITY	PRICE	AMOUNT
'art	A : Cusson Street & Evans Street					
	Surface Restorations					
A.1	Miscellaneous Concrete Slab Renewal	3235-R6				
a)	Sidewalk	0200	sq.m.	4.0		
u)			0 q			
A.2	Full Depth Partial Slab Patches	2110-R9				
a)	Remove and replace					
i)	150mm reinforced concrete		sq.m.	4.0		
A.3	Concrete Curb Removal	3240-R6				
i)	Barrier Curb SD-206A		lin.m.	3.0		
A.4	Construction of Asphaltic Concrete Overlay	3410-R7				
а)	Tie Ins and Approaches	3410-R7				
i)	Type 1A		tonnes	20.0		
.,	1,900 117		tornioo	20.0		
A.5	Surfacing Material					
a)	Limestone	3150-R4	tonne	20.0		
	Watermain Renewal					
A.6	Watermain Renewal	2110-R9				
a)	150 mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		lin. m.	4.0		
ii)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	6.0		
iii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	170.0		
A.7	Hydrant Assembly	2110-R9				
a)	SD-007	2110103	each	2.0		
u)			Cuon	2.0		
A.8	Watermain Valve	2110-R9				
a)	150 mm		each	2.0		
A.9	Fittings	2110-R9				
a)	Bends (SD-004)					
i)	150mm - 11 1/4° - 45° bend		each	4.0		
ii)	150mm - 90° bend		each	1.0		
A 10	Connection to Existing Watermain	2110-R9				
a)	Inline Connection - No Plug Existing	2110-69				
i)	150mm watermain		each	2.0		
.,			ouon	2.0		
A.11	Services to New Watermains	2110-R9				
a)	19mm		each	20.0		
-						
A.12	Water Services	2110-R9				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin.m.	18.0		
		0446 56				
	Corporation Stops	2110-R9	oosh	20.0		
a)	19mm		each	20.0		

UNIT F	PRICES					
ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	Curb Stops 19mm	2110-R9	aaab	1.0		
a)			each	1.0		
A 15	Curb Stop Boxes	2110-R9				
	19mm	2110110	each	1.0		
A.16	Continuity Bonding	2110-R9	each	18.0		
	10.9 Kilogram Sacrificial Zinc Anodes	2110-R9				
	On Water Services		each	3.0		
b)	On Metallic Watermains		each	1.0		
Part A	A : Cusson Street & Evans Street	II	Subtot	al Part A:		
Part	B: Rue Des Meurons					
	Surface Restorations					
B.1	Miscellaneous Concrete Slab Renewal	3235-R6				
a)	Sidewalk		sq.m.	6.0		
	Concrete Curb Removal	3240-R6				
a)	Barrier Curb		lin.m.	3.0		
B 3	Concrete Curb Installation	3240-R6				
	Barrier Curb SD-206A	0240 100	lin.m.	3.0		
ω)				0.0		
	Watermain Renewal					
B.4	Watermain Renewal	2110-R9				
a)	200 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	60.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	7.0		
р с	Lindrent Assembly	0110 00				
B.5	Hydrant Assembly SD-006	2110-R9	each	1.0		
a)	30-000		each	1.0		
B.6	Watermain Valve	2110-R9				
a)	150 mm		each	1.0		
,						
B.7	Fittings	2110-R9				
a)	Bends (SD-004)					
i)	150mm - 11 1/4° - 45° bend		each	2.0		
D 2		0110 50				
B.8	Connection to Existing Watermain	2110-R9				
a)	Inline Connection - No Plug Existing		h	2.0		
i)	150mm watermain		each	2.0		
B.9	Connecting Existing Copper Water	2110-R9				
0.0	Services to New Watermains	2110103				
a)	19mm		each	10.0		
)						
	Corporation Stops	2110-R9				
a)	19mm		each	10.0		

JNIT I	PRICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
NO.	DESCRIPTION	REF.	UNIT	QUANTIT	PRICE	AMOUNT
B.11	Continuity Bonding	2110-R9	each	8.0		
	10.9 Kilogram Sacrificial Zinc Anodes	2110-R9				
a)	On Metallic Watermains		each	2.0		
Part E	3: Rue Des Meurons	11	Subtot	al Part B:		
Part	C: Hoka Street & Newman Avenue West					
	Surface Restorations					
C.1	Miscellaneous Concrete Slab Renewal	3235-R6				
a)	Sidewalk		sq.m.	20.0		
C.2	Full Depth Partial Slab Patches Remove and Replace	2110-R9				
a)	150mm reinforced concrete		sq.m.	10.0		
C.3	Concrete Curb Removal	3240-R6	Page and	00.0		
a)	Barrier Curb		lin.m.	20.0		
C.4	Concrete Curb Installation	3240-R6				
a)	Barrier Curb SD-206A		lin.m.	20.0		
C.5	Construction of Asphaltic Concrete Overlay	3410-R7				
a) i)	Tie Ins and Approaches Type 1A		tonnes	2.0		
"			torines	2.0		
	Watermain Renewal					
C.6	Watermain Renewal	2110-R9				
a)	150 mm					
i) ii)	trenchless installation, Class B sand bedding, Class 1 backfill trenchless installation, Class B sand bedding, Class 3 backfill		lin. m. lin. m.	2.0 8.0		
iii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	0.0 140.0		
,				140.0		
b)	200 mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		lin. m.	4.0		
ii)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	16.0		
iii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	219.0		
C.7	Hydrant Assembly	2110-R9				
a)	SD-006		each	2.0		
b)	SD-007		each	3.0		
C.8	Watermain Valve	2110-R9				
a)	150 mm	2110-113	each	1.0		
b)	200 mm		each	3.0		
• •		a				
C.9	Fittings	2110-R9				
a) i)	Bends (SD-004) 150mm - 11 1/4° - 45° bend		each	2.0		
i) ii)	200mm - 11 1/4° - 45° bend		each	2.0 5.0		
,			Caon	0.0		

	PRICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
b)	Tees	INET .	UNIT	QUANTITI	FRICE	AMOONT
,	200X200X150		each	2.0		
'	200X200X200		each	1.0		
,						
C.10	Connection to Existing Watermain	2110-R9				
a)	Inline Connection - No Plug Existing					
i)	150mm watermain		each	2.0		
b)	200mm watermain		each	3.0		
,						
C.11	Connecting Existing Copper Water	2110-R9				
	Services to New Watermains					
a)	19mm		each	16.0		
,						
C.12	Water Services	2110-R9				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin.m.	20.0		
C.13	Corporation Stops	2110-R9				
	19mm		each	32.0		
C.14	Curb Stops	2110-R9				
	19mm		each	2.0		
,						
C.15	Curb Stop Boxes	2110-R9				
	19mm		each	2.0		
,						
C.16	Continuity Bonding	2110-R9	each	18.0		
C.17	10.9 Kilogram Sacrificial Zinc Anodes	2110-R9				
2			h	4.0		
a)	On Water Services		each			
	On Water Services On Metallic Watermains		each	1.0		
b)	On Metallic Watermains		each	1.0		
b)			each			
b)	On Metallic Watermains		each	1.0		
b) Part (On Metallic Watermains C: Hoka Street & Newman Avenue West		each	1.0		
b) Part (On Metallic Watermains		each	1.0		
b) Part (On Metallic Watermains C: Hoka Street & Newman Avenue West		each	1.0		
b) Part (Part	On Metallic Watermains C: Hoka Street & Newman Avenue West D: Newman Avenue East Surface Restorations	3235-B6	each	1.0		
b) Part (Part D.1	On Metallic Watermains C: Hoka Street & Newman Avenue West D: Newman Avenue East Surface Restorations Miscellaneous Concrete Slab Renewal	3235-R6	each Subtot	1.0 al Part C: _		
b) Part (Part D.1	On Metallic Watermains C: Hoka Street & Newman Avenue West D: Newman Avenue East Surface Restorations	3235-R6	each	1.0		
b) Part (Part D.1 a)	On Metallic Watermains C: Hoka Street & Newman Avenue West D: Newman Avenue East Surface Restorations Miscellaneous Concrete Slab Renewal Sidewalk		each Subtot	1.0 al Part C: _		
b) Part (Part D.1 a) D.2	On Metallic Watermains C: Hoka Street & Newman Avenue West D: Newman Avenue East Surface Restorations Miscellaneous Concrete Slab Renewal Sidewalk Full Depth Partial Slab Patches Remove and Replace	3235-R6 2110-R9	each Subtot	1.0 al Part C:		
b) Part (Part D.1 a)	On Metallic Watermains C: Hoka Street & Newman Avenue West D: Newman Avenue East Surface Restorations Miscellaneous Concrete Slab Renewal Sidewalk		each Subtot	1.0 al Part C: _		
b) Part (Part D.1 a) D.2 a)	On Metallic Watermains C: Hoka Street & Newman Avenue West D: Newman Avenue East Surface Restorations Miscellaneous Concrete Slab Renewal Sidewalk Full Depth Partial Slab Patches Remove and Replace 150mm reinforced concrete	2110-R9	each Subtot	1.0 al Part C:		
b) Part (Part (D.1 a) D.2 a) D.3	On Metallic Watermains C: Hoka Street & Newman Avenue West D: Newman Avenue East Surface Restorations Miscellaneous Concrete Slab Renewal Sidewalk Full Depth Partial Slab Patches Remove and Replace 150mm reinforced concrete Concrete Curb Removal		each Subtot 3 4	1.0 al Part C: sq.m. sq.m.		
b) Part (Part (D.1 a) D.2 a) D.3	On Metallic Watermains C: Hoka Street & Newman Avenue West D: Newman Avenue East Surface Restorations Miscellaneous Concrete Slab Renewal Sidewalk Full Depth Partial Slab Patches Remove and Replace 150mm reinforced concrete	2110-R9	each Subtot	1.0 al Part C:		
b) Part (Part (D.1 a) D.2 a) D.3 a)	On Metallic Watermains C: Hoka Street & Newman Avenue West D: Newman Avenue East Surface Restorations Miscellaneous Concrete Slab Renewal Sidewalk Full Depth Partial Slab Patches Remove and Replace 150mm reinforced concrete Concrete Curb Removal Barrier Curb	2110-R9 3240-R6	each Subtot 3 4	1.0 al Part C: sq.m. sq.m.		
b) Part (Part (D.1 a) D.2 a) D.3 a) D.4	On Metallic Watermains C: Hoka Street & Newman Avenue West D: Newman Avenue East Surface Restorations Miscellaneous Concrete Slab Renewal Sidewalk Full Depth Partial Slab Patches Remove and Replace 150mm reinforced concrete Concrete Curb Removal Barrier Curb Concrete Curb Installation	2110-R9	each Subtot 3 4 3	1.0 al Part C: sq.m. sq.m. lin.m.		
b) Part (Part (D.1 a) D.2 a) D.3 a) D.4	On Metallic Watermains C: Hoka Street & Newman Avenue West D: Newman Avenue East Surface Restorations Miscellaneous Concrete Slab Renewal Sidewalk Full Depth Partial Slab Patches Remove and Replace 150mm reinforced concrete Concrete Curb Removal Barrier Curb	2110-R9 3240-R6	each Subtot 3 4	1.0 al Part C: sq.m. sq.m.		
b) Part (Part (Part (a) D.2 a) D.3 a) D.4 a)	On Metallic Watermains C: Hoka Street & Newman Avenue West D: Newman Avenue East Surface Restorations Miscellaneous Concrete Slab Renewal Sidewalk Full Depth Partial Slab Patches Remove and Replace 150mm reinforced concrete Concrete Curb Removal Barrier Curb Concrete Curb Installation Barrier Curb SD-206A	2110-R9 3240-R6 3240-R6	each Subtot 3 4 3	1.0 al Part C: sq.m. sq.m. lin.m.		
b) Part (Part (Part (a) D.2 a) D.3 a) D.4 a) D.5	On Metallic Watermains C: Hoka Street & Newman Avenue West D: Newman Avenue East Surface Restorations Miscellaneous Concrete Slab Renewal Sidewalk Full Depth Partial Slab Patches Remove and Replace 150mm reinforced concrete Concrete Curb Removal Barrier Curb Concrete Curb Installation Barrier Curb SD-206A Construction of Asphaltic Concrete Overlay	2110-R9 3240-R6	each Subtot 3 4 3	1.0 al Part C: sq.m. sq.m. lin.m.		
b) Part (Part (Part (a) D.2 a) D.3 a) D.4 a)	On Metallic Watermains C: Hoka Street & Newman Avenue West D: Newman Avenue East Surface Restorations Miscellaneous Concrete Slab Renewal Sidewalk Full Depth Partial Slab Patches Remove and Replace 150mm reinforced concrete Concrete Curb Removal Barrier Curb Concrete Curb Installation Barrier Curb SD-206A	2110-R9 3240-R6 3240-R6	each Subtot 3 4 3	1.0 al Part C: sq.m. sq.m. lin.m.		

	PRICES					
ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
D.6	Watermain Renewal Watermain Renewal	2110-R9				
a)	150 mm	2110-13				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		10	lin. m.		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		178	lin. m.		
,	5,					
D.7	Hydrant Assembly	2110-R9				
a)	SD-006		2	each		
D.8	Watermain Valve	2110-R9				
a)	150 mm		2	each		
D.9	Fittings	2110-R9				
a)	Bends (SD-004)	2110-13				
i)	150mm - 11 1/4° - 45° bend		4	each		
- /						
D.10	Connection to Existing Watermain	2110-R9				
a)	Inline Connection - No Plug Existing					
i)	150mm watermain		2	each		
D.11	Connecting Existing Copper Water	2110-R9				
	Services to New Watermains 19mm		24	aaah		
a)	1911111		24	each		
D.12	Services to New Watermains	2110-R9				
a)	19mm	2110110				
	trenchless installation, Class B sand bedding, Class 3 backfill		5	lin.m.		
,						
	Corporation Stops	2110-R9				
a)	19mm		24	each		
	Outh Otana	0140 00				
	Curb Stops	2110-R9	4	aaah		
a)	19mm		1	each		
D 15	Curb Stop Boxes	2110-R9				
a)	19mm	2110110	1	each		
,						
D.16	Continuity Bonding	2110-R9	22	each		
	10.9 Kilogram Sacrificial Zinc Anodes	2110-R9	-			
	On Water Services		2	each		
b)	On Metallic Watermains		1	each		
						ļ
Part [D: Newman Avenue East		Subtot	al Part D:		
				-		
Part	E: St. Martin Boulevard & Bayview Drive					
				<u>т</u> т		I
	Surface Restorations					
	Miscellaneous Concrete Slab Renewal	3235-R6	40			
a)	Sidewalk		10	sq.m.		
				<u> </u>		ļ

UNIT I	PRICES					
ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
E.2 a)	Full Depth Partial Slab Patches Remove and Replace 150mm reinforced concrete	2110-R9	4	sq.m.		
E.3	Concrete Curb Removal	3240-R6				
a)	Barrier Curb		10	lin.m.		
E.4 a)	Concrete Curb Installation Barrier Curb SD-206A	3240-R6	10	lin.m.		
E.5 a)	Construction of Asphaltic Concrete Overlay Tie Ins and Approaches	3410-R7				
i)	Туре 1А		4	tonnes		
	Watermain Renewal					
E.6 a)	Watermain Renewal 150 mm	2110-R9				
i) ii)	trenchless installation, Class B sand bedding, Class 1 backfill trenchless installation, Class B sand bedding, Class 3 backfill		3 7	lin. m. lin. m.		
iii)	trenchless installation, Class B sand bedding, Class 5 backfill		220	lin. m.		
b)	200 mm		_			
i) ii)	trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill		7 20	lin. m. lin. m.		
E.7	Hydrant Assembly	2110-R9	0			
a)	SD-006		2	each		
E.8	Watermain Valve 150 mm	2110-R9	4	each		
a) b)	200 mm		1	each		
E.9	Fittings	2110-R9				
a) i)	Bends (SD-004) 150mm - 11 1/4° - 45° bend		7	each		
ii)	200mm - 11 1/4° - 45° bend		4	each		
b)	Services to New Watermains					
i)	100x150		1	each		
c)	Tees					
i) ii)	150x150 200X200X150		2 1	each each		
, E.10		2110-R9				
	Inline Connection - No Plug Existing	2.10100				
a)	100mm watermain		1	each		
b) c)	150mm watermain 200mm watermain		3 2	each each		
E.11	Connecting Existing Copper Water	2110-R9				
	Services to New Watermains		4.4	aceh		
a)	19mm		14	each		

TEM	PRICES	SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	Water Services	2110-R9				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		20	lin.m.		
E 12	Corporation Stopa	2110-R9				
	Corporation Stops 19mm	2110-69	14	oach		
a)			14	each		
E.14	Curb Stops	2110-R9				
	19mm		1	each		
,						
E.15	Curb Stop Boxes	2110-R9				
a)	19mm		1	each		
F 40	Continuity Donding	2110 00	10	aaab		
E.16	Continuity Bonding	2110-R9	19	each		
F.17	10.9 Kilogram Sacrificial Zinc Anodes	2110-R9				
	On Water Services	2110110	1	each		
'	On Metallic Watermains		2	each		
			Subtat	al Part E:		
Part E	E: St. Martin Boulevard & Bayview Drive		Subioi	arran ∟.		
Part E	E: St. Martin Boulevard & Bayview Drive		Subtor			
			Subtor			
	E: St. Martin Boulevard & Bayview Drive F: Provisional Items		Subiol			
			Subio			
Part I	F: Provisional Items	3510-R7	20	_		
Part I		3510-R7		sq.m.		
Part I	F: Provisional Items	3510-R7 2110-R9		_		
Part I	F: Provisional Items			_		
F.1 F.2 a)	F: Provisional Items Sodding Watermain & Service Insulation 75mm thick	2110-R9	20	sq.m.		
F.1 F.2 a)	F: Provisional Items Sodding Watermain & Service Insulation 75mm thick Regrading of Existing Sewer		20	sq.m.		
Part I F.1 F.2 a) F.3	F: Provisional Items Sodding Watermain & Service Insulation 75mm thick Regrading of Existing Sewer Services - up to 3 metres long	2110-R9	20 7	sq.m. lin.m.		
Part I F.1 F.2 a) F.3 a)	F: Provisional Items Sodding Watermain & Service Insulation 75mm thick Regrading of Existing Sewer Services - up to 3 metres long 150mm Class 5 Backfill	2110-R9	20 7 10	sq.m. lin.m. each		
Part I F.1 F.2 a) F.3	F: Provisional Items Sodding Watermain & Service Insulation 75mm thick Regrading of Existing Sewer Services - up to 3 metres long	2110-R9	20 7	sq.m. lin.m.		
Part I F.1 F.2 a) F.3 a) b)	F: Provisional Items Sodding Watermain & Service Insulation 75mm thick Regrading of Existing Sewer Services - up to 3 metres long 150mm Class 5 Backfill 250mm Class 3 Backfill	2110-R9 2130-R7	20 7 10 1	sq.m. lin.m. each each		
Part I F.1 F.2 a) F.3 a) b)	F: Provisional Items Sodding Watermain & Service Insulation 75mm thick Regrading of Existing Sewer Services - up to 3 metres long 150mm Class 5 Backfill	2110-R9	20 7 10	sq.m. lin.m. each		
Part I F.1 F.2 a) F.3 a)	F: Provisional Items Sodding Watermain & Service Insulation 75mm thick Regrading of Existing Sewer Services - up to 3 metres long 150mm Class 5 Backfill 250mm Class 3 Backfill Asphalt Patching	2110-R9 2130-R7	20 7 10 1	sq.m. lin.m. each each		
Part I F.1 F.2 a) F.3 a) b) F.4 F5	F: Provisional Items Sodding Watermain & Service Insulation 75mm thick Regrading of Existing Sewer Services - up to 3 metres long 150mm Class 5 Backfill 250mm Class 3 Backfill	2110-R9 2130-R7 3410-R7	20 7 10 1	sq.m. lin.m. each each		
Part I F.1 F.2 a) F.3 a) b) F.4	F: Provisional Items Sodding Watermain & Service Insulation 75mm thick Regrading of Existing Sewer Services - up to 3 metres long 150mm Class 5 Backfill 250mm Class 3 Backfill Asphalt Patching Street Light Cable Installation	2110-R9 2130-R7 3410-R7	20 7 10 1 20	sq.m. lin.m. each each sq.m.		
Part I F.1 F.2 a) F.3 b) F.4 F5 a) b)	F: Provisional Items Sodding Watermain & Service Insulation 75mm thick Regrading of Existing Sewer Services - up to 3 metres long 150mm Class 5 Backfill 250mm Class 3 Backfill Asphalt Patching Street Light Cable Installation Trenching Coring	2110-R9 2130-R7 3410-R7 E6	20 7 10 1 20 60 20	sq.m. lin.m. each each sq.m. lin.m. lin.m.		
Part I F.1 F.2 a) F.3 a) b) F.4 F5 a)	F: Provisional Items Sodding Watermain & Service Insulation 75mm thick Regrading of Existing Sewer Services - up to 3 metres long 150mm Class 5 Backfill 250mm Class 3 Backfill Asphalt Patching Street Light Cable Installation Trenching	2110-R9 2130-R7 3410-R7	20 7 10 1 20 60	sq.m. lin.m. each each sq.m. lin.m.		
Part I F.1 F.2 a) F.3 b) F.4 F5 a) b) F.6	F: Provisional Items Sodding Watermain & Service Insulation 75mm thick Regrading of Existing Sewer Services - up to 3 metres long 150mm Class 5 Backfill 250mm Class 3 Backfill Asphalt Patching Street Light Cable Installation Trenching Coring Maintaining Curb Stop Excavations	2110-R9 2130-R7 3410-R7 E6	20 7 10 1 20 60 20	sq.m. lin.m. each each sq.m. lin.m. lin.m.		
Part I F.1 F.2 a) F.3 b) F.4 F5 a) b)	F: Provisional Items Sodding Watermain & Service Insulation 75mm thick Regrading of Existing Sewer Services - up to 3 metres long 150mm Class 5 Backfill 250mm Class 3 Backfill Asphalt Patching Street Light Cable Installation Trenching Coring Maintaining Curb Stop Excavations Supply of Precast Sidewalk	2110-R9 2130-R7 3410-R7 E6 2110-R9	20 7 10 1 20 60 20 5	sq.m. lin.m. each each sq.m. lin.m. lin.m. day		
Part I F.1 F.2 a) F.3 b) F.4 F5 a) b) F.6	F: Provisional Items Sodding Watermain & Service Insulation 75mm thick Regrading of Existing Sewer Services - up to 3 metres long 150mm Class 5 Backfill 250mm Class 3 Backfill Asphalt Patching Street Light Cable Installation Trenching Coring Maintaining Curb Stop Excavations	2110-R9 2130-R7 3410-R7 E6	20 7 10 1 20 60 20	sq.m. lin.m. each each sq.m. lin.m. lin.m.		

UNIT PRICES						
ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
TOTAL BID PRICE (GST e (in words)	xtra) (in figures)\$					

Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid Submission hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

dav of	. 20	for

BID OPPORTUNITY NO. 324-2006

2006 WATERMAIN RENEWALS – CONTRACT 18

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of ______ , 20_____ .

1

SIGNED AND SEALED in the presence of:

(Witness)

(Name of Principal)	
Per:	(Seal
Per:	
(Name of Surety)	

of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 324-2006

2006 WATERMAIN RENEWALS - CONTRACT 18

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within thirty (30) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20____.

(Name of Surety)

_____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING

(BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 324-2006

2006 WATERMAIN RENEWALS – CONTRACT 18

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 8, 2006

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)		
Per:		
	(Authorized Signing Officer)	
Per:		

(Authorized Signing Officer)