FORM A: BID (See B8)

| 1. | Project Title | 2006 WATERMAIN RENEWALS – CONTRACT NO. 7 |
|----|--------------------------------|---|
| 2. | Bidder | Name of Bidder |
| | | Street |
| | | City Province Postal Code |
| | | Facsimile Number |
| | (Mailing address if different) | Street or P.O. Box |
| | | City Province Postal Code |
| | (Choose one) | The Bidder is: a sole proprietor a partnership a corporation |
| | | carrying on business under the above name. |
| 3. | Contact Person | The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid. |
| | | Contact Person Title |
| | | Telephone Number Facsimile Number |
| 4. | Definitions | All capitalized items in the Contract shall have the meanings ascribed to them in the General Conditions. |
| 5. | Offer | The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: |

Prices, appended hereto.

| 6. | Bid Security | In accordance with B11.1, the Bidder encloses bid security in the form of: |
|-----|--------------------------|--|
| | (Choose one) | a bid bond (Form G1: Bid Bond and Agreement to Bond) an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) |
| | | a certified cheque or draft |
| | | and agrees that it shall be held by the City in accordance with the Contract. |
| 7. | Execution of Contract | The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4. |
| 8. | Commencement of the Work | The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work. |
| 9. | Contract | The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission. |
| 10. | Addenda | The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: |
| | | No Dated |
| | | |
| | | |
| 11. | Time | This offer shall be open for acceptance, binding and irrevocable for a period of forty five (45) Calendar Days following the Submission Deadline. |

| 12. | Signatures | In witness whereof the Bidder or the Bidder's authorized official or officials have signed this |
|-----|--|---|
| | | , day of, 20 |
| | (If no corporate seal) Signed and sealed in the presence of: | Signature of Bidder or Bidder's Authorized Official or Officials |
| | (Witness) | (Print here name and official capacity of individual whose signature appears above) |
| | (Witness) | (Print here name and official capacity of individual whose signature appears above) |

SEAL

FORM B (R1): PRICES (See B9) 2006 WATERMAIN RENEWALS - CONTRACT NO. 7

| | | FRICES | SPEC. | | APPROX. | UNIT | |
|----|----|--|---------|------|----------|-------|--------|
| | EM | DESCRIPTION | REF. | UNIT | QUANTITY | PRICE | AMOUNT |
| Α. | Ed | gemont Drive | | | | | |
| A. | | Watermain Renewal 150mm | CW 2110 | | | | |
| | i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 5.0 | | |
| | | trenchless installation, Class B sand bedding, Class 5 backfill | | m | 165.0 | | |
| A. | 2 | Hydrant Assembly | CW 2110 | | | | |
| | a) | SD-006 | | each | 2.0 | | |
| A. | 3 | Watermain Valve | CW 2110 | | | | |
| | a) | 150mm | | each | 2.0 | | |
| A. | | Fittings | CW 2110 | | | | |
| | i) | Bends (SD-004) 150mm - 11 1/4° - 45° bend Tees | | each | 8.0 | | |
| | i) | 150mm X 150mm X 150mm | | each | 1.0 | | |
| A. | 5 | Water Services | CW 2110 | | | | |
| | i) | 19mm trenchless installation, Class B sand bedding, Class 5 backfill | | m | 10.0 | | |
| A. | 6 | Connecting Existing Copper Water Services to New Watermains | CW 2110 | | | | |
| | a) | 19mm | | each | 12.0 | | |
| A. | 7 | 10.9 Kilogram Sacrificial Zinc Anodes | CW 2110 | | | | |
| | a) | On Metallic Watermains | | each | 3.0 | | |
| A. | | Connecting to Existing Watermains and Large Diameter Water Services | CW 2110 | | | | |
| | | Inline Connection - No Plug Existing 150mm | | each | 3.0 | | |
| A. | 9 | Continuity Bonding | CW 2110 | each | 12.0 | | |

(See B9) 2006 WATERMAIN RENEWALS - CONTRACT NO. 7

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT | AMOUNT | | | |
|----------|------------------------------------|-----------------|------|----------|-------|--------|--|--|--|
| A. 10 | Corporation Stops | REF. CW 2110 | | QUANTITY | PRICE | | | | |
| a) | 19mm | | each | 12.0 | | | | | |
| A. 11 | Curb Stops - Replace Existing | CW 2110 | | | | | | | |
| a) | 19mm | | each | 1.0 | | | | | |
| A. 12 | Curb Stop Boxes - Replace Existing | CW 2110 | | | | | | | |
| a) | 19mm | | each | 1.0 | | | | | |
| A. 13 | Partial Slab Patches | E 7 | | | | | | | |
| a) | 150mm Concrete Pavement | | m² | 20.0 | | | | | |
| A. 14 | Concrete Curb Renewal | E 9 | | | | | | | |
| a) i) | Remove and Repalce Barrier Curb | | m | 20.0 | | | | | |
| | Edgemont Drive - Subtotal | | | | | | | | |

Name of Bidder

(See B9) 2006 WATERMAIN RENEWALS - CONTRACT NO. 7

| ITEM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT | AMOUNT |
|-----------|---|---------|--------------|------------|-------|--------|
| B Lo | nnox Avenue | REF. | | QUANTITY | PRICE | |
| B. 1 | Watermain Renewal | CW 2110 | | | | |
| a) i) | 150mm trenchless installation, Class B sand bedding, Class 3 backfill | | m | 100.0 | | |
| B. 2 | Hydrant Assembly | CW 2110 | | | | |
| a) | SD-007 | | each | 1.0 | | |
| В. 3 | Watermain Valve | CW 2110 | | | | |
| a) | 150mm | | each | 1.0 | | |
| B. 4 | Fittings | CW 2110 | | | | |
| i) ii) | Tees 300mm X 300mm X 150mm 150mm X 150mm X 150mm Bends 150mm - 11 1/4° - 45° bend | | each each | 1.0 1.0 | | |
| B. 5 | Water Services | CW 2110 | | | | |
| a) i) | 19mm trenchless installation, Class B sand bedding, Class 5 backfill | | m | 20.0 | | |
| B. 6 | Connecting Existing Copper Water Services to New Watermains | CW 2110 | | | | |
| , | 19mm 50mm | | each each | 1.0 1.0 | | |
| B. 7 | Connecting to Existing Watermains and Large Diameter Water Services | CW 2110 | | | | |
| i) | Inline Connection - No Plug Existing 150mm Perpendicular Connection 300mm | | each each | 2.0 | | |
| B. 8 | Corporation Stops | CW 2110 | | | | |
| | 19mm 50mm | | each each | 1.0 1.0 | | |

(See B9) 2006 WATERMAIN RENEWALS - CONTRACT NO. 7

UNIT PRICES

| IT | EM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----|----------|--|---------------|--------------|---------------------|---------------|--------|
| В. | 9 | Curb Stops - Replace Existing | CW 2110 | | | | |
| | , | 19mm 50mm | | each each | 1.0 1.0 | | |
| В. | 10 | Curb Stop Boxes - Replace Existing | CW 2110 | | | | |
| | , | 19mm 50mm | | each each | 1.0 1.0 | | |
| В. | 11 | 10.9 Kilogram Sacrificial Zinc Anodes | CW 2110 | | | | |
| | a) | On Metallic Watermains | | each | 3.0 | | |
| В. | 12 | Continuity Bonding | CW 2110 | each | 2.0 | | |
| В. | 13 | Partial Slab Patches | E 7 | | | | |
| | , | 200mm Concrete Pavement 150mm Concrete Pavement | | m² m² | 15.0 60.0 | | |
| В. | 14 | Concrete Curb Renewal | E 9 | | | | |
| | a) i) | Remove and Replace Barrier Curb | | m | 70.0 | | |
| В. | 15 | Miscellaneuos Concrete Slab Renewal | E 8 | | | | |
| | a) | Sidewalk (SD-228-A) | | m² | 40.0 | | |

Lennox Avenue Sub-total

(See B9) 2006 WATERMAIN RENEWALS - CONTRACT NO. 7

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT | | | |
|-------------------|--|-------------------|--------------|---------------------|---------------|--------|--|--|--|
| C. Ch | C. Chevrier Boulevard | | | | | | | | |
| C. 1 | New Hydrant Assembly on Existing Watermain | CW 2110 | | | | | | | |
| i) | SD-006 | | each | 2.0 | | | | | |
| C. 2 | Watermain Valve | CW 2110 / E 14 | | | | | | | |
| a) | 400mm with by-pass arrangement (SD-017) | 14 | each | 1.0 | | | | | |
| C. 3 | Fittings | CW 2110 | | | | | | | |
| a) | Plugs | | | | | | | | |
| i) ii) C. 4 | 200mm 250mm Water Services | | each each | 4.0 2.0 | | | | | |
| i) | 19mm trenchless installation, Class B sand bedding, Class 3 backfill 25mm | | m | 20.0 | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 10.0 | | | | | |
| C. 5 | Corporation Stops | CW 2110 | | | | | | | |
| | 19mm 25mm | | each each | 2.0 4.0 | | | | | |

(See B9) 2006 WATERMAIN RENEWALS - CONTRACT NO. 7

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|---------------|----------------------|---------------------|---------------|--------|
| a) | Curb Stops - Replace Existing 19mm 25mm | CW 2110 | each each | 2.0 2.0 | | |
| C. 7 | Curb Stop Boxes - Replace Existing | CW 2110 | | | | |
| , | 19mm 25mm | | each each | 2.0 2.0 | | |
| C. 8 | Connecting to Existing Watermains With Tapping Sleeve and Valve | CW 2110 | | | | |
| C. 9 | 150mm off 400mm Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existing | CW 2110 | | 3.0 | | |
| i) | 150mm Connecting Existing Copper Water Services to New Watermains | CW 2110 | each | 1.0 | | |
| b) | 13mm 25mm Continuity Bonding | CW 2110 | each each each | 1.0 3.0 4.0 | | |
| | Maintaining Curb Stop Excavations | CW 2110 | each/day | 2.0 | | |
| | Partial Slab Patches | E 7 | | | | |
| , | 200mm Concrete Pavement 150mm Concrete Pavement | | m² m² | 15.0 20.0 | | |
| C. 14 | Concrete Curb Renewal | E 9 | | | | |
| , | Remove and Replace Barrier Curb | | m | 30.0 | | |
| C. 15 | Miscellaneous Concrete Slab Renewal | E 8 | | | | |
| a) | Sidewalk (SD-228A) | | m² | 35.0 | | |
| C. 16 | Construction of Asphaltic Concrete Overlay | CW 3235 | | | | |
| a) i) | Tie-in's and Approaches Type 1A | | tonne | 2.0 | | |
| | | | Chevi | rier Bouleva | rd - Subtotal | |

Name of Bidder

(See B9) 2006 WATERMAIN RENEWALS - CONTRACT NO. 7

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-----------------|--|---------------|--------------|---------------------|---------------|--------|
| D. Riv | rer Road | IVEI . | | Q0/1111111 | TRIOL | |
| | Watermain Renewal | CW 2110 | | | | |
| i) | 150mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand | | m m | 10.0 155.0 | | |
| i) [′] | bedding, Class 5 backfill 200mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill | | m m | 20.0 25.0 | | |
| D. 2 | Hydrant Assembly | CW 2110 | | | | |
| | SD-006 SD-007 | | each each | 1.0 1.0 | | |
| D. 3 | Watermain Valve | CW 2110 | | | | |
| , | 150mm 200mm | | each each | 3.0 1.0 | | |
| D. 4 | Fittings | CW 2110 | | | | |
| i) ii) b) | Tees 150mm X 150mm X 150mm 200mm X 200mm X 200mm Bends 150mm - 11 1/4° - 45° bend | | each each | 2.0 | | |
| ii) | 200mm - 11 1/4° - 45° bend Reducers | | each each | 4.0 3.0 | | |
| , | 200mm - 150mm | | each | 2.0 | | |
| D. 5 | Water Services | CW 2110 | | | | |
| , | 19mm trenchless installation, Class B sand bedding, Class 3 backfill | | m | 10.0 | | |
| D. 6 | Connecting Existing Copper Water Services to New Watermains | CW 2110 | | | | |
| a) | 19mm | | each | 4.0 | | |

(See B9) 2006 WATERMAIN RENEWALS - CONTRACT NO. 7

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|---------------|--------------|---------------------|---------------|--------|
| D. 7 | Connecting to Existing Watermains and Large Diameter Water Services | CW 2110 | | | | |
| i) | Inline Connection - No Plug Existing 150mm 200mm | | each each | 4.0 1.0 | | |
| D. 8 | 10.9 Kilogram Sacrificial Zinc Anodes | CW 2110 | | | | |
| a) | On Metallic Watermains | | each | 2.0 | | |
| D. 9 | Continuity Bonding | CW 2110 | each | 4.0 | | |
| D. 10 | Corporation Stops | CW 2110 | | | | |
| a) | 19mm | | each | 4.0 | | |
| D. 11 | Curb Stops - Replace Existing | CW 2110 | | | | |
| a) | 19mm | | each | 1.0 | | |
| D. 12 | Curb Stop Boxes - Replace Existing | CW 2110 | | | | |
| a) | 19mm | | each | 1.0 | | |
| D. 13 | Partial Slab Patches | E 7 | | | | |
| a) | 200mm Concrete Pavement | | m² | 15.0 | | |
| D. 14 | Miscellaneous Concrete Slab Renewal | E 8 | | | | |
| a) | Sidewalk (SD-228A) | | m² | 30.0 | | |
| D. 15 | Concrete Curb Renewal | E 9 | | | | |
| a) i) | Remove and Replace Barrier Curb | | m | 20.0 | | |

River Road - Subtotal

(See B9) 2006 WATERMAIN RENEWALS - CONTRACT NO. 7

| ITI | EM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-----|-----------|--|---------------|--------|---------------------|---------------|--------|
| E. | Riv | er Lane | | | | | |
| E. | 1 | Watermain Renewal | CW 2110 | | | | |
| | i) ii) | 150mm trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand | | m m | 10.0 50.0 | | |
| | | bedding, Class 5 backfill | | | | | |
| E. | 2 | Hydrant Assembly | CW 2110 | | | | |
| | i) | SD-006 | | each | 1.0 | | |
| E. | 3 | Watermain Valve | CW 2110 | | | | |
| | a) | 150mm | | each | 1.0 | | |
| E. | 4 | Fittings | CW 2110 | | | | |
| | i) | Tees 150mm X 150mm X 150mm Bends | | each | 1.0 | | |
| | i) | 150mm - 11 1/4° - 45° bend | | each | 2.0 | | |
| E. | 5 | Water Services | CW 2110 | | | | |
| | i) | 19mm trenchless installation, Class B sand bedding, Class 3 backfill | | m | 75.0 | | |
| E. | | Connecting Existing Copper Water Services to New Watermains | CW 2110 | | | | |
| | a) | 19mm | | each | 7.0 | | |
| E. | | Connecting to Existing Watermains and Large Diameter Water Services | CW 2110 | | | | |
| | | Perpendicular Connection 150mm | | each | 1.0 | | |
| E. | 8 | Continuity Bonding | CW 2110 | each | 7.0 | | |
| E. | 9 | Corporation Stops | CW 2110 | | | | |
| | a) | 19mm | | each | 7.0 | | |

(See B9) 2006 WATERMAIN RENEWALS - CONTRACT NO. 7

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|-------------------------------------|---------------|------|---------------------|---------------|--------|
| E. 10 | Curb Stops - Replace Existing | CW 2110 | | | | |
| a) | 19mm | | each | 5.0 | | |
| E. 11 | Curb Stop Boxes - Replace Existing | CW 2110 | | | | |
| a) | 19mm | | each | 5.0 | | |
| E. 12 | Partial Slab Patches | E 7 | | | | |
| a) | 150mm Concrete Pavement | | m² | 15.0 | | |
| E. 13 | Miscellaneous Concrete Slab Renewal | E 8 | | | | |
| a) | Sidewalk (SD-228A) | | m² | 10.0 | | |
| E. 14 | Concrete Curb Renewal | E 9 | | | | |
| a) i) | Remove and Replace Barrier Curb | | m | 30.0 | | |
| | | | | River La | ne - Subtotal | |

Name of Bidder

(See B9) 2006 WATERMAIN RENEWALS - CONTRACT NO. 7

| | | DESCRIPTION | SPEC. | | APPROX. | UNIT | ANACHINIT |
|------|------|--|----------|--------------|------------|-------|-----------|
| ITE | :IVI | DESCRIPTION | REF. | UNIT | QUANTITY | PRICE | AMOUNT |
| F. V | Na | verley Street | | | | | |
| F. ' | | Watermain Renewal | CW 2110 | | <u> </u> | | |
| ļ' · | ' | Watermain Neriewai | CVV Z110 | | | | |
| á | | 200mm | | | | | |
| i | | trenchless installation, Class B sand | | m | 5.0 | | |
| ١. | | bedding, Class 3 backfill trenchless installation, Class B sand | | m | 5.0 | | |
| ' | | bedding, Class 5 backfill | | ''' | 3.0 | | |
| ŀ | | 250mm | | | | | |
| i | | trenchless installation, Class B sand | | m | 5.0 | | |
| | | bedding, Class 3 backfill | | | | | |
| | , | 300mm trenchless installation, Class B sand | | m | 15.0 | | |
| | | bedding, Class 3 backfill | | ''' | 10.0 | | |
| i | , | trenchless installation, Class B sand | | m | 239.0 | | |
| | | bedding, Class 5 backfill | | | | | |
| li | iii) | trenchless installation, in an encasement | | m | 26.3 | | |
| | , | pipe | | | | | |
| F. 2 | 2 | Hydrant Assembly | CW 2110 | | | | |
| | _ | Trydram 7 Goernbry | OW 2110 | | | | |
| | , | SD-006 | | each | 1.0 | | |
| i | ii) | SD-007 | | each | 2.0 | | |
| F. (| 3 | Watermain Valve | CW 2110 | | | | |
| | | | | | | | |
| | , | 250mm | | each | 2.0 | | |
| ' | D) | 300mm | | each | 4.0 | | |
| F. 4 | 4 | Fittings | CW 2110 | | | | |
| | | - | | | | | |
| | | Tees | | occh | 2.0 | | |
| | | 300mm X 300mm X 250mm 300mm X 300mm X 300mm | | each each | 2.0 1.0 | | |
| | , | Bends | | 000.7 | | | |
| | , | 200mm - 11 1/4° - 45° bend | | each | 4.0 | | |
| | , | 250mm - 11 1/4° - 45° bend | | each | 2.0 | | |
| | , | 300mm - 11 1/4° - 45° bend Reducers | | each | 2.0 | | |
| | , | 300mm - 200mm | | each | 2.0 | | |
| | , | | | | | | |

(See B9) 2006 WATERMAIN RENEWALS - CONTRACT NO. 7

UNIT PRICES

| | EM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT | AMOUNT |
|----|----------------------------|---|---------------|----------------------|---------------------|-------|--------|
| F. | | Connecting to Existing Watermains and Large Diameter Water Services | CW 2110 | | QUANTITY | PRICE | |
| | i) ii) b) | Inline Connection - No Plug Existing 200mm 300mm Perpendicular Connection 250mm | | each each each | 2.0 1.0 2.0 | | |
| F. | 6 | 10.9 Kilogram Sacrificial Zinc Anodes | CW 2110 | | | | |
| | a) | On Steel Encasement Pipe | | each | 2.0 | | |
| F. | 7 | Partial Slab Patches | E 7 | | | | |
| | i) | 230mm Concrete Pavement | | m² | 25.0 | | |
| F. | 8 | Concrete Curb Renewal | E 9 | | | | |
| | i) | Remove and Replace Barrier Curb Splash Strip | | m m | 20.0 15.0 | | |
| F. | 9 | Miscellaneuos Concrete Slab Renewal | E 8 | | | | |
| | a) | Sidewalk (SD-228-A) | | m² | 15.0 | | |
| F. | 10 | Construction of Asphaltic Concrete Overlay | CW 3235 | | | | |
| | | Tie-in's and Approaches Type 1A | | tonne | 2.5 | | |
| F. | 11 | Ditch Grading | CW 3110 | m² | 675.0 | | |
| F. | 12 | Construction of Hydrant Appraoches | E 15 | each | 2.0 | | |
| F. | 13 | 600mm CSP Culverts - 2mm Gauge | CW 3610 | | | | |
| | a) | Supply | | m | 21.0 | | |
| | b) | Install | | m | 21.0 | | |
| F. | 14 | Warning Signs | E 11 | each | 2.0 | | |
| | Waverley Street - Subtotal | | | | | | |

Name of Bidder

(See B9) 2006 WATERMAIN RENEWALS - CONTRACT NO. 7

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-----------------|---|---------------|----------------------|---------------------|---------------|--------|
| G. St. | Anne's Road / Kingswood Avenue | | | | 111102 | |
| G. 1 | Watermain Renewal | CW 2110 | | | | |
| i) b) | 150mm trenchless installation, Class B sand bedding, Class 3 backfill 200mm trenchless installation, Class B sand bedding, Class 3 backfill | | m m | 65.0 210.0 | | |
| G. 2 | Hydrant Assembly | CW 2110 | | | | |
| i) | SD-006 | | each | 1.0 | | |
| G. 3 | Watermain Valve | CW 2110 | | | | |
| , | 150mm 200mm | | each each | 4.0 3.0 | | |
| G. 4 | Fittings | CW 2110 | | | | |
| i) b) i) | Tees 200mm X 200mm X 150mm Bends 150mm - 11 1/4° - 45° bend 200mm - 11 1/4° - 45° bend | | each each each | 4.0 2.0 4.0 | | |
| G. 5 | Connecting Existing Copper Water Services to New Watermains | CW 2110 | | | | |
| a) b) | 19mm 50mm | | each each | 3.0 5.0 | | |
| G. 6 | 10.9 Kilogram Sacrificial Zinc Anodes | CW 2110 | | | | |
| a) | On Metallic Watermains | | each | 3.0 | | |
| G. 7 | Connecting to Existing Watermains and Large Diameter Water Services | CW 2110 | | | | |
| a) i) ii) | Inline Connection - No Plug Existing 200mm 150mm | | each each | 2.0 4.0 | | |

(See B9) 2006 WATERMAIN RENEWALS - CONTRACT NO. 7

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|---------------|--------------|---------------------|---------------|--------|
| G. 8 | Corporation Stops | CW 2110 | | G 07 | 11402 | |
| | 19mm 50mm | | each each | 3.0 5.0 | | |
| G. 9 | Curb Stops - Replace Existing | CW 2110 | | | | |
| 1 ' | 19mm 50mm | | each each | 1.0 1.0 | | |
| G. 10 | Curb Stop Boxes - Replace Existing | CW 2110 | | | | |
| · · | 19mm 50mm | | each | 1.0 1.0 | | |
| G. 11 | Continuity Bonding | CW 2110 | each | 8.0 | | |
| | Remove Existing 150mm Tee and Reconnect Existing 150mm Watermain | E 17 | each | 1.0 | | |
| G. 13 | Partial Slab Patches | E 7 | | | | |
| , | 230mm Concrete Pavement 150mm Concrete Pavement | | m² m² | 90.0 30.0 | | |
| G. 14 | Concrete Curb Renewal | E 9 | | | | |
| a) i) | Remove and Replace Barrier Curb | | m | 70.0 | | |
| G. 15 | Construction of Asphaltic Concrete Overlay | CW 3410 | | | | |
| a) i) | Tie-in's and Approaches Type 1A | | tonne | 20.0 | | |
| G. 16 | Miscellaneous Concrete Slab Removal | E 8 | | | | |
| a) | Sidewalk (SD-228-A) | | m² | 20.0 | | |

St. Anne's Road / Kingswood Avenue - Subtotal

(See B9) 2006 WATERMAIN RENEWALS - CONTRACT NO. 7

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--------|--|------------------|-------|---------------------|---------------|--------|
| H. Pro | ovisional Items | | | | | |
| H. 1 | Cement Stabilized Fill | CW 2030 / E | m^3 | 5.0 | | |
| H. 2 | Fittings | 5 | | | | |
| a) | Verticle Bends (SD-005) | CW 2110 / E 5 | | | | |
| i) | 150mm - 11 1/4° - 45° bend | | each | 4.0 | | |
| , | 250mm - 11 1/4° - 45° bend | | each | 2.0 | | |
| | Regrading Existing Sewer Service – Up to 1.5 Metres Long | CW 2130 / E 5 | | | | |
| a) | 150mm - Class 3 Backfill | | each | 1.0 | | |
| b) | 200mm - Class 3 Backfill | | each | 1.0 | | |
| c) | 250mm - Class 3 Backfill | | each | 1.0 | | |
| H. 4 | Remove and Replace Existing Catch Basin | CW 2130 / E 5 | each | 1.0 | | |
| H. 5 | Street Light Cable Installation | E4/E5 | | | | |
| a) | trenching | | m | 50.0 | | |
| , | coring of HDPE Conduit | | m | 50.0 | | |
| H. 6 | Sodding | CW 3510 / E 5 | m² | 100.0 | | |
| | | | Pro | visional Item | s - Subtotal | |

| TOTAL BID PRICE (GST extra) | (in figures)\$ |
|-----------------------------|----------------|
| (in words) | |
| | |

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

| KNOW VII | MENI BY THESE | PRESENTS THAT | |
|-------------|---------------|---------------|--|
| KINUJVV ALI | | EKESEMIS IDAL | |

| (hereinafter called the "Principal") and | | |
|--|---|-------------------------------|
| called the "Obligee") in the sum of ten perceinafter described, for the payment of wh | and firmly bound unto THE CITY OF WINNIPE ent (10%) of the Total Bid Price set out in the Binich sum the Principal and Surety bind themselve ssigns, jointly and severally, firmly by these present to the Obligee dated the | d Submission es, their heirs, |
| day of | - | |
| BID OPPORTUNITY NO. 356-2006 | | |
| 2006 WATERMAIN RENEWALS – CONTRA | ACT NO. 7 | |
| as more fully set out in the Bid Opportunity. | | |
| if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required | igation is such that if the Bid of the Principal is no accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful but otherwise shall remain in full force and effect. | Contract with |
| IN WITNESS WHEREOF the Principal and S | Surety have signed and sealed this bond the | |
| day of | , 20 | |
| SIGNED AND SEALED in the presence of: (Witness) | (Name of Principal) Per: Per: | |
| | (Name of Surety) By: (Attorney-in-Fact) | (Seal) |

FORM G1: BID BOND AND AGREEMENT TO BOND

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

| The Surety on the attached Bid Bond hereby to become bound as Surety for the Principal, | undertakes | and a | agrees with T H | IE CITY OF W | /INNIPEG to |
|--|----------------------------------|----------------|--|--------------------------------|-------------|
| | | | | | of |
| (Name of Bidder) | | | | | |
| (Place) | | | | | |
| the Bidder to you on | , 20 | | for | | |
| BID OPPORTUNITY NO. 356-2006 | | | | | |
| 2006 WATERMAIN RENEWALS – CONTRACT | NO. 7 | | | | |
| in an amount equal to fifty percent (50%) of the Work shown and described in the Bid Oppo Performance Bond to be maintained and continuperiod. The Performance Bond shall be in the fo | ortunity, if o ue in full for | our P ce an | Principal's Bid indicated in the indicate in t | is accepted by e expiration of | y you, such |
| It is a condition that this Agreement to Bond mentioned above is not required from our Pri Submission Deadline. | | | | | |
| AND IT IS HEREBY DECLARED AND AGRE nothing of any kind or matter whatsoever that w or release of liability of the Surety, any law or notwithstanding. | ill not disch | narge | the Principal sl | hall operate as | a discharge |
| SIGNED AND SEALED this day | y of | | | , 20 | · |
| | (Name of Sur | rety) | · · · · · · · · · · · · · · · · · · · | | |
| | Rv. | iety) | | | (Seal) |
| | D.V. | | | | (Sean |

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

| (Date) | |
|-------------------------|--|
| Corpo Mater 185 K | City of Winnipeg orate Finance Department rials Management Branch (ing Street, Main Floor peg MB R3B 1J1 |
| RE: | BID SECURITY - BID OPPORTUNITY NO. 356-2006 |
| | 2006 WATERMAIN RENEWALS – CONTRACT NO. 7 |
| Pursu | ant to the request of and for the account of our customer, |
| (Name | of Bidder) |
| WE H | ss of Bidder) IEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate |
| | Canadian dollars. |
| dema Letter paym | Standby Letter of Credit may be drawn on by you at any time and from time to time upon written nd for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us. |
| | mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be |
| Partia | Il drawings are permitted. |
| | ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at: |
| (Addres | ss) |
| and w | ve confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us. |

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 6, 2006

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

| (Name | (Name of bank or financial institution) | | | |
|-------|---|--|--|--|
| | | | | |
| Per: | | | | |
| | (Authorized Signing Officer) | | | |
| | (Figure 2.g.m.g c.most) | | | |
| Dan | | | | |
| Per: | | | | |
| | (Authorized Signing Officer) | | | |