FORM A: BID (See B8)

1.	Project Title	2006 COMBINED SEWI CONTRACT NO. 12	ER RENEWALS AND SEWER	REPAIRS,
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact pe of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms u ascribed to them in the 0	sed in the Contract shall ha General Conditions.	ve the meanings
5.	Offer		rs to perform the Work in accid Price, in Canadian funds, so.	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in GC:4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid Submission.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		, 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

(SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>A</u>	Balfour Avenue - MH at Hay St to 1st M St	/IH E of Hay				
A. 1	Combined Sewers	CW 2130				
a) i)	375mm, C76 CL IV Concrete or SDR 35 PVC pipe trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	94.0		
A. 2	Manhole	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	5.0		
A. 3	Catch Basin	CW 2130				
a)	SD-024		each	2		
A. 4	Sewer Services	CW 2130				
a)	150mm					
i)	trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	70.0		
ii)	trenchless installation, Class B Type 2 bedding, Class 5 backfill		m	30.0		
b)	250mm					
i)	trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	18.0		
A. 5	Sewer Service Risers	CW 2130				
a)	SD-014					
i)	150mm		vert. m	7.0		
A. 6	Connecting to Existing Manhole	CW 2130				
a)	375mm		each	2		
A. 7	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	9		
A. 8	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	12.0		
A. 9	Abandoning Existing Manholes	CW 2130	each	1		
A. 10	Abandoning Existing Catch Basins	CW 2130	each	2		

(SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. 11 a)	Sewer Inspection 375mm	CW 2145	m	94.0		
A. 12 a)	Partial Slab Patches 150mm reinforced concrete pavement	E7	m²	15.0		
A. 13 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E8	m²	65.0		
A. 14 a)	Concrete Curb Renewal Barrier curb (SD-204)	E9	m	10.0		
A. 15	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonnes	4.0		
	Part A: Balfour Avenue				Subtotal:	
<u>B</u>	Bartlet Avenue - MH at Hay St to 1st M St	H E of Hay				
B. 1	Combined Sewers	CW 2130				
a) i)	375mm, C76 CL II Concrete or SDR 35 PVC pipe trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	23.0		
ii)	trenchless installation, Class B Type 2 bedding, Class 5 backfill		m	70.0		
	Manhole	CW 2130				
a) i)	SD-010 1200mm diameter base		vert. m	8.0		

(SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. 3	Sewer Services	CW 2130				
a)	150mm					
i)	trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	55.0		
ii)	trenchless installation, Class B Type 2 bedding, Class 5 backfill		m	60.0		
b)	250mm					
i)	trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	10.0		
ii)	trenchless installation, Class B Type 2 bedding, Class 5 backfill		m	4.0		
B. 4 a)	Connecting to Existing Manhole 375mm	CW 2130	each	2		
B. 5 a)	Connecting to Existing Catch Basin 250mm	CW 2130	each	2		
B. 6	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	10		
B. 7	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	10.0		
B. 8 a)	Sewer Inspection 375mm	CW 2145	m	86.0		
B. 9 a)	Partial Slab Patches 150mm reinforced concrete	E7	m²	20.0		
	pavement					
B. 10 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E8	m²	75.0		
B. 11 a)	Concrete Curb Renewal Barrier curb (SD-204)	E9	m	10.0		
B. 12	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
	Part B: Bartlett Avenue				Subtotal:	

(SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
I I E IVI	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AWOONT
<u>c</u>	Beresford Avenue - 2nd MH E of Nass at Osborne St	au St to MH				
C. 1	Combined Sewers	CW 2130				
a) i)	300mm, C76 CL IV Concrete or SDR 35 PVC pipe trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	8.0		
b)	450mm, C76 CL IV Concrete or SDR 35 PVC pipe trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	104.0		
C. 2	Manhole	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	11.0		
	New Manhole on Existing Sewer	CW 2130				
a) 	SD-010					
j)	1500mm diameter base		vert. m	6.0		
C. 4	Catch Basin	CW 2130				
a)	SD-024		each	2		
C. 5	Sewer Services	CW 2130				
a) i)	150mm trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	75.0		
ii)	trenchless installation, Class B Type 2 bedding, Class 5 backfill		m	20.0		
b)	250mm					
i)	trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	10.0		
ii)	trenchless installation, Class B Type 2 bedding, Class 5 backfill		m	5.0		
C. 6 a)	Connecting to Existing Manhole 450mm	CW 2130	each	1		
a)	TOUTHIN		Cacii	l '		

(SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 7 a)	Connecting to Existing Sewer 300mm (Conc) to 300mm (Conc)	CW 2130	each	1		
C. 8	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	10		
C. 9	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	16.0		
C. 10	Abandoning Existing Catch Basins	CW 2130	each	2		
C. 11 a) b)	Sewer Inspection 300mm 450mm	CW 2145	m m	8.0 104.0		
C. 12 a) b)	Partial Slab Patches 150mm reinforced concrete pavement 200mm reinforced concrete pavement for early opening (24 hours)	E7	m² m²	10.0 10.0		
C. 13 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E8	m²	80.0		
C. 14 a)	Concrete Curb Renewal Barrier curb (SD-204)	E9	m	10.0		
C. 15	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	5.0		
	Part C: Beresford Avenue				Subtotal:	

(SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
<u>D</u>	Maplewood Avenue - 1st MH W of Hay Hay St	St to MH at		QUANTITY	PRICE	
D. 1	Combined Sewers	CW 2130				
a)	300mm, C76 CL IV Concrete or SDR					
i)	35 PVC pipe trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	60.0		
ii)	trenchless installation, Class B Type 2 bedding, Class 5 backfill		m	40.0		
b)	375mm, C76 CL IV Concrete or SDR 35 PVC pipe trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	21.0		
D. 2 a) i)	Storm Relief Sewers 600mm trenchless installation, Class B Type 2 bedding, Class 3 backfill	CW 2130	m	7.0		
D. 3 a) i)	Manhole SD-010 1200mm diameter base	CW 2130	vert. m	8.0		
ii)	1500mm diameter base		vert. m	5.0		
D. 4 a)	Catch Basin SD-024	CW 2130	each	2		
	Sewer Services	CW 2130				
a) i)	150mm trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	50.0		
ii)	trenchless installation, Class B Type 2 bedding, Class 5 backfill		m	55.0		
b) i)	250mm trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	13.0		

(SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D. 6 a)	Sewer Service Risers SD-014	CW 2130				
i)	150mm		vert. m	5.0		
D. 7 a) b)	Connecting to Existing Manhole 375mm 600mm	CW 2130	each each	2 1		
D. 8	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	10		
D. 9	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	10.0		
D. 10	Abandoning Existing Manholes	CW 2130	each	1		
D. 11	Abandoning Existing Catch Basins	CW 2130	each	2		
D. 12	Sewer Inspection	CW 2145				
a)	300mm		m	100.0		
b)	375mm		m	21.0		
c)	600mm		m	7.0		
D. 13 a)	Partial Slab Patches 150mm reinforced concrete pavement	E7	m²	30.0		
D. 14 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E8	m²	70.0		
D. 15 a)	Concrete Curb Renewal Barrier curb (SD-204)	E9	m	10.0		
D. 16	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	8.0		
	Part D: Maplewood Avenue				Subtotal:	

(SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>E</u>	Morley Avenue - MH at Hay St to 1st M Morley St	IH E of				
E. 1	Combined Sewers	CW 2130				
a) i)	375mm, C76 CL II Concrete or SDR 35 PVC pipe trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	97.0		
E. 2	Manhole	CW 2130				
a)	SD-010			0.0		
i)	1200mm diameter base		vert. m	3.0		
E. 3	Sewer Services	CW 2130				
a) i)	150mm trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	100.0		
ii)	trenchless installation, Class B Type 2 bedding, Class 5 backfill		m	85.0		
E. 4 a)	Connecting to Existing Manhole 375mm	CW 2130	each	2		
E. 5 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	19		
E. 6	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	10.0		
E. 7	Abandoning Existing Manholes	CW 2130	each	1		
E. 8 a)	Sewer Inspection 375mm	CW 2145	m	97.0		
E. 9 a)	Partial Slab Patches 150mm reinforced concrete pavement	E7	m²	10.0		
E. 10 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E8	m²	130.0		
E. 11 a)	Concrete Curb Renewal Barrier curb (SD-204)	E9	m	10.0		

(SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E. 12	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
	Part E: Morley Avenue				Subtotal:	
<u>F</u>	Morley Avenue - 2nd MH W of Nassau W of Nassau St	St to 1st MH				
F. 1	Combined Sewers	CW 2130				
a)	300mm, C76 CL II Concrete or SDR 35 PVC pipe					
i)	· ·		m	10.0		
ii)	trenchless installation, Class B Type 2 bedding, Class 5 backfill		m	73.0		
F. 2	Manhole	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	4.0		
F. 3	Sewer Services	CW 2130				
a)	150mm					
i)	trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	87.0		
ii)	trenchless installation, Class B Type 2 bedding, Class 5 backfill		m	50.0		
b)	250mm					
i)	trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	11.0		
F. 4	Connecting to Existing Manhole	CW 2130				
a)	300mm	OW 2100	each	2		
F. 5 a)	Connecting to Existing Catch Basin 250mm	CW 2130	each	1		
F. 6	Connecting New Sewer Service to Existing Sewer Service	CW 2130		·		
a)	150mm	CVV 213U	each	14		
F. 7	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	6.0		

(SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F. 8	Abandoning Existing Manholes	CW 2130	each	1		
F. 9 a)	Sewer Inspection 300mm	CW 2145	m	83.0		
F. 10 a)	Partial Slab Patches 150mm reinforced concrete pavement	E7	m²	10.0		
F. 11 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E8	m²	95.0		
F. 12 a)	Concrete Curb Renewal Barrier curb (SD-204)	E9	m	5.0		
F. 13	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
	Part F: Morley Avenue				Subtotal:	
<u>G</u>	Rosedale Avenue - MH at Nassau St to Osborne St	o MH at				
G. 1	Combined Sewers	CW 2130				
a) i)	375mm, C76 CL IV Concrete or SDR 35 PVC pipe trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	104.0		
b)	450mm, C76 CL IV Concrete or SDR 35 PVC pipe trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	194.0		
G. 2 a) i)	Storm Relief Sewers 375mm trenchless installation, Class B Type 2 bedding, Class 3 backfill	CW 2130	m	5.0		
G. 3 a)	Manhole SD-010	CW 2130				
i)	1200mm diameter base		vert. m	9.0		

(SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

	DECODIDEION	SPEC.	LINUT	APPROX.	UNIT	AMOUNT
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
G. 4	New Manhole on Existing Sewer	CW 2130				
a)	SD-010					
	i) 1500mm diameter base		vert. m	5.5		
G. 5	Sewer Services	CW 2130				
a)	150mm	OW 2100				
	trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	210.0		
i	trenchless installation, Class B Type 2 bedding, Class 5 backfill		m	300.0		
G. 6	Sewer Service Risers	CW 2130				
a)	SD-014	OW 2100				
	i) 150mm		vert. m	20.0		
	,,		VOIT. III	20.0		
G. 7	Connecting to Existing Manhole	CW 2130				
a)	375mm		each	1		
G. 8	Connecting New Sewer Service to					
0.0	Existing Sewer Service	CW 2130				
a)	150mm		each	43		
G. 9	Connecting to Existing Sewer	CW 2130				
(G. 9 a)	375mm (PVC) to 900mm (Conc)	CVV 2130	each	1		
(a)			Cacii	ı		
G. 10		CW 2130	m³	45.0		
	Cement-Stabilized Flowable Fill					
G. 11	Abandoning Existing Manholes	CW 2130	each	4		
	Sewer Inspection	CW 2145		4040		
a)	375mm		m	104.0		
b)	450mm		m	194.0		
G. 13	Backfill for Parallel Pipes	CW 2030	m	4.0		
G. 14	Partial Slab Patches	E7				
a)	150mm reinforced concrete		m²	30.0		
	pavement					
b)	200mm reinforced concrete pavement for early opening (24		m ²	15.0		
	hours)					
			I			

(SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G. 15 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E8	m²	260.0		
G. 16 a)	Concrete Curb Renewal Barrier curb (SD-204)	E9	m	20.0		
G. 17	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	11.0		
	Part G: Rosedale Avenue				Subtotal:	
<u>H</u>	Beresford Avenue - Sewer ID S-MA600)12298				
H. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
·	375mm Class 3 backfill		each	2		
H. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022A)	CW 2130				
·	375mm Class 3 backfill		m	7.0		
H. 3 a)	Sewer Inspection 375mm	CW 2145	m	96.9		
H. 4 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	1		
H. 5 a)	Partial Slab Patches 150mm reinforced concrete pavement	E7	m²	33.0		
H. 6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	8.0		_
	Part H: Beresford Avenue				Subtotal:	

(SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION		UNIT		PRICE	AMOUNT
		REF.		QUANTITY	PRICE	
<u>I</u>	Hethrington Avenue - Sewer ID S-MA6	0009352				
		•				
l. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a)	450mm					
i)	Class 3 backfill		each	1		
I. 2 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	2		
		0)4/ 0/ 45				
I. 3	Sewer Inspection	CW 2145		400 7		
a)	450mm		m	109.7		
1. 4	Partial Slab Patches	E7				
	150mm reinforced concrete	_,	2	0.0		
a)	pavement		m²	8.0		
	Construction of Apphaltic Congrets	CW 3410				
l. 5	Construction of Asphaltic Concrete Overlays Type 1A	CVV 3410	tonne	3.0		
	Part I: Hethrington Avenue				Subtotal:	
<u>H</u>	Provisional Items					
H. 1	Granular Backfill Material	CW 2030	m ³	50.0		
H. 2	Cement Stabilized Backfill Material	CW 2030	m ³	50.0		
H. 3	Sewer Services	CW 2130				
a)	200mm					
i)	trenchless installation, Class B Type 2 bedding, Class 3 backfill		m	15.0		
H. 4	Sodding	CW 3510	m ²	50.0		
H. 5	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m²	5.0		
H. 6	Adjustment of Precast Sidewalk Blocks	CW 3330	m²	5.0		

(SEE B9)

2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS - CONTRACT NO. 12

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H. 7	Supply of Precast Sidewalk Blocks	CW 3330	m²	5.0		
H. 8	Street Light Cable Trenching	E10		100.0		
	trenching coring		m m	100.0 30.0		
	Part H: Provisional Items	1			Subtotal	

TOTAL BID PRICE (GST extra)	(in figures)\$
(in words)	
	Name of Bidder

(Seal)

Template Version: C120060615

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS T	HAT		
(hereinafter called the "Principal") and			
(hereinafter called the "Surety"), are held a called the "Obligee") in the sum of ten pero hereinafter described, for the payment of we executors, administrators, successors and a	ent (10%) of the Total hich sum the Principal a	Bid Price set out in th and Surety bind thems	e Bid Submission selves, their heirs,
WHEREAS the Principal has submitted a Bi	d to the Obligee dated t	he	
day of	, 20	for	
BID OPPORTUNITY NO. 540-2006			
2006 COMBINED SEWER RENEWALS AN	D SEWER REPAIRS, (CONTRACT NO. 12	
as more fully set out in the Bid Opportunity.			
NOW THEREFORE the condition of this oblif said Bid is accepted and the Principal, in a the said Obligee and furnishes the required of the Contract, this obligation shall be void,	accordance with the terr performance security for	ns of the Bid, enters in or guaranteeing the fa	nto a Contract with ithful performance
IN WITNESS WHEREOF the Principal and	Surety have signed and	sealed this bond the	
day of	, 20	·	
SIGNED AND SEALED in the presence of:	(Name of Principal) Per:		(Seal)
(Witness)			
	(Name of Surety)		

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 540-2006 2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS, CONTRACT NO. 12 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
The C Corpo Materi 185 K	ty of Winnipeg rate Finance Department als Management Branch ng Street, Main Floor neg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 540-2006
	2006 COMBINED SEWER RENEWALS AND SEWER REPAIRS, CONTRACT NO. 12
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
demai Letter payme	Canadian dollars. Standby Letter of Credit may be drawn on by you at any time and from time to time upon written and for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for the without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 29, 2006.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)		
Per:		
	(Authorized Signing Officer)	
Per:		
	(Authorized Signing Officer)	