FORM A: BID (See B8)

1.	Contract Title		EATMENT PROGRAM - CO PLANT OVERFLOW AND SU	
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business un	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	norizes the following contact of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		sed in the Contract shall General Conditions and D2.3	
5.	Offer		ers to perform the Work in a bid Price, in Canadian funds, o.	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
		

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		, 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES (See B9) Page 1 of 4

WINNIPEG WATER TREATMENT PROGRAM - CONSTRUCTION OF WATER TREATMENT PLANT OVERFLOW AND SUPERNATANT LINE

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.	Water Treatment Plant Overflow					
1.	Land Drainage Sewers	02630				
a)	2134 mm Direct Design RCP					
i)	Depth 0 to 4 metres, Class B Sand Bedding Class 2 Backfill		Lin. m	186		
ii)	Trenchless installation, Class B Sand Bedding Class 2 Backfill (Station 1+046.67 to 1+070.10)		Lin. m	23		
2.	New Manholes	02630				
a)	SD-011 2134mm Ø					
i)	2134mm to 2134mm (MH.1)		Vert. m	2.9		
ii)	2134mm to 2134mm (MH.2)		Vert. m	3.7		
iii)	2134mm to 2134mm (MH.3)		Vert. m	7.2		
iv)	2134mm to 2134mm (MH.4)		Vert. m	3.8		
v)	2134mm to 2134mm with 762mm connection (MH.5)		Vert. m	3.9		
3.	Supply and Installation of Cast-in-Place Sewer Fittings	02630				
a)	2134 x 1524 Reducer		Ea	1		
b)	2134 x 2134 x 2134 Tee		Ea	1		
4.	Connecting to Existing Sewer	02630				
a)	2134mm to Ex. 1500 LDS		Ea	1		
5.	Concrete Pipe - Three Edge Bearing Test	02630				
a)	2134mm C76-II		Ea	1		
b)	2134mm Direct Design		Ea	1		
6.	Sewer Services	02530				
a) i)	150mm trenchless installation, Class B Type 3 Bedding Class 3 Backfill		Lin.m.	50		
7.	Connecting New Sewer Service to Existing Sewer Service 150mm	02530	Ea	3		
(a)						

FORM B: PRICES

(See B9) Page 2 of 4

WINNIPEG WATER TREATMENT PROGRAM - CONSTRUCTION OF WATER TREATMENT PLANT OVERFLOW AND SUPERNATANT LINE

9. B. 1. a) i) ii) b) ii) 2. a)	Sewer Inspection (New Sewers) 2134mm Supply and Installation of Granular Backfill Supernatant Forcemain 750 mm Supernatant Forcemain, Open Trench Installation PVC C905 DR25 Class B sand bedding, Class 4 Backfill Class B sand bedding, Class 2 Backfill PCCP C301 Class B sand bedding, Class 4 Backfill Class B sand bedding, Class 2 Backfill Valve Chamber Construction Valve Chamber No. 1	02630 2630 02511A	Lin.m. cm m m m	209 100 55 15	
9. B. 1. a) i) ii) b) ii) 2. a)	Supernatant Forcemain 750 mm Supernatant Forcemain, Open Trench Installation PVC C905 DR25 Class B sand bedding, Class 4 Backfill Class B sand bedding, Class 2 Backfill PCCP C301 Class B sand bedding, Class 4 Backfill Class B sand bedding, Class 2 Backfill Class B sand bedding, Class 2 Backfill Class B sand bedding, Class 2 Backfill Valve Chamber Construction	02511A	cm m m	100 55 15	
B. 1. a) i) ii) b) ii) 2. a)	Supernatant Forcemain 750 mm Supernatant Forcemain, Open Trench Installation PVC C905 DR25 Class B sand bedding, Class 4 Backfill Class B sand bedding, Class 2 Backfill PCCP C301 Class B sand bedding, Class 4 Backfill Class B sand bedding, Class 2 Backfill Class B sand bedding, Class 2 Backfill Valve Chamber Construction	02511A	m m	55 15	
1. a) i) ii) b) ii) ii) 2. a)	750 mm Supernatant Forcemain, Open Trench Installation PVC C905 DR25 Class B sand bedding, Class 4 Backfill Class B sand bedding, Class 2 Backfill PCCP C301 Class B sand bedding, Class 4 Backfill Class B sand bedding, Class 2 Backfill Class B sand bedding, Class 2 Backfill Valve Chamber Construction		m m	15 13	
a) ii) b) ii) ii) 2.	Trench Installation PVC C905 DR25 Class B sand bedding, Class 4 Backfill Class B sand bedding, Class 2 Backfill PCCP C301 Class B sand bedding, Class 4 Backfill Class B sand bedding, Class 2 Backfill Valve Chamber Construction		m m	15 13	
b) ii) b) ii) ii)	Class B sand bedding, Class 4 Backfill Class B sand bedding, Class 2 Backfill PCCP C301 Class B sand bedding, Class 4 Backfill Class B sand bedding, Class 2 Backfill Valve Chamber Construction		m m	15 13	
b) ii) ii) 2.	Class B sand bedding, Class 2 Backfill PCCP C301 Class B sand bedding, Class 4 Backfill Class B sand bedding, Class 2 Backfill Valve Chamber Construction		m m	15 13	
b) i) ii) 2. a)	PCCP C301 Class B sand bedding, Class 4 Backfill Class B sand bedding, Class 2 Backfill Valve Chamber Construction		m	13	
i) ii) 2. a)	Class B sand bedding, Class 4 Backfill Class B sand bedding, Class 2 Backfill Valve Chamber Construction				
2. a)	Class B sand bedding, Class 2 Backfill Valve Chamber Construction				
2. a)	Valve Chamber Construction		m	-	
a)			i .	4	
a)		02511A			
,	Tailed Chairmoon I to I	0201171	lump	1	
			sum		
b)	Valve Chamber No. 2		lump sum	1	
3.	Fittings	02511A			
	Bends (Vert.)				
-	750mm - 22.5 Bend PVC		each	1	
ii)	750mm - 20.5 Bend PVC		each	1	
b)	Bends (Horz.)				
i)	750mm - 20.5 Bend PVC		each	1	
4.	Trench Insulation	02511A	m	24	
5.	Supply and Installation of Aqueduct Saddle Connection	05500	each	1	
6.	Connection to Existing 750 mm Piping at WTP	02511A	lump sum	1	
7.	Bollards	02511A	each	8	
C. 1. a)	Sludge Forcemain 150 Sludge Forcemain, Open Trench Installation PVC C900 DR18	02531			
,	Class B sand bedding, Class 4 Backfill		m	52	
ii)	Class B sand bedding, Class 2 Backfill		m	8	
b)	Steel Pipe inside Concrete Beam		m	6	

FORM B: PRICES

(See B9) Page 3 of 4

WINNIPEG WATER TREATMENT PROGRAM - CONSTRUCTION OF WATER TREATMENT PLANT OVERFLOW AND SUPERNATANT LINE

DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Fittings	02531				
Bends (Vert.)					
150mm - 22.5 Bend PVC		each	1		
150mm - 45 Bend PVC		each	1		
150mm - 90 Bend PVC		each	2		
Bends (Horz.)			_		
150mm - 90 Bend Steel		each	1		
Plug			-		
150mm		each	1		
Connection to Existing 150 mm Piping at WTP	02531	lump sum	1		
Watermains					
Watermain	02511				
200mm					
trenchless installation, Class B sand bedding, Class 3 backfill		m	8		
trenchless installation, Class B sand bedding, Class 5 backfill		m	23		
Watermains Installed in Casing Pipe	02511				
200mm	02011	m	25		
20011111		'''	20		
Watermain Valve	02511				
200mm	02011	each	1		
20011111		Caon			
Fittings	02511				
Bends (SD-005)	02311				
200mm - 22 1/2°		each	2		
Plug		Cacii			
200mm		each	1		
20011111		Cacii	'		
O TO THE STATE OF	00544				
Connecting to Existing Watermains and Large Diameter Water Services	02511				
Inline connection - plug existing					
200mm		each	1		
		53011			
Sanitary Sewers					
Sewer Services	02530				
150mm	0_000				
		m	20		
bedding, Class 2 backfill			20		
Connecting to Existing Manhole	02530				
150mm		each	1		
bedding Connec	ting to Existing Manhole	, Class 2 backfill ting to Existing Manhole 02530	ring to Existing Manhole 02530	r, Class 2 backfill ting to Existing Manhole 02530	i, Class 2 backfill ting to Existing Manhole 02530

FORM B: PRICES

(See B9) Page 4 of 4

WINNIPEG WATER TREATMENT PROGRAM - CONSTRUCTION OF WATER TREATMENT PLANT OVERFLOW AND SUPERNATANT LINE

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
3.	Connecting to Existing Sewer	02530				
a)	150mm PVC SDR35 to 200mm Clay tile		each	1		
4. a)	Supply and Installation of Casing Pipe 300 mm PVC SDR35	02530				
i)	Open trench Installation, Class B sand bedding, Class 4 Backfill		m	12		
p)	375 mm PVC SDR35			0.5		
i) c)	Trenchless Class 3 Backfill 450 mm PVC SDR35		m	25		
i)	Open trench Installation, Class B sand bedding, Class 4 Backfill		m	16		
ii)	Open trench Installation, Class B sand bedding, Class 2 Backfill		m	10		
TOTAL BID PRICE (GST extra) (in figures) \$						

 Name of Bidder

(Seal)

Template Version: C220061130

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT				
(hereinafter called the "Principal") and				
called the "Obligee") in the sum of ten perc	and firmly bound unto THE CITY OF WINNIPEG ent (10%) of the Total Bid Price set out in the Bid e Principal and Surety bind themselves, their heirs tly and severally, firmly by these presents.	hereinafter		
WHEREAS the Principal has submitted a Bio	d to the Obligee dated the			
day of	, 20 for			
BID OPPORTUNITY NO. 791-2006				
WINNIPEG WATER TREATMENT PROGRA OVERFLOW AND SUPERNATANT LINE	AM - CONSTRUCTION OF WATER TREATMENT	PLANT		
as more fully set out in the Bid Opportunity.				
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	igation is such that if the Bid of the Principal is not a coordance with the terms of the Bid, enters into a C performance security for guaranteeing the faithful put otherwise shall remain in full force and effect.	Contract with		
IN WITNESS WHEREOF the Principal and S	Surety have signed and sealed this bond the			
day of	, 20			
SIGNED AND SEALED in the presence of: (Witness)	(Name of Principal) Per: Per:	(Seal)		

(Name of Surety)

(Attorney-in-Fact)

By:

(Seal)

Template Version: C220061130

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 791-2006 WINNIPEG WATER TREATMENT PROGRAM - CONSTRUCTION OF WATER TREATMENT PLANT OVERFLOW AND SUPERNATANT LINE in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) (Attorney-in-Fact)

FORM G2(R1): IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Mater 185 K	ity of Winnipeg rate Finance Department als Management Branch ng Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 791-2006
	WINNIPEG WATER TREATMENT PROGRAM - CONSTRUCTION OF WATER TREATMENT PLANT OVERFLOW AND SUPERNATANT LINE
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
(Addres	s of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demai Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written not for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand fo ent without inquiring whether you have a right as between yourself and our customer to make such and and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2(R1): IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 1, 2007

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	(Authorized Signing Officer)
Per:	(Nation200 Olyming Olinoon)
	(Authorized Signing Officer)