FORM A: BID (See B8)

1.	Contract Title		MENT PROGRAM - CONSTRI T OVERFLOW AND SUPERN	
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under th	ne above name.	
3.	Contact Person	The Bidder hereby authorize the Bidder for purposes of the	es the following contact persor e Bid.	n to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used ascribed to them in the Gene	in the Contract shall have tral Conditions and D2.3.	the meanings
5.	Offer		perform the Work in accordance, in Canadian funds, set of	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the for of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later that seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offen notwithstanding that not all parts thereof are necessarily attached to accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received an agrees that they shall be deemed to form a part of the Contract:
		No Dated
		- <u></u>

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		, 20
(If no corporate seal) Signed and sealed in the presence of:		Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B(R1): PRICES (See B9) Page 1 of 4

WINNIPEG WATER TREATMENT PROGRAM - CONSTRUCTION OF WATER TREATMENT PLANT OVERFLOW AND SUPERNATANT LINE

ITE	ΞM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.		Water Treatment Plant Overflow					
1.		Land Drainage Sewers	02630				
	a)	2134 mm Direct Design RCP					
	i)	Depth 0 to 4 metres, Class B Sand Bedding Class 2 Backfill		Lin. m	186		
	ii)	Trenchless installation, Class B Sand Bedding Class 2 Backfill (Station 1+046.67 to 1+070.10)		Lin. m	23		
2.		New Manholes	02630				
	a)	SD-011 2134mm Ø					
	i)	2134mm to 2134mm (MH.1)		Vert. m	2.9		
	ii)	2134mm to 2134mm (MH.2)		Vert. m	3.7		
	iii)	2134mm to 2134mm (MH.3)		Vert. m	7.2		
	iv)	2134mm to 2134mm (MH.4)		Vert. m	3.8		
	v)	2134mm to 2134mm with 762mm connection (MH.5)		Vert. m	3.9		
3.		Supply and Installation of Cast-in-Place Sewer Fittings	02630				
	a)	2134 x 1524 Reducer		Ea	1		
	b)	2134 x 2134 x 2134 Tee		Ea	1		
4.		Connecting to Existing Sewer	02630				
	a)	2134mm to Ex. 1500 LDS		Ea	1		
5.		Concrete Pipe - Three Edge Bearing Test	02630				
	a)	2134mm (Direct Design Method)		Ea	1		
6.	a) i)	Sewer Services 150mm trenchless installation, Class B Type 3 Bedding Class 3 Backfill	02530	Lin.m.	50		
	b)	250 mm					
	i)	trench installation, Class B Type 3 Bedding, Class 4 Backfill		Lin.m.	8.0		
7.	a)	Connecting New Sewer Service to Existing Sewer Service 150mm	02530	Ea	3		

FORM B(R1): PRICES (See B9) Page 2 of 4

WINNIPEG WATER TREATMENT PROGRAM - CONSTRUCTION OF WATER TREATMENT PLANT OVERFLOW AND SUPERNATANT LINE

ITEN	Л	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
8.		Sewer Inspection (New Sewers)	02630			-	
a	a)	2134mm		Lin.m.	209		
	-						
9.		Supply and Installation of Granular Backfill	02630	cm	200		
10.		Temporary Relocation of Chlorine Solution	02630	Lump	1		
		Line		Sum			
B.		Supernatant Forcemain					
1.		750 mm Supernatant Forcemain, Open	02511A				
		Trench Installation					
6	a)	PVC C905 DR25					
	i)	Class B sand bedding, Class 4 Backfill		m	55		
	ii)	Class B sand bedding, Class 2 Backfill		m	15		
ŀ	b)	PCCP C301					
	i)	Class B sand bedding, Class 4 Backfill		m	13		
	ii)	Class B sand bedding, Class 2 Backfill		m	4		
2.		Valve Chamber Construction	02511A				
	a)	Valve Chamber No. 1		lump	1		
				sum			
ŀ	b)	Valve Chamber No. 2		lump	1		
				sum			
3.		Fittings	02511A				
8	a)	Bends (Vert.)					
	i)	750mm - 22.5 Bend PVC		each	1		
	ii)	750mm - 20.5 Bend PVC		each	1		
l	b)	Bends (Horz.)					
	i)	750mm - 20.5 Bend PVC		each	1		
4.		Trench Insulation	02511A	m	24		
5.		Supply and Installation of Aqueduct Saddle	05500	each	1		
		Connection					
6.		Connection to Existing 750 mm Piping at	02511A	lump	1		
		WTP		sum			
7.		Bollards	02511A	each	8		
C.		Sludge Forcemain					
1.		150 Sludge Forcemain, Open Trench	02531				
	٥,	Installation					
	a) :\	PVC C900 DR18			F.0		
	i)	Class B sand bedding, Class 4 Backfill		m	52		
	ii)	Class B sand bedding, Class 2 Backfill		m	8		
'	b)	Steel Pipe inside Concrete Beam		m	6		1

FORM B(R1): PRICES (See B9) Page 3 of 4

WINNIPEG WATER TREATMENT PROGRAM - CONSTRUCTION OF WATER TREATMENT PLANT OVERFLOW AND SUPERNATANT LINE

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
2.	Fittings	02531				
a)	Bends (Vert.)					
i)	150mm - 22.5 Bend PVC		each	1		
ii)	150mm - 45 Bend PVC		each	1		
iii)	150mm - 90 Bend PVC		each	2		
b)	Bends (Horz.)		Guoii	_		
i)	150mm - 90 Bend Steel		each	1		
c)	Plug		Cacii	'		
•	_		aaah	4		
i)	150mm		each	1		
3.	Connection to Existing 150 mm Piping at WTP	02531	lump sum	1		
D.	Watermains					
1.	Watermain	02511				
a)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	8		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	23		
2.	Watermains Installed in Casing Pipe	02511				
a)	200mm		m	25		
,						
3.	Watermain Valve	02511				
a)	200mm	0_0.1	each	1		
ω,	20011111		Guoii	•		
4.	Fittings	02511				
 a)	Bends (SD-005)	02011				
i)	200mm - 22 1/2°		each	2		
b)	Plug		Cacii			
i)	200mm		oooh	1		
1)	20011111		each	'		
5.	Connecting to Existing Watermains and	02511				
J.	Large Diameter Water Services	02311				
a)	Inline connection - plug existing					
i)	200mm		each	1		
_	Sanitana Sanara					
E.	Sanitary Sewers	00500				
1.	Sewer Services	02530				
a)	150mm					
i)	Open trench installation, Class B sand bedding, Class 2 backfill		m	20		
2.	Connecting to Existing Manhole	02530				
a)	150mm		each	1		
,						

FORM B(R1): PRICES (See B9) Page 4 of 4

WINNIPEG WATER TREATMENT PROGRAM - CONSTRUCTION OF WATER TREATMENT PLANT OVERFLOW AND SUPERNATANT LINE

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
3.	Connecting to Existing Sewer	02530		QO/MITTI	TRIOL	
a)	150mm PVC SDR35 to 200mm Clay tile		each	1		
4.	Supply and Installation of Casing Pipe	02530				
a)	300 mm PVC SDR35					
i)	Open trench Installation, Class B sand bedding, Class 4 Backfill		m	12		
b)	375 mm PVC SDR35					
i)	Trenchless Class 3 Backfill		m	25		
c)	450 mm PVC SDR35					
i)	Open trench Installation, Class B sand bedding, Class 4 Backfill		m	16		
ii)	Open trench Installation, Class B sand bedding, Class 2 Backfill		m	10		
TOTAL	BID PRICE (GST extra) (in figures)			\$_		
(in word	ds)					

Name of Bidder

(Seal)

Template Version: C220061130

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS T	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten pero	and firmly bound unto THE CITY OF WINNIPEG cent (10%) of the Total Bid Price set out in the Bid he Principal and Surety bind themselves, their heirs only and severally, firmly by these presents.	d hereinafter
WHEREAS the Principal has submitted a Bi	d to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 791-2006		
WINNIPEG WATER TREATMENT PROGR OVERFLOW AND SUPERNATANT LINE	AM - CONSTRUCTION OF WATER TREATMENT	PLANT
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	ligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of: (Witness)	(Name of Principal) Per: Per:	(Seal)
	(Name of Surety)	

By:

(Attorney-in-Fact)

(Seal)

Template Version: C220061130

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 791-2006 WINNIPEG WATER TREATMENT PROGRAM - CONSTRUCTION OF WATER TREATMENT PLANT OVERFLOW AND SUPERNATANT LINE in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) (Attorney-in-Fact)

FORM G2(R2): IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Mater 185 K	ity of Winnipeg rate Finance Department als Management Branch ng Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 791-2006
	WINNIPEG WATER TREATMENT PROGRAM - CONSTRUCTION OF WATER TREATMENT PLANT OVERFLOW AND SUPERNATANT LINE
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
(Addres	s of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demai Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written not for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand fo ent without inquiring whether you have a right as between yourself and our customer to make such and and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2(R2): IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 7, 2007

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)					
(Authorized Signing Officer)					
(Authorized Signing Officer)					