



353-2007 ADDENDUM 1

SUPPLY AND INSTALLATION OF AN EMULSION STORAGE TANK

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: July 11, 2007
BY: K.R. Boyd, P. Eng.
TELEPHONE NO. (204) 986-5076

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART B – BIDDING PROCEDURES

Revise: B2.1 to read: The Submission Deadline is 4:00 p.m. Winnipeg time, July 16, 2007.

PART E – SPECIFICATIONS

Revise: E2.2(h) to read: Equipped with a top mount mixer with automatic timer and disconnect with NEMA IV enclosure. The mixer shall be a blade type agitator designed to agitate emulsions at 30 to 60 RPM and shall be powered by a 1 HP electric motor (single or 3 phase);