FORM A (R1): BID (See B7)

1.	Contract Title	Tuxedo Avenue – Corydon Ave to Kenaston Blvd (Eastbound Rehabilitation – Westbound Mill and Fill)	
2.	Bidder	Name of Bidder	
		Street	
		City Province Postal	Code
		Facsimile Number	
	(Mailing address if different)	Street or P.O. Box	
		City Province Postal	Code
		The Bidder is:	
	(Choose one)	a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the above name.	
3.	Contact Person	The Bidder hereby authorizes the following contact person to repre the Bidder for purposes of the Bid.	sent
		Contact Person Title	
		Telephone Number Facsimile Number	
4.	Definitions	All capitalized terms used in the Contract shall have the mean ascribed to them in the General Conditions.	iings
5.	Offer	The Bidder hereby offers to perform the Work in accordance with Contract for the Total Bid Price, in Canadian funds, set out on Fore Prices, appended hereto.	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:				
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)				
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)				
		a certified cheque or draft				
		and agrees that it shall be held by the City in accordance with the Contract.				
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.				
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.				
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.				
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:				
		No Dated				
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.				

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

1

ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i)	Sidewalk	SD-228A				
		a) Less than 5 sq.m.		m²	35		
		b) 5 sq.m. to 20 sq.m.		m²	210		
		c) Greater than 20 sq.m.		m²	510		
	ii)	Bullnose	SD-227C	m²	5		
.12		Removal of Precast Sidewalk Blocks	CW 3235-R6	m²	40		
3.16		Concrete Curb Removal	CW 3240-R6				
	i)	Barrier (Integral)		m	90		
3.17		Concrete Curb Installation	CW 3240-R6				
	iv)	Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	90		
A.13		Concrete Curb Renewal	CW 3240-R6				
	i)	Barrier (150 mm ht, Dowelled)	SD-205, SD206A				
		a) Less than 3 m	3D200A	m	275		
	iii)	Curb Ramp (10mm ht, Integral)	SD-229A,B,C	m	50		
A.14		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
		a) Type IA		tonne	1200		
	ii)	Tie-ins and Approaches					
		a) Type IA		tonne	90		
A.15		Pavement Repair Fabric	E8	m²	750		
		JOINT AND CRACK SEALING					
A.16		Longitudinal Joint & Crack Filling (> 25mm in width)	CW 3250-R6	m	500		
A.17		Reflective Crack Maintenance	CW 3250-R6	m	2700		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.18		Catch Pit	CW 2130-R11				
	i)	SD-023		each	5		
.19		Drainage Connection Pipe	CW 2130-R11	m	15		
20		Replacing Standard Frames & Covers	CW 2130-R11				
	i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
	ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
	iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
.21		Connecting to Existing Catch Basin	CW 2130-R11				
	i)	250 mm Drainage Connection Pipe		each	5		
22		Abandoning Existing Drainage Inlets	CW 2130-R11	each	5		
		ADJUSTMENTS					
23		Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
.24		Replacing Existing Risers	CW 2130-R11				
	i)	Pre-cast Concrete Risers		vert. m	3		
.25		Lifter Rings	CW 3210-R7				
	i)	38mm		each	1		
	ii)	51mm		each	3		
	iii)	64mm		each	5		
	iv)	76mm		each	3		
.5		Valve Box Extensions	CW 3210-R7	each	9		
27		Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	1		

DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
LANDSCAPING					
Sodding	CW 3510-R9				
width > or = 600mm		m²	200		
Seeding	CW 3520-R7	m²	250		
Tuxedo Avenue Eastbound - Corydon Ave.	to Kenaston B	lvd. (Rel	habilitation)	Subtotal:	
Tuxedo Avenue Westbound - Corydon Ave	. to Kenaston B	Blvd. (Mi	ll and Fill)		
EARTH AND BASE WORKS					
Supplying and Placing Base Course Material	CW 3110-R10, E9	m³	10		
Grading of Boulevards	CW 3110-R10	m²	85		
Imported Fill Material	CW 3110-R10	m³	10		
ROADWORKS - RENEWALS					
Slab Replacement	CW 3230-R5				
200 mm Concrete Pavement (Plain- Dowelled)		m²	30		
Partial Slab Patches - Early Opening (24 hour)	CW 3230-R5				
200 mm Concrete Pavement (Type A)		m²	15		
200 mm Concrete Pavement (Type B)		m²	40		
200 mm Concrete Pavement (Type C)		m²	5		
200 mm Concrete Pavement (Type D)		m²	30		
Drilled Dowels	CW 3230-R5				
19.1 mm Diameter		each	75		
Drilled Tie Bars	CW 3230-R5				
20 M Deformed Tie Bar		each	180		
Miscellaneous Concrete Slab Renewal	CW 3235-R6				
Sidewalk	SD-228A				
	LANDSCAPING Sodding width > or = 600mm Seeding Tuxedo Avenue Eastbound - Corydon Ave. Tuxedo Avenue Westbound - Corydon Ave. EARTH AND BASE WORKS Supplying and Placing Base Course Material Grading of Boulevards Imported Fill Material ROADWORKS - RENEWALS Slab Replacement 200 mm Concrete Pavement (Plain-Dowelled) Partial Slab Patches - Early Opening (24 hour) 200 mm Concrete Pavement (Type A) 200 mm Concrete Pavement (Type B) 200 mm Concrete Pavement (Type C) 200 mm Concrete Pavement (Type D) Drilled Dowels 19.1 mm Diameter Drilled Tie Bars 20 M Deformed Tie Bar Miscellaneous Concrete Slab Renewal	LANDSCAPING Sodding Width > or = 600mm Seeding CW 3520-R7 Tuxedo Avenue Eastbound - Corydon Ave. to Kenaston B Tuxedo Avenue Westbound - Corydon Ave. to Kenaston B EARTH AND BASE WORKS Supplying and Placing Base Course Material Grading of Boulevards CW 3110-R10 Imported Fill Material CW 3110-R10 ROADWORKS - RENEWALS Slab Replacement 200 mm Concrete Pavement (Plain-Dowelled) Partial Slab Patches - Early Opening (24 hour) 200 mm Concrete Pavement (Type A) 200 mm Concrete Pavement (Type B) 200 mm Concrete Pavement (Type C) 200 mm Concrete Pavement (Type D) Drilled Dowels 19.1 mm Diameter Drilled Tie Bars CW 3235-R6 Miscellaneous Concrete Slab Renewal CW 3235-R6	LANDSCAPING Sodding width > or = 600mm Seeding CW 3510-R9 width > or = 600mm Seeding CW 3520-R7 Tuxedo Avenue Eastbound - Corydon Ave. to Kenaston Blvd. (Rei Tuxedo Avenue Westbound - Corydon Ave. to Kenaston Blvd. (Min EARTH AND BASE WORKS Supplying and Placing Base Course Material Grading of Boulevards CW 3110-R10 m² CW 3110-R10 m² ROADWORKS - RENEWALS Slab Replacement CW 3230-R5 Slab Replacement CW 3230-R5 CW 3230-R5 m² CW 3230-R5	REF. QUANTITY	REF. QUANTITY

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	a) Less than 5 sq.m.		m²	25		
	b) 5 sq.m. to 20 sq.m.		m²	115		
	c) Greater than 20 sq.m.		m²	275		
B.8	Concrete Curb Renewal	CW 3240-R6				
i)	Barrier (180 mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	55		
	b) 3 m to 30 m		m	180		
iii)	Curb Ramp (10mm ht, Integral)	SD-229A,B,C	m	50		
B.9	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Main Line Paving					
	a) Type IA		tonne	1100		
ii)	Tie-ins and Approaches					
	a) Type IA		tonne	60		
B.10	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	7600		
ii)	50 - 100 mm Depth (Asphalt)		m²	50		
	JOINT AND CRACK SEALING					
B.12	Reflective Crack Maintenance	CW 3250-R6	m	2700		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.13	Catch Pit	CW 2130-R11				
i)	SD-023		each	9		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.14	Drainage Connection Pipe	CW 2130-R11	m	18		
B.15	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
B.16	Connecting to Existing Catch Basin	CW 2130-R11				
i)	250 mm Drainage Connection Pipe		each	6		
B.17	Relocation of Existing Catch Basins	CW 2130-R11	each	1		
B.18	Abandoning Existing Drainage Inlets	CW 2130-R11	each	9		
	ADJUSTMENTS					
B.19	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	9		
B.20	Lifter Rings	CW 3210-R7				
l)	51mm		each	3		
B.21	Adjustment of Valve Boxes	CW 3210-R7	each	6		
	LANDSCAPING					
B.22	Sodding	CW 3510-R9				
i)	width > or = 600mm		m²	85		
B.23	Seeding	CW 3520-R7	m²	50		
В	Tuxedo Avenue Westbound - Corydon Ave	ll and Fill)	Subtotal:			

ITEM	DESCRIPTIO	N	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY						
Α	A Tuxedo Avenue Eastbound - Corydon Ave. to Kenaston Blvd. (Rehabilitation)				Subtotal:		
В	Tuxedo Avenue Westbound - Corydon Ave. to Kenaston Blvd. (Mill and Fill)						
TOTAL BID PRICE (GST extra) (in figures)				n figures)			
(in words)							

(Seal)

Template Version: C420070405

FORM G1 (R1): BID BOND AND AGREEMENT TO BOND (Page 1 of 2)

(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS 1	ГНАТ				
(hereinafter called the "Principal") and					
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten per described, for the payment of which sum the administrators, successors and assigns, join	cent (10%) of the To he Principal and Sure	otal Bid Price set of ty bind themselve	out in the Bid hereinafter es, their heirs, executors,		
WHEREAS the Principal has submitted a B	id to the Obligee date	d the			
day of	, 20	for			
BID OPPORTUNITY NO. 408-2007					
Tuxedo Avenue – Corydon Ave to Kenastor	n Blvd (Eastbound Re	habilitation – Wes	tbound Mill and Fill)		
as more fully set out in the Bid Opportunity.					
NOW THEREFORE the condition of this obif said Bid is accepted and the Principal, in the said Obligee and furnishes the required of the Contract, this obligation shall be void,	accordance with the t I performance securit	erms of the Bid, e y for guaranteeing	nters into a Contract with the faithful performance		
IN WITNESS WHEREOF the Principal and	Surety have signed a	nd sealed this bor	nd the		
day of	, 20	·			
SIGNED AND SEALED in the presence of:	(Name of Principal)		(01)		
(Witness)					

(Name of Surety)

(Attorney-in-Fact)

By:

(Seal)

Template Version: C420070405

FORM G1 (R1): BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for **BID OPPORTUNITY NO. 408-2007** Tuxedo Avenue - Corydon Ave to Kenaston Blvd (Eastbound Rehabilitation - Westbound Mill and Fill) in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20______, (Name of Surety)

(Attorney-in-Fact)

FORM G2 (R1): IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 408-2007
Tuxedo Avenue – Corydon Ave to Kenaston Blvd (Eastbound Rehabilitation – Westbound Mill and Fill)
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder) WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2 (R1): IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 7, 2007

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)