FORM A: BID (See B8)

1.	Contract Title	2007 SEWER RENEWALS - C	ONTRACT 16	
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B	the following contact person to Bid.	represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Genera	the Contract shall have the l Conditions.	meanings
5.	Offer		perform the Work in accordanc e, in Canadian funds, set out c	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

2007 SEWER RENEWALS - CONTRACT 16

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
A	ASSINIBOINE AVENUE: S-MA20002963						
A. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130					
a) i)	200mm Class 3 backfill		each	1			
A. 2 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	2			
A. 3 a)	Sewer Inspection 250mm to 900mm	CW 2145	m	29.1			
A. 4 a)	Partial Slab Patches 150mm reinforced concrete pavement	E8	m²	5.0			
				Sub	total Part A:		
<u>B</u>	BELCOURT BAY: S-MA20002881						
B. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130					
a) i)	200mm Class 3 backfill		each	1			
B. 2	Watermain Repair - Up To 3.0 metres Long	CW 2110					
a) i)	150mm Class 3 backfill		each	1			
B. 3 a)	Sewer Inspection 250mm to 900mm	CW 2145	m	84.0			
B. 4 a)	Partial Slab Patches 150mm reinforced concrete pavement	E8	m²	5.0			
B. 5	Concrete Curb Renewal	CW 3240					
a) i)	Barrier curb (SD-204) Less than 3 m		m	3.0			
	Subtotal Part B:						

2007 SEWER RENEWALS - CONTRACT 16

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>c</u>	BOURKEWOOD PLACE: S-MA20006332					
C. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a)	250mm					
i)	Class 3 backfill		each	2		
C. 2 a)	Sewer Inspection 250mm to 900mm	CW 2145	m	109.0		
C. 3	Partial Slab Patches	E8				
a)	150mm reinforced concrete pavement	20	m²	15.0		
C. 4	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
				Sub	total Part C:	
D	COOK ROAD: S-MA20003036					
D. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a)	200mm					
i)	Class 3 backfill		each	1		
D. 2	Sewer Inspection 250mm to 900mm	CW 2145	~	101.0		
a)	250111110 9001111		m	101.0		
D. 3	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m²	10.0		
	-		-	Sub	total Part D:	
E	COUNTRY CLUB BOULEVARD: S-MA20002785					
E. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a)	300mm					
i)	Class 3 backfill		each	1		
E. 2	Sewer Inspection	CW 2145				
a)	250mm to 900mm		m	95.0		

2007 SEWER RENEWALS - CONTRACT 16

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E. 3 a)	Partial Slab Patches 150mm reinforced concrete pavement	E8	m²	5.0		
E. 4 a)	Concrete Curb Renewal Barrier curb (SD-204)	CW 3240		2.0		
i) E. 5	Less than 3 m Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	m tonne	3.0 1.0		
				Sub	total Part E:	
Ē	GOODRIDGE CRESCENT: S-MA20002466					
F. 1	Sewer Repair - Up to 3.0 metres Long (SD-022B)	CW 2130				
a) i)	200mm Class 3 backfill		each	1		
F. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022B)	CW 2130				
a) i)	200mm Class 3 backfill		m	2.0		
F. 3 a)	Sewer Inspection 250mm to 900mm	CW 2145	m	95.0		
F. 4 a)	Partial Slab Patches 150mm reinforced concrete pavement	E8	m²	5.0		
F. 5 a)	Concrete Curb Renewal Barrier curb (SD-204)	CW 3240				
i)	Less than 3 m		m	3.0		
				Sub	total Part F:	
<u>G</u>	HARVEST LANE: S-MA20000206					
G. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a) i)	200mm Class 3 backfill		each	1		

2007 SEWER RENEWALS - CONTRACT 16

	RICES		1			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G. 2 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	1		
G. 3 a)	Sewer Inspection 250mm to 900mm	CW 2145	m	93.0		
a)	250111110 9001111				total Part G:	
н	MORAY STREET: S-MA20005712					
H. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a) i)	200mm Class 3 backfill		each	1		
H. 2 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	1		
H. 3 a)	Sewer Inspection 250mm to 900mm	CW 2145	m	74.0		
H. 4 a)	Partial Slab Patches 200mm reinforced concrete pavement for early opening (24 hours)	E8	m²	10.0		
			T	Sub	total Part H:	
Ī	NESS AVENUE: S-MA20006533					
I. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a) i)	375mm Class 3 backfill		each	1		
I. 2 a)	Connecting New Sewer Service to Existing Sewer Service (drop-pipe) 200mm	CW 2130	each	1		
I. 3 a)	Sewer Inspection 250mm to 900mm	CW 2145	m	58.0		
l. 4 a)	Partial Slab Patches 200mm reinforced concrete pavement for early opening (24 hours)	E8	m²	10.0		

2007 SEWER RENEWALS - CONTRACT 16

	RICES		r			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I. 5	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
				Su	btotal Part I:	
Ţ	NESS AVENUE: S-MA20006268					
J. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a)	250mm					
i)	Class 3 backfill		each	1		
J. 2 a)	Sewer Inspection 250mm to 900mm	CW 2145	m	110.0		
J. 3 a)	Partial Slab Patches 200mm reinforced concrete pavement for early opening (24 hours)	E8	m²	10.0		
J. 4	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
				Sub	ototal Part J:	
ĸ	RAQUETTE STREET: S-MA20003533					
K. 1	Sewer Repair - Up to 3.0 metres Long (SD-022B)	CW 2130				
a)	200mm					
i)	Class 3 backfill		each	2		
K. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022B)	CW 2130				
a) i)	200mm Class 3 backfill		m	8.0		
К. З	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	2		
K. 4	Sewer Inspection	CW 2145		01.0		
a)	250mm to 900mm		m	81.0		

2007 SEWER RENEWALS - CONTRACT 16

	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.		QUANTITY	PRICE	
K. 5	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m ²		m²	10.0		
	1		r	Sub	total Part K:	
Ŀ	RITA STREET: S-MA20006066					
L. 1	Sewer Repair - Up to 3.0 metres Long (SD-022B)	CW 2130				
a)	250mm					
i)	Class 3 backfill		each	1		
L. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022B)	CW 2130				
a)	250mm					
i)	Class 3 backfill		m	1.0		
L. 3	Connecting New Sewer Service to					
	Existing Sewer Service	CW 2130				
a)	150mm		each	1		
L. 4	Sewer Inspection	CW 2145				
a)	250mm to 900mm		m	100.0		
L. 5	Partial Slab Patches	E8				
a)	150mm reinforced concrete pavement		m²	10.0		
L. 6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
			•	Sub	ototal Part L:	
M	RITA STREET: S-MA20005493					
M. 1	Sewer Repair - Up to 3.0 metres Long (SD-022B)	CW 2130				
a)	250mm					
i)	Class 3 backfill		each	2		
M. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022B)	CW 2130				
a)	250mm					
i)	Class 3 backfill		m	3.0		

2007 SEWER RENEWALS - CONTRACT 16

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
М. 3 а)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	1			
M. 4 a)	Sewer Inspection 250mm to 900mm	CW 2145	m	101.0			
M. 5 a)	Partial Slab Patches 150mm reinforced concrete pavement	E8	m²	15.0			
M. 6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0			
	-			Sub	total Part M:		
N	SINAWIK BAY: S-MA20006065						
N. 1	Sewer Repair - Up to 3.0 metres Long (SD-022B)	CW 2130					
a)	250mm						
i)	Class 5 backfill		each	1			
N. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022B)	CW 2130					
a) i)	250mm Class 3 backfill		m	7.0			
N. 3	Connecting New Sewer Service to Existing Sewer Service	CW 2130	h	1			
a)	150mm		each	1			
N. 4	Sewer Inspection	CW 2145		00.0			
a)	250mm to 900mm		m	89.0 Sub	total Part N:		
<u>o</u>	THOMPSON DRIVE: S-MA20005730						
O. 1	Abandonment of Existing Sewers and Sewer Services Smaller Than 300mm	E9					
a)	250mm		each	1			
	Subtotal Part O:						

2007 SEWER RENEWALS - CONTRACT 16

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>P</u>	THOMSON DRIVE: S-MA20005733					
P. 1	Sewer Repair - Up to 3.0 metres Long (SD-022B)	CW 2130				
a)	250mm					
i)	Class 3 backfill		each	1		
P. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022B)	CW 2130				
a)	250mm					
i)	Class 3 backfill		m	1.0		
P. 3	Connecting New Sewer Service to					
2)	Existing Sewer Service 150mm	CW 2130	aaab	2		
a)	1501111		each	2		
P. 4	Sewer Inspection	CW 2145				
a)	250mm to 900mm		m	116.0		
P. 5	Partial Slab Patches	E8				
a)	150mm reinforced concrete pavement		m²	10.0		
P. 6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
				Sub	ototal Part P:	
<u>Q</u>	WALLASEY STREET: S-MA20005779					
Q. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130				
a)	250mm					
i)	Class 3 backfill		each	1		
Q. 2	Connecting New Sewer Service to	0000000				
a)	Existing Sewer Service 150mm	CW 2130	each	1		
			Cuon	'		
Q. 3	Sewer Inspection	CW 2145		07.0		
a)	250mm to 900mm		m	97.0		
Q. 4	Partial Slab Patches	E8				
a)	150mm reinforced concrete pavement		m²	5.0		

2007 SEWER RENEWALS - CONTRACT 16

	RICES		r			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Q. 5	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0		
				Sub	total Part Q:	
<u>R</u>	WALLASEY STREET: S-MA20005788					
R. 1	Sewer Repair - Up to 3.0 metres Long (SD-022B)	CW 2130				
a) i)	250mm Class 3 backfill		each	3		
R. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022B)	CW 2130				
a) i)	250mm Class 3 backfill		m	8.0		
R. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	5		
R. 4 a)	Sewer Inspection 250mm to 900mm	CW 2145	m	96.0		
R. 5 a)	Partial Slab Patches 150mm reinforced concrete pavement	E8	m²	30.0		
R. 6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	8.0		
			-	Sub	total Part R:	
<u>s</u>	WORDSWORTH PLACE: S- MA20003286					
S. 1	Sewer Repair - Up to 3.0 metres Long (SD-022B)	CW 2130				
a) i)	200mm Class 3 backfill		each	1		
S. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022B)	CW 2130				
a) i)	200mm Class 3 backfill		m	9.0		
		1	1	-		

2007 SEWER RENEWALS - CONTRACT 16

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.		QUANTITY	PRICE	
S. 3	Remove and Replace Existing Catch Pit	CW 2130				
a)	SD-023		each	1		
S. 4	Sewer Inspection	CW 2145				
a)	250mm to 900mm	011 2140	m	76.0		
,						
S. 5	Partial Slab Patches	E8				
a)	150mm reinforced concrete pavement		m²	12.0		
S. 6	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	5.0		
	r			Sub	total Part S:	
I	ASSINIBOINE CRESCENT: S-					
<u> </u>	MA20005680					
T. 1	Wastewater Sewers	CW 2130, E3				
a)	300mm	011 2100, 20				
í)	trenchless installation, Class B sand bedding, Class 3 backfill		m	26.0		
T. 2	Sewer Services	CW 2130				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	12.0		
Т. З	Connecting to Existing Manhole	CW 2130				
a)	300mm	0112130	each	1		
T. 4	Connecting to Existing Sewer	CW 2130				
a)	300mm PVC to 300mm PVC		each	1		
T. 5	Connecting New Sewer Service to					
	Existing Sewer Service	CW 2130				
a)	150mm		each	2		
T. 6	Sewer Inspection	CW 2145				
a)	250mm to 900mm		m	50		
		=				
T. 7	Partial Slab Patches	E8	m ²	20.0		
a)	150mm reinforced concrete pavement		m²	30.0		

2007 SEWER RENEWALS - CONTRACT 16

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		KEF.		QUANTIT	FRICE	
T. 8	Concrete Curb Renewal	CW 3240				
a)	Lip curb (SD-202A)		m			
i)	Less than 3 m		m	10.0		
T. 9	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	7.0		
		1		Sub	total Part T:	
<u>U</u>	LEPINE AVENUE: S-MA20004894					
U. 1	Wastewater Sewers	CW 2130, E3				
a)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	30.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	43.0		
U. 2	Manhole	CW 2130				
a)	SD-010					
i)	1200mm diameter base		vert. m	4.0		
U. 3	New Manhole on Existing Sewer	CW 2130				
a)	SD-010	0112100				
i)	1200mm diameter base		vert. m	4.3		
	Sewer Services	CW 2130				
a)	150mm			50.0		
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	50.0		
U. 5	Sewer Service Risers	CW 2130				
a)	SD-014					
i)	150mm		vert. m	2.0		
U. 6	Connecting New Sewer Service to					
5. 0	Existing Sewer Service	CW 2130				
a)	150mm		each	5		
U. 7	Plugging Existing Sewers and Sewer	CW 2130				
	Services Smaller Than 300mm					
a)	200mm		each	2		
U. 8	Abandoning Existing Manholes	CW 2130	each	1		

2007 SEWER RENEWALS - CONTRACT 16

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
U. 9 a)	Sewer Inspection 250mm to 900mm	CW 2145	m	73.0		
U. 10 a)	Partial Slab Patches 150mm reinforced concrete pavement	E8	m²	40.0		
U. 11 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m²	CW 3235	m²	10.0		
U. 12 a) i)	Concrete Curb Renewal Lip curb (SD-202A) Less than 3 m	CW 3240	m m	10.0		
,	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
				Sub	total Part U:	
v	SHERBURN STREET: S-MA20017790					
V. 1 a) i)	Combined Sewers 375mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130, E3	m	85.0		
V. 2 a)	Manhole SD-010	CW 2130				
i) V. 3 a)	1200mm diameter base New Manhole on Existing Sewer SD-010	CW 2130	vert. m	5.6		
i)	1500mm diameter base		vert. m	6.5		
V. 4 a)	Catch Basin SD-024	CW 2130	each	2		
V. 5 a)	Sewer Services 150mm	CW 2130				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	80.0		

2007 SEWER RENEWALS - CONTRACT 16

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
b)	200mm	KEF.		QUANTIT	FRICE	
i)			m	25.0		
c)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
V. 6	Sewer Service Risers	CW 2130				
a)	SD-015					
i)	150mm		vert. m	15.0		
ii)			vert. m	5.0		
iii)	250mm		vert. m	8.0		
V. 7	Connecting to Existing Manhole	CW 2130				
a)	375mm		each	1		
V. 8 a)	Connecting to Existing Sewer (SD-009) 250mm PVC to 2150 Conc. SRS	CW 2130	each	2		
V. 9	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	7		
b)	200mm		each	2		
V. 10	Abandoning Existing Catch Basins	CW 2130	each	2		
V. 11	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	9.0		
V. 12	Sewer Inspection	CW 2145				
a)	250mm to 900mm		m	85.0		
V. 13	Partial Slab Patches	E8				
a)	150mm reinforced concrete pavement		m²	90.0		
b)	200mm reinforced concrete pavement for early opening (24 hours)		m²	20.0		
V. 14	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m ²		m²	80.0		

2007 SEWER RENEWALS - CONTRACT 16

		SPEC.		APPROX.	UNIT	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	10.0		
V. 16	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	25.0		
			-	Sub	total Part V:	
<u>w</u>	SPRAGUE STREET: S-MA20010923					
W. 1	Combined Sewers	CW 2130, E3				
a)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	140.0		
W. 2	Manhole	CW 2130				
		CVV 2130				
a) 	SD-010					
i)	1200mm diameter base		vert. m	8.0		
W. 3	Catch Basin	CW 2130				
a)	SD-024		each	2		
-						
W. 4	Sewer Services	CW 2130				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	225.0		
b)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
\A/ -		0000000				
W. 5	Connecting to Existing Manhole 300mm	CW 2130	ooch	2		
a)	300000		each	2		
W. 6	Connecting New Sewer Service to					
	Existing Sewer Service	CW 2130				
a)	150mm		each	19		
W. 7	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	8.0		
W. 8	Abandoning Existing Flush Tanks	E10	each	1		
W. 9	Abandoning Existing Catch Basins	CW 2130	each	2		

2007 SEWER RENEWALS - CONTRACT 16

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
W. 10 a)	Sewer Inspection 250mm to 900mm	CW 2145	m	135.0		
W. 11 a)	Partial Slab Patches 150mm reinforced concrete pavement	E8	m²	70.0		
W. 12 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m ²	CW 3235	m²	120.0		
W. 13 a) i)	Concrete Curb Renewal Barrier curb (SD-204) Less than 3 m	CW 3240	m	20.0		
W. 14	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	12.0		
				Subt	total Part W:	
X	PROVISIONAL ITEMS					
X. 1 a) b)	Temporary Surface Restoration Street pavement Sidewalk	E6, E7	m² m²	250.0 200.0		
X. 2 a)	Partial Slab Patches 150mm reinforced concrete pavement for early opening (24 hours)	E8	m²	25.0		
X. 3	Cement Stabilized Fill	CW 2030	m³	100.0		
X. 4	Watermain Repair - Up To 3.0 metres Long 150mm	CW 2110				
a) i)	Class 3 backfill		each	2		
X. 5 a) i)	Fittings Bends (SD-005) 150mm - 45°	CW 2110	each	8		

2007 SEWER RENEWALS - CONTRACT 16

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
X. 6 a) i)	Water Services 19mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2110	m	10.0		
b) i)	38mm trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
X. 7	Corporation Stops	CW 2110				
a) b)	19mm 38mm		each each	1 1		
X. 8 a) b)	Curb Stops 19mm 38mm	CW 2110	each each	1		
X. 9 a) b)	Curb Stop Boxes 19mm 38mm	CW 2110	each each	1		
X. 10 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	2		
X. 11 a)	Remove and Replace Existing Catch Basin SD-025	CW 2130	each	2		
X. 12 a)	Drainage Connection Pipe 250mm	CW 2130	m	5.0		
X. 13 a)	Connecting to Existing Catch Basin 250mm	CW 2130	each	1		
X. 14 a)	Connecting to Existing Catch Pit 250mm	CW 2130	each	1		
X. 15 a)	Connecting New Sewer Service to Existing Sewer Service 250mm	CW 2130	each	4		

2007 SEWER RENEWALS - CONTRACT 16

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
X. 16	Sodding	CW 3510	m²	100.0		
	Subtotal Part X:					

TOTAL BID PRICE (GST extra)

(in figures)\$

(in words)_____

Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

day of	, 20	for

BID OPPORTUNITY NO. 653-2007

2007 SEWER RENEWALS - CONTRACT 16

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of ______ , 20_____ .

L

SIGNED AND SEALED in the presence of:

(Witness)

(Name of Principal)	
Per:	(Sea
Per:	
(Name of Surety)	

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____ , 20_____ for

BID OPPORTUNITY NO. 653-2007

2007 SEWER RENEWALS - CONTRACT 16

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20____.

(Name of Surety)

_____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 653-2007

2007 SEWER RENEWALS - CONTRACT 16

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on November 12, 2007

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)