

97-2007 ADDENDUM 2

WINNIPEG WATER TREATMENT PROGRAM – CONSTRUCTION OF ROADS AND LANDSCAPING

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: December 7, 2007
BY: Lawrence Recksiedler, C.E.T.
TELEPHONE NO. (204) 986-4246

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART A – BID SUBMISSION

Replace: 97-2007-Bid_Submission with 97-2007_Addendum_2-Bid_Submission. Form B has been replaced by Form B(R1).

PART E – SPECIFICATIONS

Section 02300

- Revise: 1.2.1 to read Excavation of existing material from any area will be measured and paid for in accordance with City of Winnipeg Standard Construction Specification CW 3170 for Excavation. If material is excavated and used within the confines of the security fence it will be paid as Excavation – Common, and if material is excavated from the landscape borrow area just west of the GWWD spur lines, it will be paid as Excavation – Borrow. Haul will be incidental to both Excavation – Common and Excavation – Borrow. The volume of the various types of excavation shall be measured in its original position using prismatic volume models instead of average end areas.
- Revise: 1.2.3 to read Placement and compaction of fill material in any area will not be measured directly, but rather be considered incidental to Excavation. The quantity of fill material is estimated at 9,700 cubic metres compacted in-place.
- Add: 1.2.5 The mound for the Water Treatment Plant sign will not be measured directly, but rather be considered incidental to Excavation – Borrow. The quantity of fill material is estimated at 100 cubic metres compacted in-place.
- Revise: 2.1.3 to read Further to Specification CW 3170 all imported material shall be obtained from a stockpile located just west of the GWWD spur lines.
- Delete: 2.1.4
- Delete: 2.1.5
- Revise: 3.2.6 to read Removal of the gravel within the contractor field office area, located between the east and middle bridge and within the temporary site parking areas shall be measured and paid for in accordance with City of Winnipeg Standard Construction Specification CW 3170 for Excavation - Borrow. All gravel removed from this area shall be hauled, spread,

and compacted on the road leading to the Red River Floodway, which is located adjacent to the borrow area and on the access road leading to the Manitoba Hydro metering equipment, see drawing CM G002.

Add: 3.3.3 The suitable fill material for the Water Treatment Plant sign mound shall be placed in accordance with drawing SK-1 included in Addendum 2 and as directed by the Contract Administrator.

Delete: 3.4.2

Delete: 3.4.3

Delete: 3.4.4

Add: 3.5 **Removal of Existing Culverts**

Add: 3.5.1 Remove existing culverts where indicated on the drawings.

Add: 3.5.2 Removal of the two culverts, located at the northeast corner of the Site and west access to the Site, shall be considered incidental to the excavation work associated with the excavation and no further measurement or payment will be made.

Section 02498

Revise: 1.2.1 to read Landscaping stone will be measured and paid for on a cubic metre basis.

Add: 1.2.2 Landscaping fabric will be measured and paid for on a square metre basis. The measurement will exclude overlap of joints and excess at edges.

Revise: 3.2.4 to read The stone should be a minimum of 300 mm total thickness. Additionally, there shall be no voids and the subgrade shall be completely covered.

Section 02632

Revise: 2.3.1 to read Adjusting of existing valve boxes shall be completed in accordance with City of Winnipeg Standard Construction Specification CW 3210.

Section 02821

Revise: 1.1.2 to read Removal of existing chain link fence pertains to that fencing erected for construction purposes to protect the site, GWWD Aqueduct, and DBPS compound.

Add: 1.1.3 The scope of work will also involve removing the west access gate and installing new 3.3 m high fencing material in its place.

Add: 1.2.2 Installation of Chain Link Fence will be measured on a linear measure basis and will be paid for at the Contract Unit Price per metre for "Chain Link Fence – 3.3 m height". The total length of chain link fence installation paid for will be the total number of metres of fence installed in accordance with City of Winnipeg Standard Construction Specification CW 3550.

Revise: 2.1.1 to read Fence to be provided as per City of Winnipeg Standard Construction Specification CW 3550.

Revise: 3.1.2 to read Carefully remove and salvage all above grade fencing components and return to the City of Winnipeg at an offsite location designated by the Contract Administrator. Any components damaged by the Contractor shall be replaced at his expense.

Add: 3.2 Installation of Chain Link Fence shall be in accordance with City of Winnipeg Standard Construction Specification CW 3550.

Section 02911

Revise: 3.3.1 to read Fine grade entire topsoiled area to contours and elevations. Eliminate rough spots and low areas to ensure positive drainage.

Section 02922

Add: 1.1.3 This work also includes seeding and fertilizing the borrow area that lies to the west of DBPS. No topsoil is required in this area.

Revise: 1.2.1 to read Seeding within the borrow area will be measured and paid for in accordance with City of Winnipeg Standard Construction Specification CW 3520 for Seeding – Borrow Area.

Add: 1.2.2 Seeding in areas other than the borrow area will be measured and paid for in accordance with City of Winnipeg Standard Construction Specification CW 3520 for Seeding – Other Areas.

Section 16010

Revise: 1.5.4 to read Remove dirt, rubbish, grease, etc., from all surfaces, including the inside of all cabinets, equipment enclosures, panelboard tubs, etc.

The following Drawing has been added and forms part of this Addendum:

<u>Consultant Drawing No.</u>	<u>City Drawing No.</u>	<u>Title</u>
SK-1		CIVIL – SIGN LOCATION

The following Drawings have been revised and form part of this Addendum:

<u>Consultant Drawing No.</u>	<u>City Drawing No.</u>	<u>Title</u>
WY-C0163	1-0601Y-A-C0163-001-01D	CIVIL – PAVING AND GRADING
WY-C0164	1-0601Y-A-C0164-001-01D	CIVIL – SIGN LOCATION