

FORM A: BID
(See B7)

1. Contract Title SUPPLY AND DELIVERY OF LUBRICANTS

2. Bidder

Name of Bidder

Street

City

Province

Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

5. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a notice of award authorizing the commencement of the Work.

6. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

7. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

8. Time

This offer shall be open for acceptance, binding and irrevocable for a period of ninety (90) Calendar Days following the Submission Deadline.

9. Signatures

The Bidder or the Bidder's authorized official or officials have signed this _____ day of _____, 20____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B(R1): PRICES
 (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

ENGINE OIL – HEAVY DUTY SINGLE GRADE

Item No.		1.	2 to 3.	4.	
Description		Engine oil - heavy duty 10W	Engine oil - heavy duty 30	Engine oil - heavy duty 40	
SAE Viscosity Grade		10W	30	40	
API	CF-2		◆	◆	
	CF	◆	◆	◆	
	SJ		◆	◆	
Allison	C-4	◆	◆		
	CJ-4	◆	◆		
Caterpillar	SEBU 6385		◆		
	TO-2	◆	◆		
Detroit Diesel	7SE270 2-stroke			◆	

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
1.	Engine oil - heavy duty 10W - 1 L container	130 L		\$ /L
2.	Engine oil - heavy duty 30 - 1 L container	30 L		/L
3.	Engine oil - heavy duty 30 - 20 L container	760 L		/L
4.	Engine oil - heavy duty 40 - bulk	31,000 L		/L

FORM B: PRICES
 (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

ENGINE OIL – HEAVY DUTY MULTI-GRADE

Item No.		5.	6. to 7.	8. to 12.	
Description		Engine oil - heavy duty 0W 30	Engine oil - heavy duty 10W 30	Engine oil - heavy duty 15W 40	
SAE Viscosity Grade		0W 30	10W 30	15W 40	
API	CI-4		◆	◆	
	CH-4	◆			
	CF		◆	◆	
	CF-2			◆	
	SL		◆	◆	
Allison	C-4	◆	◆	◆	
	CJ-4			◆	
Caterpillar	SEBU 6385	◆	◆	◆	
	TO-2	◆	◆	◆	
Cummins	CES 20078		◆	◆	
Detroit Diesel	7SE270 2-stroke			◆	
	7SE270 4-stroke				
	7SE273 Category I & II			◆	
Mack	EO-M Plus	◆	◆	◆	

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
5.	Engine oil - heavy duty 0W 30 - 20 L container	52 L		\$ /L
6.	Engine oil - heavy duty 10W 30 - 1 L container	320 L		/L
7.	Engine oil - heavy duty 10W 30 - 20 L container	20 L		/L
8.	Engine oil - heavy duty 15W 40 - 1 L container	724 L		/L
9.	Engine oil - heavy duty 15W 40 - 4 L container	70 L		/L
10.	Engine oil - heavy duty 15W 40 - 20 L container	28 L		/L
11.	Engine oil - heavy duty 15W 40 - 205 L container	280 L		/L
12.	Engine oil - heavy duty 15W 40 - bulk	65,500 L		/L

FORM B: PRICES
 (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

ENGINE OIL – GASOLINE ENGINES

Item No.	13.	14. to 16.	17. to 19.	20. to 22.
Description	Engine oil - gasoline engine 0W 30	Engine oil - gasoline engine 5W 20	Engine oil - gasoline engine 5W 30	Engine oil - gasoline engine 10W 30
SAE Viscosity Grade	0W 30	5W 20	5W 30	10W 30
API SL	◆	◆	◆	◆
ILSAC GF-3	◆	◆	◆	◆

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
13.	Engine oil - gasoline engine 0W 30 - 1 L container	10 L		\$ /L
14.	Engine oil - gasoline engine 5W 20 - 1 L container	492 L		/L
15.	Engine oil - gasoline engine 5W 20 - 205 L container	360 L		/L
16.	Engine oil – gasoline engine 5W 20 - bulk	3500 L		/L
17.	Engine oil - gasoline engine 5W 30 - 1 L container	684 L		/L
18.	Engine oil - gasoline engine 5W 30 - 205 L container	205 L		/L
19.	Engine oil - gasoline engine 5W 30 - bulk	9000 L		/L
20.	Engine oil - gasoline engine 10W 30 - 1 L container	32 L		/L
21.	Engine oil - gasoline engine 10W 30 - 20 L container	60 L		/L
22.	Engine oil - gasoline engine 10W 30 - 205 L container	84 L		/L

ENGINE OIL – NATURAL GAS ENGINES (NON-AUTOMOTIVE)

Item No.	23.	24.		
Description	Engine oil - natural gas engine 40	Engine oil - natural gas engine 15W 40		
SAE Viscosity Grade	40	15W 40		
Sulphated Ash (% weight)	0.4 to 0.5	0.4 to 0.5		
Total Base No. (min.)	5.0	5.0		

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
23.	Engine oil - natural gas engine 40 - 205 L container	500 L		\$ /L
24.	Engine oil - natural gas engine 15W 40 - 205 L container	500 L		/L

FORM B: PRICES
 (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

GEAR OIL – AUTOMOTIVE

Item No.	25 to 26.	27. to 29.	30.	
Description	Gear oil 75W 90	Gear oil 80W 90	Gear oil 80W 140 EP	
SAE Viscosity Grade	75W 90	80W 90	80W 140	
API	GL-5	◆	◆	◆
	MT-1	◆	◆	◆
Mack	GO-J	◆	◆	◆
Eaton	PS 163		◆	

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
25.	Gear oil 75W 90 - 60 L container	180 L		\$ /L
26.	Gear oil 75W 90 - 205 L container	25 L		/L
27.	Gear oil 80W 90 - 20 L container	187 L		/L
28.	Gear oil 80W 90 - 60 L container	212 L		/L
29.	Gear oil 80W 90 - 205 L container	10,455 L		/L
30.	Gear oil 80W 140 EP - 60 L container	520 L		/L

FORM B: PRICES
 (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

AUTOMATIC TRANSMISSION FLUID

Item No.		31. to 34.	35.		
Description		Dexron III / Mercon H-Spec	Mercon V		
Ford	WSP M2C185-A	◆	◆		
	WSE M2C202-B		◆		
GM	6297M	◆			
Allison	C-4	◆			
	TES 389	◆			
	V730D	◆			
	V730	◆			
	V731	◆			
	V731R	◆			

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
31.	Dexron III / Mercon - 1 L container	560 L		\$ /L
32.	Dexron III / Mercon - 20 L container	850 L		/L
33.	Dexron III / Mercon - 205 L container	650 L		/L
34.	Dexron III / Mercon - bulk	29250 L		/L
35.	Mercon V - 205 L container	820 L		/L

TRACTOR TRANSMISSION / HYDRAULIC FLUID

Item No.		36 to 37.			
Description		Tractor transmission / hydraulic fluid			
Viscosity (cSt @ 40°C)		55 to 65			
Viscosity Index (min.)		140			
Pour Point (max.)		-42°C			
API	GL-4	◆			
Allison	C-4	◆			
Caterpillar	TO-2	◆			
John Deere	J20C	◆			
	J20D				

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
36.	Tractor transmission / hydraulic fluid - 20 L container	220 L		\$ /L
37.	Tractor transmission / hydraulic fluid - 205 L container	800 L		/L

FORM B: PRICES
 (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

HYDRAULIC FLUID

Item No.		38.	39.	
Description		Hydraulic fluid 32	Hydraulic fluid 46	
ISO Viscosity Grade		32	46	
Viscosity Index (min.)		95	95	
Pour Point (max.)		-39°C	-36°C	
Oxidation Stability (min.)		6500 h	6500 h	
Dennison	HF-O	◆	◆	
Vickers	35VQ 25	◆	◆	

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
38.	Hydraulic fluid 32 - 205 L container	3690 L		\$ /L
39.	Hydraulic fluid 46 - 205 L container	410 L		/L

HYDRAULIC FLUID – WIDE TEMPERATURE RANGE / ALL SEASON

Item No.		40.	41 to 42.	43.	
Description		Hydraulic fluid 15 wide temperature range	Hydraulic fluid 22 wide temperature range	Hydraulic fluid 46 all season	
ISO Viscosity Grade		15	22	46	
Viscosity Index (min.)		380	160	240	
Operating temperature range (min.)		-45 to +23°C	-25 to +57°C	-18 to +75°C	
Pour Point (max.)		-57°C	-51°C	-48°C	
Oxidation Stability (min.)		3000 h	6500 h	6500 h	
Dennison	HF-O		◆		
Vickers	35VQ 25		◆		

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
40.	Hydraulic fluid 15 wide temperature range - 205 L container	846 L		\$ /L
41.	Hydraulic fluid 22 wide temperature range - 20 L container	450 L		/L
42.	Hydraulic fluid 22 wide temperature range - 205 L container	5400 L		/L
43	Hydraulic oil 46 all season - 20 L container	950 L		/L

FORM B: PRICES
 (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

GREASE – MULTIPURPOSE EP LITHIUM

Item No.	44.		
Description	Grease EP1 lithium		
NLGI Grade	1		
Timken OK Load (min.)	18 kg		
Dropping Point (min.)	190°C		

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
44.	Grease EP1 lithium - 175 KG container	138 KG		\$ /KG

GREASE – MULTIPURPOSE EP LITHIUM COMPLEX

Item No.	45.	46. to 47.	48.
Description	Grease EP00 lithium complex, moly and graphite free	Grease EP2 lithium complex	Grease EP2 lithium complex no solids lubricants (graphite or MoS2)
NLGI Grade	2	2	2
	GC-LB	◆	
Timken OK Load (min.)	18 kg	27 kg	27 kg
Dropping Point (min.)	290°C	300°C	230°C
Molybdenum disulphide (% weight)			3 to 5

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
45.	Grease EP1 lithium complex - 400 G container	50 KG		/KG
46.	Grease EP2 lithium complex - 400 G container	525 KG		/KG
47.	Grease EP2 lithium complex - 54 KG container	95 KG		/KG
48.	Grease EP2 lithium complex no solids lubricants (graphite or MoS2) - 175 KG container	1,575 KG		/KG

FORM B: PRICES
 (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

GREASE – MULTIPURPOSE EP CALCIUM SULPHONATE COMPLEX

Item No.	49.			
Description	Grease EP2 calcium sulphonate complex (no solids lubricants (graphite or MoS2))			
NLGI	Grade	00		
	GC-LB	◆		
Timken OK Load (min.)		27 kg		
Dropping Point (min.)		290°C		
Colour		White / cream		

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
49.	Grease EP2 calcium sulphonate complex (no solids lubricants (graphite or MoS2)) - 17 KG container	6,611 KG		/KG

ENGINE OIL – TWO-CYCLE GASOLINE ENGINES

Item No.	50.	51.		
Description	2-cycle engine oil - air-cooled	2-cycle engine oil - water-cooled		
API	TC	◆		
NMMA	TC-W 3	◆		
SAE Fluidity / Miscibility	F/M 4 @ -40°C	F/M 3 @ -25°C		
Fuel/oil ratio	to 50:1	to 100:1		

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
50.	2-cycle engine oil - air-cooled - 1 L container	30 L		\$ /L
51.	2-cycle engine oil - water-cooled - 1 L container	30 L		/L

FORM B: PRICES
 (See B8)

SUPPLY AND DELIVERY OF LUBRICANTS

UNIT PRICES

CHAIN SAW BAR OIL

Item No.	52.	53.		
Description	Chain saw bar oil - winter	Chain saw bar oil - summer		
Viscosity (cSt @ 40°C)	30 to 60	100 to 200		
Pour Point (max.)	-30°C	-9°C		
Flash Point (min.)	140°C	200°C		

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
52.	Chain saw bar oil - winter - 4 L container	20 L		\$ /L
53.	Chain saw bar oil - summer - 4 L container	20 L		/L

STODDART SOLVENT

Item No.	54.			
Description	Stoddart solvent ⁽¹⁾			
Flash Point (min.)	40°C			
Aniline Point (max.)	54°C			
Kauri Butanol Value (min.)	39			
General purpose, aliphatic.	◆			
(1) ESSO Varsol 3139, PETRO-CANADA PetroSol 3139, or equal				

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
54.	Stoddart solvent - 205 L container	2050 L		\$ /L

REFUNDABLE CONTAINER DEPOSIT

Item No.	Description	Unit Price
55.	205 L container	\$ /EACH

 Name of Bidder