### FORM A: BID (See B8)

1.	Contract Title		ERCEPTOR SEWER – PHA ROM PEMBINA HIGHWAY T	
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business un	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms u ascribed to them in the	sed in the Contract shall h General Conditions.	have the meanings
5.	Offer		rs to perform the Work in a id Price, in Canadian funds,	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

**SEAL** 

(SEE B9)

# WAVERLEY WEST INTERCEPTOR SEWER - PHASE 1A, KIRKBRIDGE DRIVE FROM PEMBINA HIGHWAY TO AINSWORTH PLACE

### **UNIT PRICES**

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>A</u>	Waverley West Interceptor Sewer					
A. 1	Interceptor Sewers	CW 2130				
a)	600mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill, 5-6 metres deep		m	11.0		
b)	900mm					
i)	trenchless installation, Class B sand bedding, Class 5 backfill, 5-7 metres deep		m	8.0		
c)	1200mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill, 5-7 metres deep		m	10.0		
ii)	trenchless installation, Class B sand bedding, Class 3 backfill, 5-7 metres deep		m	384.0		
A. 2	Wastewater Sewers	CW 2130				
a)	250mm					
i)	trenchless installation, Class B Type 2 bedding, Class 3 backfill, 5-6 metres deep		m	1.0		
b)	525mm					
i)	trenchless installation, Class B bedding, Class 3 backfill, 5-6 metres deep		m	2.0		
c)	600mm					
i)	trenchless installation, Class B bedding, Class 3 backfill, 5-6 metres deep		m	1.0		

(SEE B9)

# WAVERLEY WEST INTERCEPTOR SEWER - PHASE 1A, KIRKBRIDGE DRIVE FROM PEMBINA HIGHWAY TO AINSWORTH PLACE

## **UNIT PRICES**

A. 3 a) i) Land Drainage Sewers 375mm irenchless installation, Class B sand bedding, Class 5 backfill b) 450mm ii) trenchless installation, Class B sand bedding, Class 3 backfill iii) trenchless installation, Class B sand bedding, Class 3 backfill iii) trenchless installation, Class B sand bedding, Class 5 backfill A. 4 Manhole SD-010 - WWS i) 2100mm diameter base 2200mm diameter base 2200mm diameter base SD-010 - LDS ii) 1200mm diameter base SD-010 - LDS ii) 1200mm diameter base CW 2130 A. 5 A. 5 A. 5 A. 7 Catch Basin a) SD-025 Catch Basin b) 900mm c) 1200mm Connecting to Existing Manhole a) 525mm b) 900mm c) 1200mm Connecting to Existing Sewer CW 2130 Construction of Existing Sewer CW 2130 CW 2130 Each 1 CW 2130 Each 1 CONSTRUCTION LES  CONSTRUCTION LES  E10 Each 1 CONSTRUCTION LES  E10 Each 3.0	ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i) trenchless installation, Class B sand bedding, Class 5 backfill  b) 450mm trenchless installation, Class B sand bedding, Class 3 backfill  ii) trenchless installation, Class B sand bedding, Class 5 backfill  iii) trenchless installation, Class B sand bedding, Class 5 backfill  A. 4 a) SD-010 · WWS  2100mm diameter base  iii) 2400mm diameter base  2700mm diameter base  2700mm diameter base  2700mm diameter base  New Manhole on Existing Sewer  3) 1200mm diameter base  CW 2130  New Manhole on Existing Sewer  3) SD-010  1800mm diameter base  CW 2130, each 1  A. 7 a) 525mm  Connecting to Existing Manhole  525mm (pvc) to 250mm WWS (conc)  b) 900mm (conc) to 2100 LDS (conc)  d) 900mm (conc) to 2100 LDS (conc)  each 1		_	CW 2130				
bedding, Class 5 backfill 450mm trenchless installation, Class B sand bedding, Class 3 backfill ii) trenchless installation, Class B sand bedding, Class 5 backfill  A. 4 a) Manhole SD-010 - WWS i) 2100mm diameter base iii) 2400mm diameter base b) SD-010 - LDS ii) 1200mm diameter base b) SD-010 - LDS ii) 1200mm diameter base Vert. m 6.0 vert. m 6.0 vert. m 4.5  A. 5 New Manhole on Existing Sewer SD-010 ii) 1800mm diameter base  CW 2130  A. 6 Catch Basin a) SD-025  A. 7 Connecting to Existing Manhole 525mm b) 900mm c) 1200mm  A. 8 Connecting to Existing Sewer a) 250mm (pvc) to 250mm WWS (conc) b) 600mm WWS (conc) to 600mm WWS (conc) d) 900mm (conc) to 2100 LDS (conc) each 1							
Trenchless installation, Class B sand bedding, Class 3 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class B sand bedding, Class 5 backfill   Trenchless installation, Class 5 backfill	i)	· ·		m	24.0		
bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill  A. 4 a) Manhole SD-010 - WWS i) 2100mm diameter base 2400mm diameter base vert. m 6.0 vert. m 5.0  A. 5 a) SD-010 - LDS i) 1200mm diameter base Vert. m 4.5  A. 5 a) SD-010 1800mm diameter base CW 2130  Catch Basin SD-025  Catch Basin SD-025  CW 2130  CW 2130  CW 2130  CW 2130  CW 2130  A. 7 Connecting to Existing Manhole S25mm b) 900mm c) 1200mm CW 2130  Each 1	b)	450mm					
Bedding, Class 5 backfill	i)			m	14.0		
a) SD-010 - WWS i) 2100mm diameter base 2400mm diameter base 2700mm diameter diam	ii)	· ·		m	40.0		
a) SD-010 - WWS i) 2100mm diameter base 2400mm diameter base 2700mm diam	A. 4	Manhole	CW 2130				
ii) 2100mm diameter base 2400mm diameter base 2700mm diameter base 2700mm diameter base 2700mm diameter base 2700mm diameter base 3D-010 - LDS 3D-010 - LDS 3D-010		SD-010 - WWS					
ii) 2400mm diameter base 2700mm diameter base 2700mm diameter base 8 vert. m 6.0 vert. m 4.5 vert. m 5.0 vert. m 5		2100mm diameter base		vert. m	26.0		
b) SD-010 - LDS 1200mm diameter base  A. 5 a) New Manhole on Existing Sewer SD-010 i) 1800mm diameter base  A. 6 Catch Basin SD-025  A. 7 Connecting to Existing Manhole S25mm b) 900mm c) 1200mm  A. 8 Connecting to Existing Sewer a) 250mm (pvc) to 250mm WWS (conc) b) 600mm WWS (conc) c) 450mm (pvc) to 2100 LDS (conc) d) 900mm (conc) to 2100 LDS (conc) A. 9 Construction of Cast-in-Place Concrete Bulkheads  Vert. m  4.5  Vert. m  4.5  Vert. m  4.5  CW 2130  each 1				vert. m	6.0		
i) 1200mm diameter base	iii)	2700mm diameter base		vert. m	6.0		
A. 5 a) New Manhole on Existing Sewer SD-010 1800mm diameter base vert. m 5.0  A. 6 Catch Basin SD-025 A. 7 Connecting to Existing Manhole 525mm b) 900mm c) 1200mm  A. 8 Connecting to Existing Sewer a) 250mm (pvc) to 250mm WWS (conc) b) 600mm WWS (conc) to 600mm WWS (conc) c) 450mm (pvc) to 2100 LDS (conc) d) 900mm (conc) to 2100 LDS (conc) A. 9 Construction of Cast-in-Place Concrete Bulkheads  CW 2130 each 1	b)	SD-010 - LDS					
a) SD-010 i) 1800mm diameter base vert. m 5.0  A. 6 Catch Basin SD-025  A. 7 Connecting to Existing Manhole each 1 b) 900mm c) 1200mm  A. 8 Connecting to Existing Sewer a) 250mm (pvc) to 250mm WWS (conc) b) 600mm WWS (conc) to 600mm WWS (conc) c) 450mm (pvc) to 2100 LDS (conc) d) 900mm (conc) to 2100 LDS (conc) A. 9 Construction of Cast-in-Place Concrete Bulkheads  E10	i)	1200mm diameter base		vert. m	4.5		
i) 1800mm diameter base vert. m 5.0  A. 6 Catch Basin SD-025  A. 7 Connecting to Existing Manhole 525mm each 1 each 1 each 1 b) 900mm conc to 2100 LDS (conc) to 2100 LDS (conc)  A. 8 Connecting to Existing Sewer each 1 c) CW 2130  each 1	A. 5	New Manhole on Existing Sewer	CW 2130				
A. 6 Catch Basin SD-025 CW 2130, each 1  A. 7 Connecting to Existing Manhole 525mm each 1  b) 900mm each 1  c) 1200mm Cw 2130  A. 8 Connecting to Existing Sewer cw 250mm (pvc) to 250mm WWS (conc)  b) 600mm WWS (conc) to 600mm wws (conc)  c) 450mm (pvc) to 2100 LDS (conc)  d) 900mm (conc) to 2100 LDS (conc)  A. 9 Construction of Cast-in-Place Concrete Bulkheads  CW 2130  CW 2130  each 1	a)	SD-010					
a) SD-025  A. 7 Connecting to Existing Manhole	i)	1800mm diameter base		vert. m	5.0		
a) SD-025  A. 7 Connecting to Existing Manhole 525mm b) 900mm c) 1200mm  A. 8 Connecting to Existing Sewer a) 250mm (pvc) to 250mm WWS (conc) b) 600mm WWS (conc) to 600mm WWS (conc) c) 450mm (pvc) to 2100 LDS (conc) d) 900mm (conc) to 2100 LDS (conc) A. 9 Construction of Cast-in-Place Concrete Bulkheads    CW 2130   each   1   e	A. 6	Catch Basin	CW 2130,				
a) 525mm b) 900mm c) 1200mm  A. 8 Connecting to Existing Sewer a) 250mm (pvc) to 250mm WWS (conc) b) 600mm WWS (conc) to 600mm WWS (conc) c) 450mm (pvc) to 2100 LDS (conc) d) 900mm (conc) to 2100 LDS (conc) A. 9 Construction of Cast-in-Place Concrete Bulkheads  each 1		SD-025	,	each	1		
b) 900mm c) 1200mm  A. 8 Connecting to Existing Sewer a) 250mm (pvc) to 250mm WWS (conc) b) 600mm WWS (conc) to 600mm WWS (conc) c) 450mm (pvc) to 2100 LDS (conc) d) 900mm (conc) to 2100 LDS (conc) A. 9 Construction of Cast-in-Place Concrete Bulkheads  E10	A. 7		CW 2130				
c)       1200mm       each       1         A. 8       Connecting to Existing Sewer       CW 2130         a)       250mm (pvc) to 250mm WWS (conc)       each       1         b)       600mm WWS (conc) to 600mm WWS (conc)       each       1         c)       450mm (pvc) to 2100 LDS (conc)       each       1         d)       900mm (conc) to 2100 LDS (conc)       each       1         A. 9       Construction of Cast-in-Place Concrete Bulkheads       E10							
A. 8 Connecting to Existing Sewer  a) 250mm (pvc) to 250mm WWS (conc)  b) 600mm WWS (conc) to 600mm WWS (conc)  c) 450mm (pvc) to 2100 LDS (conc) d) 900mm (conc) to 2100 LDS (conc)  A. 9 Construction of Cast-in-Place Concrete Bulkheads  CW 2130  each 1  each 1  each 1  each 1							
a) 250mm (pvc) to 250mm WWS (conc)  b) 600mm WWS (conc) to 600mm WWS (conc)  c) 450mm (pvc) to 2100 LDS (conc) d) 900mm (conc) to 2100 LDS (conc)  A. 9 Construction of Cast-in-Place Concrete Bulkheads  E10	c)	1200mm		each	1		
b) 600mm WWS (conc) to 600mm wws (conc) to 2100 LDS (conc) c) 450mm (pvc) to 2100 LDS (conc) d) 900mm (conc) to 2100 LDS (conc) A. 9 Construction of Cast-in-Place Concrete Bulkheads E10	A. 8	Connecting to Existing Sewer	CW 2130				
b) WWS (conc) c) 450mm (pvc) to 2100 LDS (conc) d) 900mm (conc) to 2100 LDS (conc) A. 9 Construction of Cast-in-Place Concrete Bulkheads E10	a)	250mm (pvc) to 250mm WWS (conc)		each	1		
c) 450mm (pvc) to 2100 LDS (conc) d) 900mm (conc) to 2100 LDS (conc)  A. 9 Construction of Cast-in-Place Concrete Bulkheads  E10	b)			each	1		
A. 9 Construction of Cast-in-Place Concrete Bulkheads E10	c)	l ' '		each	1		
Bulkheads E10		900mm (conc) to 2100 LDS (conc)		each	1		
	A. 9		F10				
	a)		210	each	3.0		

(SEE B9)

# WAVERLEY WEST INTERCEPTOR SEWER - PHASE 1A, KIRKBRIDGE DRIVE FROM PEMBINA HIGHWAY TO AINSWORTH PLACE

### **UNIT PRICES**

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. 10	Sewer Services	CW 2130		ασ/		
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
A. 11	Sewer Service Risers	CW 2130				
a)	SD-015					
i)	150mm		vert. m	16.0		
A. 12	Connecting New Sewer Service to Existing Sewer Service	CW 2130				
a)	150mm		each	8		
A. 13	Removal of Inlet Structure and 2400 CMP	E11	lump sum	1.0		
A. 14	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	150.0		
A. 15	Abandoning Existing Manholes	CW 2130	each	5		
A. 16	Sewer Inspection	CW 2145				
a)	375mm		m	24		
b)	450mm		m	54		
c)	1200mm		m	394		
A. 17	Concrete Pipe Three-Edge Bearing Test	CW 2130				
a)	1200mm C76-CLV		each	1		
b)	1200mm C76-CLIV		each	1		
A. 18	Partial Slab Patches	E6				
a)	200mm reinforced concrete		m²	600.0		
í)	pavement 200mm reinforced concrete		m²	30.0		
''	pavement for early opening (24 hours)			30.0		
A. 19	Miscellaneous Concrete Slab Renewal	E7				
a)	Sidewalk (SD-228A)		m²	50.0		
b)	Monolithic Median Slab (SD-226A)		m²	20.0		
c)	Bullnose (SD-227C)		m²	2.0		

(SEE B9)

#### WAVERLEY WEST INTERCEPTOR SEWER - PHASE 1A, KIRKBRIDGE DRIVE FROM PEMBINA HIGHWAY TO AINSWORTH PLACE

UNIT PRICES						
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
		REF.		QUANTITY	PRICE	
A. 20	Concrete Curb Renewal	E8				
a)	Barrier curb (SD-204)		m	250.0		
b)	Ramp curb		m	25.0		
A. 21	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	300.0		
	Part A				Subtotal:	
<u>B</u>	Provisional Items	Ī				
B. 1	Cement Stabilized Fill	CW 2030	m <sup>3</sup>	100.0		
B. 2	Sodding	CW 3510	m²	500.0		
B. 3	Temporary Surface Restoration	E5, E6				
a)	Street pavement		m²	600.0		
b)	Sidewalk		m²	100.0		
	Part B Subtotal:					
TOTAL	TOTAL BID PRICE (GST extra) (in figures)\$					
(in word	(in words)					

Name of Bidder

### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT					
(hereinafter called the "Principal") and					
(hereinafter called the "Surety"), are held and firmly bound unto <b>THE CITY OF WINNIPEG</b> (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.					
WHEREAS the Principal has submitted a Bid to the Obligee for					
BID OPPORTUNITY NO. 42-2008					
WAVERLEY WEST INTERCEPTOR SEWER – PHASE 1A, KIRKBRIDGE DRIVE FROM PEMBINA HIGHWAY TO AINSWORTH PLACE					
as more fully set out in the Bid Opportunity.					
NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with					

of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	,
	(Name of Surety)  By: (Attorney-in-Fact)	(Seal)

the said Obligee and furnishes the required performance security for guaranteeing the faithful performance

(Seal)

Template Version: C120080526 - C BCivil

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### **AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 42-2008 WAVERLEY WEST INTERCEPTOR SEWER - PHASE 1A, KIRKBRIDGE DRIVE FROM PEMBINA HIGHWAY TO AINSWORTH PLACE in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety)

(Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY - BID OPPORTUNITY NO. 42-2008
WAVERLEY WEST INTERCEPTOR SEWER – PHASE 1A, KIRKBRIDGE DRIVE FROM PEMBINA HIGHWAY TO AINSWORTH PLACE
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2 (R1): IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 31, 2008.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)