Template Version: G320080526 - Goods LR

FORM A: BID (See B8)

1.	Contract Title	SUPPLY AND DELIVERY OF HYDRAULIC AND TELESCOPIC GRAVE SHORING SYSTEMS			
2.	Bidder				
		Name of Bidder			
		Street			
		City	Province F	Postal Code	
		Facsimile Number			
	(Mailing address if different)	Street or P.O. Box			
		City	Province F	Postal Code	
		The Bidder is:			
	(Choose one)	a sole proprietor			
		a partnership			
		a corporation			
		carrying on business under the	e above name.		
3.	Contact Person	the following contact person to Bid.	represen		
		Contact Person	Title		
		Telephone Number	Facsimile Number		
4.	Definitions	All capitalized terms used in ascribed to them in the Gener	n the Contract shall have the rall Conditions.	meanings	
5.	Offer		perform the Work in accordance anadian funds, set out on Form I		
6.	Commencement of the Work		ork shall commence until he is in the commencement of the Work.	receipt of	

Template Version: G320080526 - Goods LR

7.	Contract	deemed to be i	incorporated in and to for nat not all parts thereof are	orm a part of this offer	
8.	Addenda				
		No	Dated	whose signature appears above)	
9.	Time		e open for acceptance, bin	ding and irrevocable for a	
10.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this			
			day of		
		Signature of Bidde Bidder's Authorize	er or ed Official or Officials		
		(Print here name and c	official capacity of individual whose	signature appears above)	
		(Print here name and o	official capacity of individual whose	signature annears above	
		(i illicine hanne and c	molal capacity of mulvidual whose	orginature appears above	

Template Version: G320080526 - Goods LR

FORM B(R1): PRICES (See B9)

SUPPLY AND DELIVERY OF HYDRAULIC AND TELESCOPIC GRAVE SHORING SYSTEMS

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE		
Hydra	nulic Grave Shoring System		7				
1.	30" high X 8 ft. long cages	E2.2; D2.2	Each	10			
2.	24" high X 8 ft. long cages	E2.2; D2.2	Each	10			
3.	End Panels at 30 degree depth	E2.2; D2.2	Pair	3			
4.	End Panels at 24 degree depth	E2.2; D2.2	Pair	3			
Teles	copic Grave Shoring System			·			
5.	Complete system includes: lockable safety cover to suit opening dimensions of: 30 inches to 48 inches width, 72 inches to 108 inches long, 60 inches to 96 inches deep.	E2.3; D2.2	Per System	1			
Acce	ssories and Sundry Grave Shoring System Products	S		T			
6.	Hydraulic cage system lock down safety cover	E2.4; D2.2	Each	1			
7.	Complete set of hydraulic hose bridles	E2.4; D2.2	Each	1			
8.	Hydraulic hand pump	E2.4; D2.2	Each	1			
	Name of Bidder						