



579-2009 ADDENDUM 1

ALBANY STREET CROSSING OF TRURO CREEK – REPLACEMENT OF EXISTING CULVERTS AND ASSOCIATED ROAD WORK

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY

ISSUED: August 14, 2009
BY: Jim Lukashenko, P.Eng.
TELEPHONE NO. (204) 272-2025

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART A – BID SUBMISSION

Replace: 579-2009 Bid Submission with 579-2009 Addendum 1 - Bid Submission. The following is a summary of changes incorporated in the replacement Bid Submission:

Form B(R1): Item C.3 quantity revised.

PART B – BIDDING PROCEDURES

Revise: B2.1 to read: The Submission Deadline is 12:00 noon Winnipeg time, August 20, 2009

PART E – SPECIFICATIONS

Revise: E17.3.1 (a) to read:

- (a) The Work shall be comprised of the maintaining of service of the following utilities:
 - (i) MTS Cable and Conduit
 - (ii) Light Standard Cable

Delete: E17.3.1 (b)

Replace: E17.3.4 with: Natural Gas Pipe & Light Standard

- (a) The existing Natural Gas pipe located at approximate elevation 230.98 will be capped at each end of the culvert by Manitoba Hydro. The Contract Administrator will arrange for Manitoba Hydro to complete this work by September 30, 2009. Payment for this work will be made by the Contract Administrator and the Contractor shall not include a cost for this work in his Bid. Any damage to the natural gas line by the Contractor prior to its relocation shall be repaired at the Contractor's expense.
- (b) The Contractor shall accommodate and coordinate access with Manitoba Hydro.
- (c) Light Standard
 - (i) The Contractor shall support the existing Light Standard cable and conduit across the excavation to maintain service for the duration of the project.

- (ii) If the cable and/or conduit is too low and encroaches on the culvert, raise the cable and/or conduit sufficiently to clear the top of the new culvert.
- (iii) Prepare drawings and procedure notes showing in detail how the support will be done. Submit five (5) copies of these temporary works drawings and notes to the Contract Administrator for review at least five (5) working days before the Work is to take place. These drawings and notes will be reviewed by both the Contract Administrator and Manitoba Hydro.
- (iv) Restore the cable and conduit to the satisfaction of Manitoba Hydro and the Contract Administrator.
- (v) Ensure that Manitoba Hydro is notified of each critical stage of work and that they are afforded full access for inspection.
- (vi) Payment to support the existing Light Standard cable and conduit shall be considered incidental to Utility Works.

DRAWINGS

Replace: 579-2009 _Drawing_C340-09-02-R0 with 579-2009 _Addendum_1 -Drawing _C340-09-02-R1

579-2009 _Drawing_C340-09-03-R0 with 579-2009 _Addendum_1 -Drawing _C340-09-03-R1

579-2009 _Drawing_C340-09-05-R0 with 579-2009 _Addendum_1 -Drawing _C340-09-05-R1