



63-2009 ADDENDUM 1

CONSTRUCTION OF AN IRRIGATION PUMPHOUSE, AT THE JOHN BLUMBERG RECREATION COMPLEX

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY

ISSUED: FEBRUARY 19, 2009
BY: KEN RECH
TELEPHONE NO. (204) 489-6616

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

Drawing No. Drawing Name/Title

A1.R1 New Irrigation Pumphouse Building

Revise: Section 07450 Metal Roofing and Siding Systems, Item 2.1 (.1) Products to read: Prefinished Roof Sheet: exposed to exterior, accepted product: VicWest CL 840 – 22 gauge.

Revise: Section 07450 Metal Roofing and Siding Systems, Item 2.1(.2) Products to read: Prefinished Wall Sheet: exposed to exterior, accepted product: VicWest CL 7040 – 22 gauge.

Revise: Section 07450 Metal Roofing and Siding Systems, Item 2.1(.3) Products to read: Panel: Galvanized (zinc coated) sheet metal conforming to ASTM A653 SS grade 90 with designation Z180 or Z275, nominal core thickness: 22 gauge.

DRAWINGS

Replace: 63-2009 _Drawing_A1.R0.PDF with 63-2009 _Addendum_1 Drawing A1.R1.PDF