

**WSDL for existing web services (AACCS system)**

```

<?xml version="1.0" encoding="utf-8"?>
<wsdl:definitions xmlns:http="http://schemas.xmlsoap.org/wsdl/http/"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:s="http://www.w3.org/2001/XMLSchema"
xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:tns="http://tempuri.org/aacs/ws/DataAccessWebServices"
xmlns:tm="http://microsoft.com/wsdl/mime/textMatching/"
xmlns:mime="http://schemas.xmlsoap.org/wsdl/mime/"
targetNamespace="http://tempuri.org/aacs/ws/DataAccessWebServices"
xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:types>
    <s:schema elementFormDefault="qualified"
targetNamespace="http://tempuri.org/aacs/ws/DataAccessWebServices">
      <s:import namespace="http://www.w3.org/2001/XMLSchema" />
      <s:element name="CamaUpdateQueueGetAppealStatus">
        <s:complexType>
          <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="AppealId" type="s:int" />
            <s:element minOccurs="1" maxOccurs="1" name="OpenAppealCount"
type="s:int" />
            <s:element minOccurs="1" maxOccurs="1" name="ParcelId"
type="s:decimal" />
            <s:element minOccurs="0" maxOccurs="1" name="AsmtYear" />
            <s:element minOccurs="1" maxOccurs="1" name="RollType" type="s:int" />
            <s:element minOccurs="0" maxOccurs="1" name="ErrorMsg"
type="s:string" />
          </s:sequence>
        </s:complexType>
      </s:element>
      <s:element name="CamaUpdateQueueGetAppealStatusResponse">
        <s:complexType>
          <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="OpenAppealCount"
type="s:int" />
            <s:element minOccurs="1" maxOccurs="1" name="ParcelId"
type="s:decimal" />
            <s:element minOccurs="0" maxOccurs="1" name="AsmtYear" />
            <s:element minOccurs="1" maxOccurs="1" name="RollType" type="s:int" />
            <s:element minOccurs="0" maxOccurs="1" name="ErrorMsg"
type="s:string" />
          </s:sequence>
        </s:complexType>
      </s:element>
      <s:element name="CamaUpdateQueueGetAppealList">
        <s:complexType />
      </s:element>
    </s:schema>
  </wsdl:types>

```

```

</s:element>
<s:element name="CamaUpdateQueueGetAppealListResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="CamaUpdateQueueGetAppealListResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="CamaClearAppealed">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="ParcelId"
type="s:decimal" />
      <s:element minOccurs="1" maxOccurs="1" name="RollType" type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="CamaClearAppealedResponse">
  <s:complexType />
</s:element>
<s:element name="CamaSetAppealed">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="ParcelId"
type="s:decimal" />
      <s:element minOccurs="1" maxOccurs="1" name="AsmtYear" type="s:int"
/>
      <s:element minOccurs="1" maxOccurs="1" name="RollType" type="s:int" />
      <s:element minOccurs="1" maxOccurs="1" name="NbrOpenAppeals"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="CamaSetAppealedResponse">
  <s:complexType />
</s:element>
<s:element name="GetAreaCoordinatorUserId">
  <s:complexType>

```

```

    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="AreaCoordinator"
type="s:string" />
      <s:element minOccurs="0" maxOccurs="1" name="ParUseCode"
type="s:string" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="GetAreaCoordinatorUserIdResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="GetAreaCoordinatorUserIdResult" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="GetCamaInfoForAppealableEvent">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="RollNumber"
type="s:string" />
      <s:element minOccurs="1" maxOccurs="1" name="AsmtYear" type="s:int"
/>
      <s:element minOccurs="1" maxOccurs="1" name="EventDate"
type="s:dateTime" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="GetCamaInfoForAppealableEventResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="GetCamaInfoForAppealableEventResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="GetCamaParcelInfoLookupParams">
  <s:complexType>
    <s:sequence>

```

```

        <s:element minOccurs="1" maxOccurs="1" name="PropertyId" type="s:int"
/>
    </s:sequence>
</s:complexType>
</s:element>
<s:element name="GetCamaParcelInfoLookupParamsResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="GetCamaParcelInfoLookupParamsResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="GetHighestValueRollNumber">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1" name="RowNumList"
type="s:string" />
            <s:element minOccurs="1" maxOccurs="1" name="ParcelYear" type="s:int"
/>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="GetHighestValueRollNumberResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="GetHighestValueRollNumberResult" type="s:string" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="FormatMailingAddressLabel">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="MailingAddrId"
type="s:int" />
            <s:element minOccurs="1" maxOccurs="1" name="FrenchInd"
type="s:boolean" />
        </s:sequence>
    </s:complexType>
</s:element>

```

```

    </s:complexType>
  </s:element>
  <s:element name="FormatMailingAddressLabelResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="FormatMailingAddressLabelResult" type="s:string" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="MantaGetLiabilityStatusList">
    <s:complexType />
  </s:element>
  <s:element name="MantaGetLiabilityStatusListResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="MantaGetLiabilityStatusListResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="CustomerGetListOfOwners">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="PropertyId" type="s:int"
/>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="CustomerGetListOfOwnersResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="CustomerGetListOfOwnersResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>

```

```

        </s:complexType>
    </s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="MantaCustomerMailingAddressGet">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="MailingAddrId"
type="s:int" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="MantaCustomerMailingAddressGetResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="MantaCustomerMailingAddressGetResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="MantaCustomerGet">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="CustomerNumber"
type="s:int" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="MantaCustomerGetResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="MantaCustomerGetResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>

```

```

        </s:complexType>
    </s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="MantaPropertyGet">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="PropertyId" type="s:int"
/>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="MantaPropertyGetResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="MantaPropertyGetResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="MantaGetFormattedPropertyAddress">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="PropertyId" type="s:int"
/>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="MantaGetFormattedPropertyAddressResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="MantaGetFormattedPropertyAddressResult" type="s:string" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="MantaAppealableEventSearch">
    <s:complexType>

```

```

    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="PropertyId" type="s:int"
/>
    <s:element minOccurs="0" maxOccurs="1" name="CourtType"
type="s:string" />
    <s:element minOccurs="1" maxOccurs="1" name="ShowAllTx"
type="s:boolean" />
  </s:sequence>
</s:complexType>
</s:element>
<s:element name="MantaAppealableEventSearchResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="MantaAppealableEventSearchResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="MantaPropertySearchByRoll">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="RollNum" type="s:string"
/>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="MantaPropertySearchByRollResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="MantaPropertySearchByRollResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
</s:sequence>

```



```

    </s:complexType>
  </s:element>
  <s:element name="MantaPropertySearchByAddress">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1" name="UnitNum" type="s:string"
/>
        <s:element minOccurs="0" maxOccurs="1" name="StNum" type="s:string"
/>
        <s:element minOccurs="0" maxOccurs="1" name="StName" type="s:string"
/>
        <s:element minOccurs="0" maxOccurs="1" name="StType" type="s:string"
/>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="MantaPropertySearchByAddressResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="MantaPropertySearchByAddressResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="CamaDatabaseAlive">
    <s:complexType />
  </s:element>
  <s:element name="CamaDatabaseAliveResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1"
name="CamaDatabaseAliveResult" type="s:boolean" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="MantaDatabaseAlive">
    <s:complexType />
  </s:element>
  <s:element name="MantaDatabaseAliveResponse">

```

```

    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1"
name="MantaDatabaseAliveResult" type="s:boolean" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="GenerateProjectedLossDefaults">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="AsmtYear" type="s:int"
/>
        <s:element minOccurs="0" maxOccurs="1" name="CourtType"
type="s:string" />
        <s:element minOccurs="1" maxOccurs="1" name="RefYear" type="s:int" />
        <s:element minOccurs="1" maxOccurs="1" name="UpdateUserId"
type="s:int" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="GenerateProjectedLossDefaultsResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="GenerateProjectedLossDefaultsResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="AppealNoticeGetListForObject">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="NoticeTypeId"
type="s:int" />
        <s:element minOccurs="1" maxOccurs="1" name="RefObjectId" type="s:int"
/>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="AppealNoticeGetListForObjectResponse">

```

```

    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="AppealNoticeGetListForObjectResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="NoticeListGetOrdersMergeDataset">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1" name="NoticeId"
type="tns:ArrayOfInt" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:complexType name="ArrayOfInt">
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="unbounded" name="int" type="s:int"
/>
    </s:sequence>
  </s:complexType>
  <s:element name="NoticeListGetOrdersMergeDatasetResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="NoticeListGetOrdersMergeDatasetResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="NoticeListGetHearingNoticesMergeDataset">
    <s:complexType>
      <s:sequence>

```

```

        <s:element minOccurs="0" maxOccurs="1" name="NoticeId"
type="tns:ArrayOfInt" />
    </s:sequence>
</s:complexType>
</s:element>
<s:element name="NoticeListGetHearingNoticesMergeDatasetResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="NoticeListGetHearingNoticesMergeDatasetResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="AppealNoticeMakeLabels">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="NoticeId" type="s:int" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="AppealNoticeMakeLabelsResponse">
    <s:complexType />
</s:element>
<s:element name="CourtTypeGetByRank">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="Rank" type="s:int" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="CourtTypeGetByRankResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="CourtTypeGetByRankResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>

```

```

        </s:sequence>
    </s:complexType>
</s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="DecisionTypeCodeExists">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1" name="DecisionCode"
type="s:string" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="DecisionTypeCodeExistsResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1"
name="DecisionTypeCodeExistsResult" type="s:boolean" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="DecisionCategoryCodeExists">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1" name="DecisionCategory"
type="s:string" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="DecisionCategoryCodeExistsResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1"
name="DecisionCategoryCodeExistsResult" type="s:boolean" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="UserGetListByRole">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="RoleId" type="s:int" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="UserGetListByRoleResponse">

```

```

<s:complexType>
  <s:sequence>
    <s:element minOccurs="0" maxOccurs="1"
name="UserGetListByRoleResult">
      <s:complexType>
        <s:sequence>
          <s:element ref="s:schema" />
          <s:any />
        </s:sequence>
      </s:complexType>
    </s:element>
  </s:sequence>
</s:complexType>
<s:element name="DoesUserHaveRoleAndManager">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="UserId" type="s:int" />
      <s:element minOccurs="1" maxOccurs="1" name="RoleId" type="s:int" />
      <s:element minOccurs="1" maxOccurs="1" name="ManagerUserRoleId"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="DoesUserHaveRoleAndManagerResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1"
name="DoesUserHaveRoleAndManagerResult" type="s:boolean" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="DoesUserHaveRoleAttributeValue">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="UserId" type="s:int" />
      <s:element minOccurs="1" maxOccurs="1" name="RoleId" type="s:int" />
      <s:element minOccurs="1" maxOccurs="1" name="RoleAttributeTypeId"
type="s:int" />
      <s:element minOccurs="0" maxOccurs="1" name="AttributeValue"
type="s:string" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="DoesUserHaveRoleAttributeValueResponse">
  <s:complexType>

```

```

    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1"
name="DoesUserHaveRoleAttributeValueResult" type="s:boolean" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="UserRoleGetListByUser">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="UserId" type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="UserRoleGetListByUserResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="UserRoleGetListByUserResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
          <s:any />
        </s:sequence>
      </s:complexType>
    </s:element>
  </s:sequence>
</s:complexType>
</s:element>
<s:element name="IsUserInRole">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="UserId" type="s:int" />
      <s:element minOccurs="1" maxOccurs="1" name="RoleId" type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="IsUserInRoleResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="IsUserInRoleResult"
type="s:boolean" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="UserGetByUserName">
  <s:complexType>

```

```

    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="ExternalId"
type="s:string" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="UserGetByUserNameResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="UserGetByUserNameResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="PendingRollChangeGetForAppealableEvent">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="AppealableEventId"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="PendingRollChangeGetForAppealableEventResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="PendingRollChangeGetForAppealableEventResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="OrderLineGetList">
  <s:complexType>

```



```

    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="OrderId" type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="OrderLineGetListResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="OrderLineGetListResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="OrderGetForAppeal">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="AppealId" type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="OrderGetForAppealResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="OrderGetForAppealResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="HearingAppealChangeSequence">
  <s:complexType>
    <s:sequence>

```

```

        <s:element minOccurs="1" maxOccurs="1" name="HearingAppealId"
type="s:int" />
        <s:element minOccurs="1" maxOccurs="1" name="MoveDir" type="s:int" />
        <s:element minOccurs="1" maxOccurs="1" name="UpdateUserId"
type="s:int" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="HearingAppealChangeSequenceResponse">
    <s:complexType />
</s:element>
<s:element name="HearingAppealGetList">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="HearingId" type="s:int"
/>
            </s:sequence>
        </s:complexType>
    </s:element>
<s:element name="HearingAppealGetListResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="HearingAppealGetListResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="HearingAppealGetForAppeal">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="AppealId" type="s:int" />
            </s:sequence>
        </s:complexType>
    </s:element>
<s:element name="HearingAppealGetForAppealResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="HearingAppealGetForAppealResult">

```

```

        <s:complexType>
            <s:sequence>
                <s:element ref="s:schema" />
                <s:any />
            </s:sequence>
        </s:complexType>
    </s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="HearingOfficialGetList">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="HearingId" type="s:int"
/>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="HearingOfficialGetListResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="HearingOfficialGetListResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="HearingSessionGetList">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="HearingId" type="s:int"
/>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="HearingSessionGetListResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="HearingSessionGetListResult">

```

```

    <s:complexType>
      <s:sequence>
        <s:element ref="s:schema" />
        <s:any />
      </s:sequence>
    </s:complexType>
  </s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="ExhibitGetList">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="AppealId" type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="ExhibitGetListResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="ExhibitGetListResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="ExhibitCreateDefault">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="AppealId" type="s:int" />
      <s:element minOccurs="1" maxOccurs="1" name="UpdateUserId"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="ExhibitCreateDefaultResponse">
  <s:complexType />
</s:element>
<s:element name="CommentTypeGetList">
  <s:complexType>
    <s:sequence>

```

```

        <s:element minOccurs="0" maxOccurs="1" name="ObjectType"
type="s:string" />
    </s:sequence>
</s:complexType>
</s:element>
<s:element name="CommentTypeGetListResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="CommentTypeGetListResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="CommentGetList">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="ObjectId" type="s:int" />
            <s:element minOccurs="1" maxOccurs="1" name="CommentTypeId"
type="s:int" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="CommentGetListResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1" name="CommentGetListResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="AppellantGetList">
    <s:complexType>
        <s:sequence>

```

```

        <s:element minOccurs="1" maxOccurs="1" name="AppealId" type="s:int" />
    </s:sequence>
</s:complexType>
</s:element>
<s:element name="AppellantGetListResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1" name="AppellantGetListResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="AppellantChangeSequence">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="AppellantId" type="s:int"
/>
            <s:element minOccurs="1" maxOccurs="1" name="MoveDir" type="s:int" />
            <s:element minOccurs="1" maxOccurs="1" name="UpdateUserId"
type="s:int" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="AppellantChangeSequenceResponse">
    <s:complexType />
</s:element>
<s:element name="AppealableEventHasTaxImpact">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="AppealableEventId"
type="s:int" />
            <s:element minOccurs="1" maxOccurs="1" name="RollType" type="s:int" />
            <s:element minOccurs="0" maxOccurs="1" name="CourtType"
type="s:string" />
            <s:element minOccurs="1" maxOccurs="1" name="AsmtYear" type="s:int"
/>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="AppealableEventHasTaxImpactResponse">

```

```

    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1"
name="AppealableEventHasTaxImpactResult" type="s:boolean" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="AppealableEventListOfAll">
    <s:complexType />
  </s:element>
  <s:element name="AppealableEventListOfAllResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="AppealableEventListOfAllResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="AppealableEventMissingCamaInfo">
    <s:complexType />
  </s:element>
  <s:element name="AppealableEventMissingCamaInfoResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="AppealableEventMissingCamaInfoResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="AppealableLineSetProjectedLoss">
    <s:complexType>
      <s:sequence>

```

```

        <s:element minOccurs="0" maxOccurs="1" name="FileNo" type="s:string"
/>
    <s:element minOccurs="1" maxOccurs="1" name="FirstYear" type="s:int" />
    <s:element minOccurs="0" maxOccurs="1" name="ClassType"
type="s:string" />
    <s:element minOccurs="1" maxOccurs="1" name="ProjectedLoss"
type="s:decimal" />
    <s:element minOccurs="1" maxOccurs="1" name="UpdateUserId"
type="s:int" />
    <s:element minOccurs="0" maxOccurs="1" name="ErrorMsg"
type="s:string" />
    </s:sequence>
</s:complexType>
</s:element>
<s:element name="AppealableLineSetProjectedLossResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1" name="ErrorMsg"
type="s:string" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="AppealableLineGetList">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="AppealableEventId"
type="s:int" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="AppealableLineGetListResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="AppealableLineGetListResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="AppealableEventCreateNextCourt">

```



```

    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="AppealableEventId"
type="s:int" />
        <s:element minOccurs="1" maxOccurs="1" name="UpdateUserId"
type="s:int" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="AppealableEventCreateNextCourtResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1"
name="AppealableEventCreateNextCourtResult" type="s:int" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="AppealableEventCreateForImport">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1" name="CourtType"
type="s:string" />
        <s:element minOccurs="0" maxOccurs="1" name="RollNumber"
type="s:string" />
        <s:element minOccurs="1" maxOccurs="1" name="AsmtYear" type="s:int"
/>
        <s:element minOccurs="1" maxOccurs="1" name="EventDate"
type="s:dateTime" />
        <s:element minOccurs="1" maxOccurs="1" name="UpdateUserId"
type="s:int" />
        <s:element minOccurs="1" maxOccurs="1" name="AppealableEventId"
type="s:int" />
        <s:element minOccurs="0" maxOccurs="1" name="CreateMsg"
type="s:string" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="AppealableEventCreateForImportResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="AppealableEventId"
type="s:int" />
        <s:element minOccurs="0" maxOccurs="1" name="CreateMsg"
type="s:string" />
      </s:sequence>
    </s:complexType>

```

```

</s:element>
<s:element name="AppealableEventCreateForScan">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="CourtType"
type="s:string" />
      <s:element minOccurs="0" maxOccurs="1" name="RollNumber"
type="s:string" />
      <s:element minOccurs="1" maxOccurs="1" name="AsmtYear" type="s:int"
/>
      <s:element minOccurs="1" maxOccurs="1" name="EventDate"
type="s:dateTime" />
      <s:element minOccurs="1" maxOccurs="1" name="UpdateUserId"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="AppealableEventCreateForScanResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1"
name="AppealableEventCreateForScanResult" type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="AppealableEventCreate">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="CourtType"
type="s:string" />
      <s:element minOccurs="1" maxOccurs="1" name="PropertyId" type="s:int"
/>
      <s:element minOccurs="1" maxOccurs="1" name="AsmtYear" type="s:int"
/>
      <s:element minOccurs="1" maxOccurs="1" name="EventDate"
type="s:dateTime" />
      <s:element minOccurs="0" maxOccurs="1" name="EventType"
type="s:string" />
      <s:element minOccurs="1" maxOccurs="1" name="EventEffectiveDate"
type="s:dateTime" />
      <s:element minOccurs="1" maxOccurs="1" name="UpdateUserId"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="AppealableEventCreateResponse">

```

```

    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1"
name="AppealableEventCreateResult" type="s:int" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="AppealConfirmGroupGetList">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="GroupId" type="s:int" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="AppealConfirmGroupGetListResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="AppealConfirmGroupGetListResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="ConfirmGroupCreate">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="ForUserId" type="s:int"
/>>
        <s:element minOccurs="1" maxOccurs="1" name="UpdateUserId"
type="s:int" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="ConfirmGroupCreateResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1"
name="ConfirmGroupCreateResult" type="s:int" />
      </s:sequence>
    </s:complexType>

```

```

</s:element>
<s:element name="ProcessCamaUpdates">
  <s:complexType />
</s:element>
<s:element name="ProcessCamaUpdatesResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="ProcessCamaUpdatesResult" type="s:string" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="ProcessCompletedAppeals">
  <s:complexType />
</s:element>
<s:element name="ProcessCompletedAppealsResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="ProcessCompletedAppealsResult" type="s:string" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="AppealSetFileNumber">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="AppealId" type="s:int" />
      <s:element minOccurs="1" maxOccurs="1" name="UpdateUserId"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="AppealSetFileNumberResponse">
  <s:complexType />
</s:element>
<s:element name="AppealGetList">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="AppealableEventId"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="AppealGetListResponse">
  <s:complexType>
    <s:sequence>

```

```
<s:element minOccurs="0" maxOccurs="1" name="AppealGetListResult">
  <s:complexType>
    <s:sequence>
      <s:element ref="s:schema" />
      <s:any />
    </s:sequence>
  </s:complexType>
</s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="ProjectedLossDefaultGetReport">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="CourtType"
type="s:string" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="ProjectedLossDefaultGetReportResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="ProjectedLossDefaultGetReportResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="GetAppealEntryCounts">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="StartDate"
type="s:dateTime" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="GetAppealEntryCountsResponse">
  <s:complexType>
    <s:sequence>
```

```

        <s:element minOccurs="0" maxOccurs="1"
name="GetAppealEntryCountsResult">
        <s:complexType>
        <s:sequence>
        <s:element ref="s:schema" />
        <s:any />
        </s:sequence>
        </s:complexType>
        </s:element>
        </s:sequence>
        </s:complexType>
        </s:element>
        <s:element name="GetSpecialInstructionsReportData">
        <s:complexType>
        <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="AppealYear" type="s:int"
/>
        </s:sequence>
        </s:complexType>
        </s:element>
        <s:element name="GetSpecialInstructionsReportDataResponse">
        <s:complexType>
        <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="GetSpecialInstructionsReportDataResult">
        <s:complexType>
        <s:sequence>
        <s:element ref="s:schema" />
        <s:any />
        </s:sequence>
        </s:complexType>
        </s:element>
        </s:sequence>
        </s:complexType>
        </s:element>
        <s:element name="GetAppealCountSummaryReportData">
        <s:complexType>
        <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="AppealYear" type="s:int"
/>
        <s:element minOccurs="0" maxOccurs="1" name="CourtType"
type="s:string" />
        <s:element minOccurs="0" maxOccurs="1" name="RollTypeCriteria"
type="s:string" />
        </s:sequence>
        </s:complexType>

```

```

</s:element>
<s:element name="GetAppealCountSummaryReportDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="GetAppealCountSummaryReportDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="GetAppealYearSummaryReportData">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="AppealYear" type="s:int"
/>
      <s:element minOccurs="0" maxOccurs="1" name="CourtType"
type="s:string" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="GetAppealYearSummaryReportDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="GetAppealYearSummaryReportDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="UserFileReportGetData">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="GroupId" type="s:int" />
    </s:sequence>
  </s:complexType>

```

```

    </s:complexType>
  </s:element>
  <s:element name="UserFileReportGetDataResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="UserFileReportGetDataResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element name="VarianceReportGetData">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="FromAsOfDate"
type="s:dateTime" />
        <s:element minOccurs="1" maxOccurs="1" name="ToAsOfDate"
type="s:dateTime" />
      </s:sequence>
    </s:complexType>
  </s:element name="VarianceReportGetDataResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="VarianceReportGetDataResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element name="StaffHearingScheduleGetData">
    <s:complexType>
      <s:sequence>

```



```

        <s:element minOccurs="1" maxOccurs="1" name="ForOfficials"
type="s:boolean" />
        <s:element minOccurs="1" maxOccurs="1" name="SecretaryUserId"
type="s:int" />
        <s:element minOccurs="1" maxOccurs="1" name="OfficialId" type="s:int"
/>
        <s:element minOccurs="0" maxOccurs="1" name="FromDate" />
        <s:element minOccurs="0" maxOccurs="1" name="ToDate" />
    </s:sequence>
</s:complexType>
</s:element>
<s:element name="StaffHearingScheduleGetDataResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="StaffHearingScheduleGetDataResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="HearingDispoVarianceReportGetData">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1" name="CourtType"
type="s:string" />
            <s:element minOccurs="1" maxOccurs="1" name="FromDate"
type="s:dateTime" />
            <s:element minOccurs="1" maxOccurs="1" name="ToDate"
type="s:dateTime" />
            <s:element minOccurs="1" maxOccurs="1" name="AsmtYear" type="s:int"
/>
            <s:element minOccurs="1" maxOccurs="1" name="OfficialId" type="s:int"
/>
            <s:element minOccurs="1" maxOccurs="1" name="AsOfDate"
type="s:dateTime" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="HearingDispoVarianceReportGetDataResponse">
    <s:complexType>

```

```

    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="HearingDispoVarianceReportGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
      <s:sequence>
        <s:complexType>
          <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="AsOfDate"
type="s:dateTime" />
          </s:sequence>
        </s:complexType>
      </s:element>
      <s:element name="ExportAppealsDataDlgGetDataResponse">
        <s:complexType>
          <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="ExportAppealsDataDlgGetDataResult">
              <s:complexType>
                <s:sequence>
                  <s:element ref="s:schema" />
                  <s:any />
                </s:sequence>
              </s:complexType>
            </s:element>
          </s:sequence>
        </s:complexType>
      </s:element>
      <s:element name="HearingScheduleGetData">
        <s:complexType>
          <s:sequence>
            <s:element minOccurs="0" maxOccurs="1" name="CourtType"
type="s:string" />
            <s:element minOccurs="1" maxOccurs="1" name="GacUserId" type="s:int"
/>
            <s:element minOccurs="0" maxOccurs="1" name="GacName"
type="s:string" />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>

```

```

        <s:element minOccurs="1" maxOccurs="1" name="AssessorUserId"
type="s:int" />
        <s:element minOccurs="0" maxOccurs="1" name="AssessorName"
type="s:string" />
        <s:element minOccurs="1" maxOccurs="1" name="FromDate"
type="s:dateTime" />
        <s:element minOccurs="1" maxOccurs="1" name="ToDate"
type="s:dateTime" />
    </s:sequence>
</s:complexType>
</s:element>
<s:element name="HearingScheduleGetDataResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="HearingScheduleGetDataResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="OutstandingAppealsDlgDataGet">
    <s:complexType />
</s:element>
<s:element name="OutstandingAppealsDlgDataGetResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="OutstandingAppealsDlgDataGetResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="TaxImpactDlgDataGet">
    <s:complexType>

```

```

<s:sequence>
  <s:element minOccurs="0" maxOccurs="1" name="dsFilter">
    <s:complexType>
      <s:sequence>
        <s:element ref="s:schema" />
        <s:any />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element minOccurs="1" maxOccurs="1" name="AsOfDate"
type="s:dateTime" />
</s:sequence>
</s:complexType>
</s:element>
<s:element name="TaxImpactDlgDataGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="TaxImpactDlgDataGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="WinLossRatiosReportGetData">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="FromYear" type="s:int"
/>
      <s:element minOccurs="1" maxOccurs="1" name="ToYear" type="s:int" />
      <s:element minOccurs="1" maxOccurs="1"
name="IncludeSeekingIncreaseAppeals" type="s:boolean" />
      <s:element minOccurs="1" maxOccurs="1" name="AsOfDate"
type="s:dateTime" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="WinLossRatiosReportGetDataResponse">
  <s:complexType>
    <s:sequence>

```

```

    <s:element minOccurs="0" maxOccurs="1"
name="WinLossRatiosReportGetDataResult">
    <s:complexType>
    <s:sequence>
    <s:element ref="s:schema" />
    <s:any />
    </s:sequence>
    </s:complexType>
    </s:element>
    </s:sequence>
    </s:complexType>
    </s:element>
    <s:element name="ExportRawTaxImpactDataDlgGetData">
    <s:complexType />
    </s:element>
    <s:element name="ExportRawTaxImpactDataDlgGetDataResponse">
    <s:complexType>
    <s:sequence>
    <s:element minOccurs="0" maxOccurs="1"
name="ExportRawTaxImpactDataDlgGetDataResult">
    <s:complexType>
    <s:sequence>
    <s:element ref="s:schema" />
    <s:any />
    </s:sequence>
    </s:complexType>
    </s:element>
    </s:sequence>
    </s:complexType>
    </s:element>
    <s:element name="SessionCountsReportGetData">
    <s:complexType>
    <s:sequence>
    <s:element minOccurs="1" maxOccurs="1" name="FromDate"
type="s:dateTime" />
    <s:element minOccurs="1" maxOccurs="1" name="ToDate"
type="s:dateTime" />
    </s:sequence>
    </s:complexType>
    </s:element>
    <s:element name="SessionCountsReportGetDataResponse">
    <s:complexType>
    <s:sequence>
    <s:element minOccurs="0" maxOccurs="1"
name="SessionCountsReportGetDataResult">
    <s:complexType>

```

```

        <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
        </s:sequence>
    </s:complexType>
</s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="ExceptionReportGetData">
    <s:complexType />
</s:element>
<s:element name="ExceptionReportGetDataResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="ExceptionReportGetDataResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="MasterScheduleGetData">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="FromDate"
type="s:dateTime" />
            <s:element minOccurs="1" maxOccurs="1" name="ToDate"
type="s:dateTime" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="MasterScheduleGetDataResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="MasterScheduleGetDataResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>

```

```

        </s:sequence>
    </s:complexType>
</s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="HearingGetMailingLabels">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1" name="NoticeId"
type="tns:ArrayOfInt" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="HearingGetMailingLabelsResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="HearingGetMailingLabelsResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="PendingRollChangeKeyingReportGetData">
    <s:complexType />
</s:element>
<s:element name="PendingRollChangeKeyingReportGetDataResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="PendingRollChangeKeyingReportGetDataResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>

```

```

</s:element>
<s:element name="TaxImpactRawDataGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="dsParams">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
      <s:element minOccurs="1" maxOccurs="1" name="ReferenceYear"
type="s:int" />
      <s:element minOccurs="1" maxOccurs="1" name="AsOfDate"
type="s:dateTime" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="TaxImpactRawDataGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="TaxImpactRawDataGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="OrdersCoverSheetReportGetData">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="HearingId" type="s:int"
/>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="OrdersCoverSheetReportGetDataResponse">
  <s:complexType>
    <s:sequence>

```



```

        <s:element minOccurs="0" maxOccurs="1"
name="OrdersCoverSheetReportGetDataResult">
        <s:complexType>
        <s:sequence>
        <s:element ref="s:schema" />
        <s:any />
        </s:sequence>
        </s:complexType>
        </s:element>
        </s:sequence>
        </s:complexType>
        </s:element>
        <s:element name="HearingAgendaReportGetData">
        <s:complexType>
        <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="HearingId" type="s:int"
/>
        </s:sequence>
        </s:complexType>
        </s:element>
        <s:element name="HearingAgendaReportGetDataResponse">
        <s:complexType>
        <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="HearingAgendaReportGetDataResult">
        <s:complexType>
        <s:sequence>
        <s:element ref="s:schema" />
        <s:any />
        </s:sequence>
        </s:complexType>
        </s:element>
        </s:sequence>
        </s:complexType>
        </s:element>
        <s:element name="AppealsNotCompletedFormGetData">
        <s:complexType />
        </s:element>
        <s:element name="AppealsNotCompletedFormGetDataResponse">
        <s:complexType>
        <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="AppealsNotCompletedFormGetDataResult">
        <s:complexType>
        <s:sequence>
        <s:element ref="s:schema" />

```

```

        <s:any />
      </s:sequence>
    </s:complexType>
  </s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="MaintainProjectedLossDefaultsDlgGetData">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="AsmtYear" type="s:int"
/>
      <s:element minOccurs="0" maxOccurs="1" name="CourtType"
type="s:string" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="MaintainProjectedLossDefaultsDlgGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="MaintainProjectedLossDefaultsDlgGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
          <s:any />
        </s:sequence>
      </s:complexType>
    </s:element>
  </s:sequence>
</s:complexType>
</s:element>
<s:element name="HearingScheduleReportFormGetData">
  <s:complexType />
</s:element>
<s:element name="HearingScheduleReportFormGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="HearingScheduleReportFormGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
          <s:any />
        </s:sequence>
      </s:complexType>
    </s:sequence>
  </s:complexType>
</s:element>

```

```

        </s:element>
    </s:sequence>
</s:complexType>
</s:element>
<s:element name="UserFileReportDlgGetData">
    <s:complexType />
</s:element>
<s:element name="UserFileReportDlgGetDataResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="UserFileReportDlgGetDataResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="StaffHearingScheduleDlgGetData">
    <s:complexType />
</s:element>
<s:element name="StaffHearingScheduleDlgGetDataResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="StaffHearingScheduleDlgGetDataResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="HearingDispoVarianceReportFormGetData">
    <s:complexType />
</s:element>
<s:element name="HearingDispoVarianceReportFormGetDataResponse">
    <s:complexType>
        <s:sequence>

```

```

        <s:element minOccurs="0" maxOccurs="1"
name="HearingDispoVarianceReportFormGetDataResult">
        <s:complexType>
        <s:sequence>
        <s:element ref="s:schema" />
        <s:any />
        </s:sequence>
        </s:complexType>
        </s:element>
    </s:sequence>
</s:complexType>
</s:element>
<s:element name="SelectHigherCourtDlgGetData">
    <s:complexType />
</s:element>
<s:element name="SelectHigherCourtDlgGetDataResponse">
    <s:complexType>
    <s:sequence>
    <s:element minOccurs="0" maxOccurs="1"
name="SelectHigherCourtDlgGetDataResult">
    <s:complexType>
    <s:sequence>
    <s:element ref="s:schema" />
    <s:any />
    </s:sequence>
    </s:complexType>
    </s:element>
    </s:sequence>
    </s:complexType>
</s:element>
<s:element name="MaintainManualGacAssignmentDlgGetData">
    <s:complexType />
</s:element>
<s:element name="MaintainManualGacAssignmentDlgGetDataResponse">
    <s:complexType>
    <s:sequence>
    <s:element minOccurs="0" maxOccurs="1"
name="MaintainManualGacAssignmentDlgGetDataResult">
    <s:complexType>
    <s:sequence>
    <s:element ref="s:schema" />
    <s:any />
    </s:sequence>
    </s:complexType>
    </s:element>
    </s:sequence>

```

```

    </s:complexType>
  </s:element>
  <s:element name="EditTaxImpactParametersDlgGetData">
    <s:complexType />
  </s:element>
  <s:element name="EditTaxImpactParametersDlgGetDataResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="EditTaxImpactParametersDlgGetDataResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="SecretaryHearingListFormGetData">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="UserId" type="s:int" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="SecretaryHearingListFormGetDataResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="SecretaryHearingListFormGetDataResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="AssessorHearingListFormGetData">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="UserId" type="s:int" />

```

```

    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="AssessorHearingListFormGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="AssessorHearingListFormGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="MarkRollsUpdatedDlgGetData">
  <s:complexType />
</s:element>
<s:element name="MarkRollsUpdatedDlgGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="MarkRollsUpdatedDlgGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="SelectCourtOfficialDlgGetData">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="CourtType"
type="s:string" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="SelectCourtOfficialDlgGetDataResponse">
  <s:complexType>

```

```

    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="SelectCourtOfficialDlgGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
      <s:element name="SelectUserDlgGetData">
        <s:complexType />
      </s:element>
      <s:element name="SelectUserDlgGetDataResponse">
        <s:complexType>
          <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="SelectUserDlgGetDataResult">
              <s:complexType>
                <s:sequence>
                  <s:element ref="s:schema" />
                  <s:any />
                </s:sequence>
              </s:complexType>
            </s:element>
          </s:sequence>
        </s:complexType>
      </s:element>
      <s:element name="AppellantDetailsFormGetData">
        <s:complexType>
          <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="CustomerNumber"
type="s:int" />
          </s:sequence>
        </s:complexType>
      </s:element>
      <s:element name="AppellantDetailsFormGetDataResponse">
        <s:complexType>
          <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="AppellantDetailsFormGetDataResult">
              <s:complexType>
                <s:sequence>

```

```

        <s:element ref="s:schema" />
        <s:any />
    </s:sequence>
</s:complexType>
</s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="TaskListFormGetData">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="UserRoles"
type="tns:TaskListRole" />
            <s:element minOccurs="0" maxOccurs="1" name="RequiredRoles"
type="tns:ArrayOfTaskListRole" />
            <s:element minOccurs="1" maxOccurs="1" name="UserId" type="s:int" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:simpleType name="TaskListRole">
    <s:list>
        <s:simpleType>
            <s:restriction base="s:string">
                <s:enumeration value="BorManager" />
                <s:enumeration value="HearingSecretary" />
                <s:enumeration value="BorClerk" />
                <s:enumeration value="PadManager" />
                <s:enumeration value="AreaCoordinator" />
                <s:enumeration value="Assessor" />
                <s:enumeration value="PadFieldOpsClerk" />
                <s:enumeration value="PadAnalyst" />
                <s:enumeration value="TaxAnalyst" />
                <s:enumeration value="BorPrintHearingNotices" />
                <s:enumeration value="PadDataServicesClerk" />
                <s:enumeration value="Browse" />
                <s:enumeration value="BrowseBor" />
            </s:restriction>
        </s:simpleType>
    </s:list>
</s:simpleType>
<s:complexType name="ArrayOfTaskListRole">
    <s:sequence>
        <s:element minOccurs="0" maxOccurs="unbounded" name="TaskListRole"
type="tns:TaskListRole" />
    </s:sequence>
</s:complexType>

```



```
<s:element name="TaskListFormGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="TaskListFormGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="EditPendingRollChangeLineDlgGetData">
  <s:complexType />
</s:element>
<s:element name="EditPendingRollChangeLineDlgGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="EditPendingRollChangeLineDlgGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="EditOrderLineDlgGetData">
  <s:complexType />
</s:element>
<s:element name="EditOrderLineDlgGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="EditOrderLineDlgGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
```

```

        </s:complexType>
    </s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="EditRollChangesDlgGetData">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="AppealableEventId"
type="s:int" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="EditRollChangesDlgGetDataResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="EditRollChangesDlgGetDataResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="AssignAssessorsToAppealsGetData">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="HearingId" type="s:int"
/>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="AssignAssessorsToAppealsGetDataResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="AssignAssessorsToAppealsGetDataResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>

```

```

        </s:complexType>
    </s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="AssignAssessorToAppealGetData">
    <s:complexType />
</s:element>
<s:element name="AssignAssessorToAppealGetDataResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="AssignAssessorToAppealGetDataResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="OrderPrintDlgGetData">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="HearingId" type="s:int"
/>
                </s:sequence>
            </s:complexType>
        </s:element>
<s:element name="OrderPrintDlgGetDataResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="OrderPrintDlgGetDataResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>

```

```

<s:element name="EditOrderDlgGetData">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="OrderId" type="s:int" />
      <s:element minOccurs="1" maxOccurs="1" name="AppealableEventId"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="EditOrderDlgGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="EditOrderDlgGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="HearingPrintDlgGetData">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="HearingId" type="s:int"
/>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="HearingPrintDlgGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="HearingPrintDlgGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>

```

```

</s:element>
<s:element name="DisplayCommentsDlgGetData">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="ObjectId" type="s:int" />
      <s:element minOccurs="0" maxOccurs="1" name="ObjectType"
type="s:string" />
      <s:element minOccurs="1" maxOccurs="1" name="CommentTypeId"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="DisplayCommentsDlgGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="DisplayCommentsDlgGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="HearingDetailsFormGetData">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="HearingId" type="s:int"
/>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="HearingDetailsFormGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="HearingDetailsFormGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>

```

```

        </s:element>
    </s:sequence>
</s:complexType>
</s:element>
<s:element name="EditDocketFilterDlgGetData">
    <s:complexType />
</s:element>
<s:element name="EditDocketFilterDlgGetDataResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="EditDocketFilterDlgGetDataResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="DocketAppealsFormGetData">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1" name="CourtType"
type="s:string" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="DocketAppealsFormGetDataResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="DocketAppealsFormGetDataResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="SelectHearingDlgSearch">

```

```

    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1" name="SearchConditions"
type="s:string" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="SelectHearingDlgSearchResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="SelectHearingDlgSearchResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="EditHearingDlgGetData">
    <s:complexType />
  </s:element>
  <s:element name="EditHearingDlgGetDataResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="EditHearingDlgGetDataResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="EditMantaCustomerMailingAddressDlgGetData">
    <s:complexType />
  </s:element>
  <s:element name="EditMantaCustomerMailingAddressDlgGetDataResponse">
    <s:complexType>
      <s:sequence>

```

```

        <s:element minOccurs="0" maxOccurs="1"
name="EditMantaCustomerMailingAddressDlgGetDataResult">
        <s:complexType>
        <s:sequence>
        <s:element ref="s:schema" />
        <s:any />
        </s:sequence>
        </s:complexType>
        </s:element>
        </s:sequence>
        </s:complexType>
        </s:element>
        <s:element name="EditAppellantDlgGetData">
        <s:complexType />
        </s:element>
        <s:element name="EditAppellantDlgGetDataResponse">
        <s:complexType>
        <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="EditAppellantDlgGetDataResult">
        <s:complexType>
        <s:sequence>
        <s:element ref="s:schema" />
        <s:any />
        </s:sequence>
        </s:complexType>
        </s:element>
        </s:sequence>
        </s:complexType>
        </s:element>
        <s:element name="SelectCustomerMailingAddressDlgSearch">
        <s:complexType>
        <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="CustomerNumber"
type="s:int" />
        </s:sequence>
        </s:complexType>
        </s:element>
        <s:element name="SelectCustomerMailingAddressDlgSearchResponse">
        <s:complexType>
        <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="SelectCustomerMailingAddressDlgSearchResult">
        <s:complexType>
        <s:sequence>
        <s:element ref="s:schema" />

```



```

        <s:any />
      </s:sequence>
    </s:complexType>
  </s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="SelectCustomerDlgSearch">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="CustomerSearch"
type="s:string" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="SelectCustomerDlgSearchResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="SelectCustomerDlgSearchResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="AppealDetailsGetData">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="AppealId" type="s:int" />
      <s:element minOccurs="1" maxOccurs="1" name="AppealableEventId"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="AppealDetailsGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="AppealDetailsGetDataResult">
        <s:complexType>
          <s:sequence>

```

```

        <s:element ref="s:schema" />
        <s:any />
    </s:sequence>
</s:complexType>
</s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="UsersForManagerGetData">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="ManagerUserRoleId"
type="s:int" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="UsersForManagerGetDataResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="UsersForManagerGetDataResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="SelectAppealDlgSearch">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1" name="SearchConditions"
type="s:string" />
            <s:element minOccurs="0" maxOccurs="1" name="StatusCodeCriteria"
type="s:string" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="SelectAppealDlgSearchResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="SelectAppealDlgSearchResult">

```

```

    <s:complexType>
      <s:sequence>
        <s:element ref="s:schema" />
        <s:any />
      </s:sequence>
    </s:complexType>
  </s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="ScanAppealableEventGetData">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="AppealableEventId"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="ScanAppealableEventGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="ScanAppealableEventGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="MaintainExhibitTypesGetData">
  <s:complexType />
</s:element>
<s:element name="MaintainExhibitTypesGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="MaintainExhibitTypesGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>

```

```

        </s:complexType>
    </s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="SelectAppealableEventGetData">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="AppealableEventId"
type="s:int" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="SelectAppealableEventGetDataResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="SelectAppealableEventGetDataResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="MaintainDecisionTypesGetData">
    <s:complexType />
</s:element>
<s:element name="MaintainDecisionTypesGetDataResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="MaintainDecisionTypesGetDataResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>

```

```
<s:element name="MaintainFieldOpsClerksGetData">
  <s:complexType />
</s:element>
<s:element name="MaintainFieldOpsClerksGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="MaintainFieldOpsClerksGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="MaintainAssessorsGetData">
  <s:complexType />
</s:element>
<s:element name="MaintainAssessorsGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="MaintainAssessorsGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="EditGacUserDlgGetData">
  <s:complexType />
</s:element>
<s:element name="EditGacUserDlgGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="EditGacUserDlgGetDataResult">
        <s:complexType>
          <s:sequence>
```



```

        <s:any />
      </s:sequence>
    </s:complexType>
  </s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="MaintainCourtOfficialsGetData">
  <s:complexType />
</s:element>
<s:element name="MaintainCourtOfficialsGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="MaintainCourtOfficialsGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="MaintainHearingSessionTypesGetData">
  <s:complexType />
</s:element>
<s:element name="MaintainHearingSessionTypesGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="MaintainHearingSessionTypesGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="MaintainHearingLocationsGetData">
  <s:complexType />
</s:element>

```

```

<s:element name="MaintainHearingLocationsGetDataResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="MaintainHearingLocationsGetDataResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
<s:element name="UserRoleAttributeGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="AttributeId" type="s:int"
/>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="UserRoleAttributeGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="UserRoleAttributeGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
<s:element name="UserRoleGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="UserRoleId" type="s:int"
/>
    </s:sequence>
  </s:complexType>
</s:element>

```



```

<s:element name="UserRoleGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="UserRoleGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="UserGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="UserId" type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="UserGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="UserGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="RoleAttributeTypeGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="AttributeTypeId"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="RoleAttributeTypeGetResponse">
  <s:complexType>
    <s:sequence>

```

```

    <s:element minOccurs="0" maxOccurs="1"
name="RoleAttributeTypeGetResult">
    <s:complexType>
    <s:sequence>
    <s:element ref="s:schema" />
    <s:any />
    </s:sequence>
    </s:complexType>
    </s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="RoleGet">
    <s:complexType>
    <s:sequence>
    <s:element minOccurs="1" maxOccurs="1" name="RoleId" type="s:int" />
    </s:sequence>
    </s:complexType>
</s:element>
<s:element name="RoleGetResponse">
    <s:complexType>
    <s:sequence>
    <s:element minOccurs="0" maxOccurs="1" name="RoleGetResult">
    <s:complexType>
    <s:sequence>
    <s:element ref="s:schema" />
    <s:any />
    </s:sequence>
    </s:complexType>
    </s:element>
    </s:sequence>
    </s:complexType>
</s:element>
<s:element name="ProjectedLossDefaultGet">
    <s:complexType>
    <s:sequence>
    <s:element minOccurs="1" maxOccurs="1" name="DefaultId" type="s:int" />
    </s:sequence>
    </s:complexType>
</s:element>
<s:element name="ProjectedLossDefaultGetResponse">
    <s:complexType>
    <s:sequence>
    <s:element minOccurs="0" maxOccurs="1"
name="ProjectedLossDefaultGetResult">
    <s:complexType>

```

```

    <s:sequence>
      <s:element ref="s:schema" />
      <s:any />
    </s:sequence>
  </s:complexType>
</s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="PendingRollChangeLineGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="LineId" type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="PendingRollChangeLineGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="PendingRollChangeLineGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="PendingRollChangeGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="ChangeId" type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="PendingRollChangeGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="PendingRollChangeGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />

```

```

        <s:any />
      </s:sequence>
    </s:complexType>
  </s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="OrderLineGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="OrderLineId" type="s:int"
/>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="OrderLineGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="OrderLineGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="OrderGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="OrderId" type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="OrderGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="OrderGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>

```

```

        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="NoticeTypeGet">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="NoticeTypeId"
type="s:int" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="NoticeTypeGetResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1" name="NoticeTypeGetResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="ManualGacAssignmentGet">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="ItemId" type="s:int" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="ManualGacAssignmentGetResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1 "
name="ManualGacAssignmentGetResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>

```

```

    </s:complexType>
  </s:element>
  <s:element name="HearingStatusGet">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1" name="StatusCode"
type="s:string" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="HearingStatusGetResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="HearingStatusGetResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="HearingSessionTypeGet">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="SessionTypeId"
type="s:int" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="HearingSessionTypeGetResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="HearingSessionTypeGetResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>

```

```
</s:complexType>
</s:element>
<s:element name="HearingSessionGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="SessionId" type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="HearingSessionGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="HearingSessionGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="HearingOfficialGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="HearingOfficialId"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="HearingOfficialGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="HearingOfficialGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
```

```

</s:element>
<s:element name="HearingLocationGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="LocationId" type="s:int"
/>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="HearingLocationGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="HearingLocationGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="HearingAppealGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="HearingAppealId"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="HearingAppealGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="HearingAppealGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>

```



```

</s:element>
<s:element name="HearingGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="HearingId" type="s:int"
/>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="HearingGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="HearingGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="ExhibitTypeGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="ExhibitTypeId"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="ExhibitTypeGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="ExhibitTypeGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="ExhibitGet">

```

```

    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="ExhibitId" type="s:int" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="ExhibitGetResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1" name="ExhibitGetResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="DecisionTypeGet">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="DecisionTypeId"
type="s:int" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="DecisionTypeGetResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="DecisionTypeGetResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="DecisionCategoryGet">
    <s:complexType>
      <s:sequence>

```

```

        <s:element minOccurs="1" maxOccurs="1" name="CategoryId" type="s:int"
/>
    </s:sequence>
</s:complexType>
</s:element>
<s:element name="DecisionCategoryGetResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="DecisionCategoryGetResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="CreatedCustomerGet">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="AacsCustomerId"
type="s:int" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="CreatedCustomerGetResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1"
name="CreatedCustomerGetResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="CreatedCmaGet">
    <s:complexType>
        <s:sequence>

```

```

        <s:element minOccurs="1" maxOccurs="1" name="AacsCmaId" type="s:int"
/>
    </s:sequence>
</s:complexType>
</s:element>
<s:element name="CreatedCmaGetResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1" name="CreatedCmaGetResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="CourtTypeGet">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1" name="CourtType"
type="s:string" />
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="CourtTypeGetResponse">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="0" maxOccurs="1" name="CourtTypeGetResult">
                <s:complexType>
                    <s:sequence>
                        <s:element ref="s:schema" />
                        <s:any />
                    </s:sequence>
                </s:complexType>
            </s:element>
        </s:sequence>
    </s:complexType>
</s:element>
<s:element name="CourtOfficialGet">
    <s:complexType>
        <s:sequence>
            <s:element minOccurs="1" maxOccurs="1" name="OfficialId" type="s:int"
/>

```

```

    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="CourtOfficialGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="CourtOfficialGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="ConfirmGroupGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="GroupId" type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="ConfirmGroupGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="ConfirmGroupGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="CommentTypeGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="CommentTypeId"
type="s:int" />
    </s:sequence>
  </s:complexType>

```

```

</s:element>
<s:element name="CommentTypeGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="CommentTypeGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="CommentGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="CommentId" type="s:int"
/>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="CommentGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="CommentGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="CamaUpdateQueueGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="UpdateId" type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="CamaUpdateQueueGetResponse">

```

```

    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="CamaUpdateQueueGetResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="AppellantTypeGet">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1" name="AppellantType"
type="s:string" />
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="AppellantTypeGetResponse">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="AppellantTypeGetResult">
          <s:complexType>
            <s:sequence>
              <s:element ref="s:schema" />
              <s:any />
            </s:sequence>
          </s:complexType>
        </s:element>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="AppellantGet">
    <s:complexType>
      <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="AppellantId" type="s:int"
/>
      </s:sequence>
    </s:complexType>
  </s:element>
  <s:element name="AppellantGetResponse">

```

```

<s:complexType>
  <s:sequence>
    <s:element minOccurs="0" maxOccurs="1" name="AppellantGetResult">
      <s:complexType>
        <s:sequence>
          <s:element ref="s:schema" />
          <s:any />
        </s:sequence>
      </s:complexType>
    </s:element>
  </s:sequence>
</s:complexType>
<s:element name="AppealStatusGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="StatusCode"
type="s:string" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="AppealStatusGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="AppealStatusGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="AppealNoticeGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="NoticeId" type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="AppealNoticeGetResponse">
  <s:complexType>
    <s:sequence>

```



```

        <s:element minOccurs="0" maxOccurs="1"
name="AppealNoticeGetResult">
        <s:complexType>
        <s:sequence>
        <s:element ref="s:schema" />
        <s:any />
        </s:sequence>
        </s:complexType>
        </s:element>
        </s:sequence>
        </s:complexType>
        </s:element>
        <s:element name="AppealConfirmGroupGet">
        <s:complexType>
        <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="AppealGroupId"
type="s:int" />
        </s:sequence>
        </s:complexType>
        </s:element>
        <s:element name="AppealConfirmGroupGetResponse">
        <s:complexType>
        <s:sequence>
        <s:element minOccurs="0" maxOccurs="1"
name="AppealConfirmGroupGetResult">
        <s:complexType>
        <s:sequence>
        <s:element ref="s:schema" />
        <s:any />
        </s:sequence>
        </s:complexType>
        </s:element>
        </s:sequence>
        </s:complexType>
        </s:element>
        <s:element name="AppealAddIRiskGet">
        <s:complexType>
        <s:sequence>
        <s:element minOccurs="1" maxOccurs="1" name="AddIRiskId" type="s:int"
/>
        </s:sequence>
        </s:complexType>
        </s:element>
        <s:element name="AppealAddIRiskGetResponse">
        <s:complexType>
        <s:sequence>

```

```

    <s:element minOccurs="0" maxOccurs="1"
name="AppealAddRiskGetResult">
    <s:complexType>
    <s:sequence>
    <s:element ref="s:schema" />
    <s:any />
    </s:sequence>
    </s:complexType>
    </s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="AppealableTransGet">
    <s:complexType>
    <s:sequence>
    <s:element minOccurs="1" maxOccurs="1" name="TransId" type="s:int" />
    </s:sequence>
    </s:complexType>
</s:element>
<s:element name="AppealableTransGetResponse">
    <s:complexType>
    <s:sequence>
    <s:element minOccurs="0" maxOccurs="1"
name="AppealableTransGetResult">
    <s:complexType>
    <s:sequence>
    <s:element ref="s:schema" />
    <s:any />
    </s:sequence>
    </s:complexType>
    </s:element>
    </s:sequence>
    </s:complexType>
</s:element>
<s:element name="AppealableLineGet">
    <s:complexType>
    <s:sequence>
    <s:element minOccurs="1" maxOccurs="1" name="LineId" type="s:int" />
    </s:sequence>
    </s:complexType>
</s:element>
<s:element name="AppealableLineGetResponse">
    <s:complexType>
    <s:sequence>
    <s:element minOccurs="0" maxOccurs="1"
name="AppealableLineGetResult">

```

```

    <s:complexType>
      <s:sequence>
        <s:element ref="s:schema" />
        <s:any />
      </s:sequence>
    </s:complexType>
  </s:element>
</s:sequence>
</s:complexType>
</s:element>
<s:element name="AppealableEventGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="AppealableEventId"
type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="AppealableEventGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1"
name="AppealableEventGetResult">
        <s:complexType>
          <s:sequence>
            <s:element ref="s:schema" />
            <s:any />
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="AppealGet">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="1" maxOccurs="1" name="AppealId" type="s:int" />
    </s:sequence>
  </s:complexType>
</s:element>
<s:element name="AppealGetResponse">
  <s:complexType>
    <s:sequence>
      <s:element minOccurs="0" maxOccurs="1" name="AppealGetResult">
        <s:complexType>
          <s:sequence>

```

```

        <s:element ref="s:schema" />
        <s:any />
    </s:sequence>
</s:complexType>
</s:element>
</s:sequence>
</s:complexType>
</s:element>
</s:schema>
</wsdl:types>
<wsdl:message name="CamaUpdateQueueGetAppealStatusSoapIn">
    <wsdl:part name="parameters" element="tns:CamaUpdateQueueGetAppealStatus"
/>
</wsdl:message>
<wsdl:message name="CamaUpdateQueueGetAppealStatusSoapOut">
    <wsdl:part name="parameters"
element="tns:CamaUpdateQueueGetAppealStatusResponse" />
</wsdl:message>
<wsdl:message name="CamaUpdateQueueGetAppealListSoapIn">
    <wsdl:part name="parameters" element="tns:CamaUpdateQueueGetAppealList"
/>
</wsdl:message>
<wsdl:message name="CamaUpdateQueueGetAppealListSoapOut">
    <wsdl:part name="parameters"
element="tns:CamaUpdateQueueGetAppealListResponse" />
</wsdl:message>
<wsdl:message name="CamaClearAppealedSoapIn">
    <wsdl:part name="parameters" element="tns:CamaClearAppealed" />
</wsdl:message>
<wsdl:message name="CamaClearAppealedSoapOut">
    <wsdl:part name="parameters" element="tns:CamaClearAppealedResponse" />
</wsdl:message>
<wsdl:message name="CamaSetAppealedSoapIn">
    <wsdl:part name="parameters" element="tns:CamaSetAppealed" />
</wsdl:message>
<wsdl:message name="CamaSetAppealedSoapOut">
    <wsdl:part name="parameters" element="tns:CamaSetAppealedResponse" />
</wsdl:message>
<wsdl:message name="GetAreaCoordinatorUserIdSoapIn">
    <wsdl:part name="parameters" element="tns:GetAreaCoordinatorUserId" />
</wsdl:message>
<wsdl:message name="GetAreaCoordinatorUserIdSoapOut">
    <wsdl:part name="parameters" element="tns:GetAreaCoordinatorUserIdResponse"
/>
</wsdl:message>
<wsdl:message name="GetCamaInfoForAppealableEventSoapIn">

```

```
<wsdl:part name="parameters" element="tns:GetCamaInfoForAppealableEvent"
/>
</wsdl:message>
<wsdl:message name="GetCamaInfoForAppealableEventSoapOut">
  <wsdl:part name="parameters"
element="tns:GetCamaInfoForAppealableEventResponse" />
</wsdl:message>
<wsdl:message name="GetCamaParcelInfoLookupParamsSoapIn">
  <wsdl:part name="parameters" element="tns:GetCamaParcelInfoLookupParams"
/>
</wsdl:message>
<wsdl:message name="GetCamaParcelInfoLookupParamsSoapOut">
  <wsdl:part name="parameters"
element="tns:GetCamaParcelInfoLookupParamsResponse" />
</wsdl:message>
<wsdl:message name="GetHighestValueRollNumberSoapIn">
  <wsdl:part name="parameters" element="tns:GetHighestValueRollNumber" />
</wsdl:message>
<wsdl:message name="GetHighestValueRollNumberSoapOut">
  <wsdl:part name="parameters"
element="tns:GetHighestValueRollNumberResponse" />
</wsdl:message>
<wsdl:message name="FormatMailingAddressLabelSoapIn">
  <wsdl:part name="parameters" element="tns:FormatMailingAddressLabel" />
</wsdl:message>
<wsdl:message name="FormatMailingAddressLabelSoapOut">
  <wsdl:part name="parameters"
element="tns:FormatMailingAddressLabelResponse" />
</wsdl:message>
<wsdl:message name="MantaGetLiabilityStatusListSoapIn">
  <wsdl:part name="parameters" element="tns:MantaGetLiabilityStatusList" />
</wsdl:message>
<wsdl:message name="MantaGetLiabilityStatusListSoapOut">
  <wsdl:part name="parameters"
element="tns:MantaGetLiabilityStatusListResponse" />
</wsdl:message>
<wsdl:message name="CustomerGetListOfOwnersSoapIn">
  <wsdl:part name="parameters" element="tns:CustomerGetListOfOwners" />
</wsdl:message>
<wsdl:message name="CustomerGetListOfOwnersSoapOut">
  <wsdl:part name="parameters"
element="tns:CustomerGetListOfOwnersResponse" />
</wsdl:message>
<wsdl:message name="MantaCustomerMailingAddressGetSoapIn">
  <wsdl:part name="parameters" element="tns:MantaCustomerMailingAddressGet"
/>
/>
```

```
</wsdl:message>
<wsdl:message name="MantaCustomerMailingAddressGetSoapOut">
  <wsdl:part name="parameters"
element="tns:MantaCustomerMailingAddressGetResponse" />
</wsdl:message>
<wsdl:message name="MantaCustomerGetSoapIn">
  <wsdl:part name="parameters" element="tns:MantaCustomerGet" />
</wsdl:message>
<wsdl:message name="MantaCustomerGetSoapOut">
  <wsdl:part name="parameters" element="tns:MantaCustomerGetResponse" />
</wsdl:message>
<wsdl:message name="MantaPropertyGetSoapIn">
  <wsdl:part name="parameters" element="tns:MantaPropertyGet" />
</wsdl:message>
<wsdl:message name="MantaPropertyGetSoapOut">
  <wsdl:part name="parameters" element="tns:MantaPropertyGetResponse" />
</wsdl:message>
<wsdl:message name="MantaGetFormattedPropertyAddressSoapIn">
  <wsdl:part name="parameters"
element="tns:MantaGetFormattedPropertyAddress" />
</wsdl:message>
<wsdl:message name="MantaGetFormattedPropertyAddressSoapOut">
  <wsdl:part name="parameters"
element="tns:MantaGetFormattedPropertyAddressResponse" />
</wsdl:message>
<wsdl:message name="MantaAppealableEventSearchSoapIn">
  <wsdl:part name="parameters" element="tns:MantaAppealableEventSearch" />
</wsdl:message>
<wsdl:message name="MantaAppealableEventSearchSoapOut">
  <wsdl:part name="parameters"
element="tns:MantaAppealableEventSearchResponse" />
</wsdl:message>
<wsdl:message name="MantaPropertySearchByRollSoapIn">
  <wsdl:part name="parameters" element="tns:MantaPropertySearchByRoll" />
</wsdl:message>
<wsdl:message name="MantaPropertySearchByRollSoapOut">
  <wsdl:part name="parameters"
element="tns:MantaPropertySearchByRollResponse" />
</wsdl:message>
<wsdl:message name="MantaPropertySearchByAddressSoapIn">
  <wsdl:part name="parameters" element="tns:MantaPropertySearchByAddress" />
</wsdl:message>
<wsdl:message name="MantaPropertySearchByAddressSoapOut">
  <wsdl:part name="parameters"
element="tns:MantaPropertySearchByAddressResponse" />
</wsdl:message>
```

```
<wsdl:message name="CamaDatabaseAliveSoapIn">
  <wsdl:part name="parameters" element="tns:CamaDatabaseAlive" />
</wsdl:message>
<wsdl:message name="CamaDatabaseAliveSoapOut">
  <wsdl:part name="parameters" element="tns:CamaDatabaseAliveResponse" />
</wsdl:message>
<wsdl:message name="MantaDatabaseAliveSoapIn">
  <wsdl:part name="parameters" element="tns:MantaDatabaseAlive" />
</wsdl:message>
<wsdl:message name="MantaDatabaseAliveSoapOut">
  <wsdl:part name="parameters" element="tns:MantaDatabaseAliveResponse" />
</wsdl:message>
<wsdl:message name="AppealNoticeGetListForObjectSoapIn">
  <wsdl:part name="parameters" element="tns:AppealNoticeGetListForObject" />
</wsdl:message>
<wsdl:message name="AppealNoticeGetListForObjectSoapOut">
  <wsdl:part name="parameters"
element="tns:AppealNoticeGetListForObjectResponse" />
</wsdl:message>
<wsdl:message name="NoticeListGetOrdersMergeDatasetSoapIn">
  <wsdl:part name="parameters" element="tns:NoticeListGetOrdersMergeDataset"
/>
</wsdl:message>
<wsdl:message name="NoticeListGetOrdersMergeDatasetSoapOut">
  <wsdl:part name="parameters"
element="tns:NoticeListGetOrdersMergeDatasetResponse" />
</wsdl:message>
<wsdl:message name="NoticeListGetHearingNoticesMergeDatasetSoapIn">
  <wsdl:part name="parameters"
element="tns:NoticeListGetHearingNoticesMergeDataset" />
</wsdl:message>
<wsdl:message name="NoticeListGetHearingNoticesMergeDatasetSoapOut">
  <wsdl:part name="parameters"
element="tns:NoticeListGetHearingNoticesMergeDatasetResponse" />
</wsdl:message>
<wsdl:message name="AppealNoticeMakeLabelsSoapIn">
  <wsdl:part name="parameters" element="tns:AppealNoticeMakeLabels" />
</wsdl:message>
<wsdl:message name="AppealNoticeMakeLabelsSoapOut">
  <wsdl:part name="parameters" element="tns:AppealNoticeMakeLabelsResponse"
/>
</wsdl:message>
<wsdl:message name="CourtTypeGetByRankSoapIn">
  <wsdl:part name="parameters" element="tns:CourtTypeGetByRank" />
</wsdl:message>
<wsdl:message name="CourtTypeGetByRankSoapOut">
```

```
<wsdl:part name="parameters" element="tns:CourtTypeGetByRankResponse" />
</wsdl:message>
<wsdl:message name="DecisionTypeCodeExistsSoapIn">
  <wsdl:part name="parameters" element="tns:DecisionTypeCodeExists" />
</wsdl:message>
<wsdl:message name="DecisionTypeCodeExistsSoapOut">
  <wsdl:part name="parameters" element="tns:DecisionTypeCodeExistsResponse"
/>
</wsdl:message>
<wsdl:message name="DecisionCategoryCodeExistsSoapIn">
  <wsdl:part name="parameters" element="tns:DecisionCategoryCodeExists" />
</wsdl:message>
<wsdl:message name="DecisionCategoryCodeExistsSoapOut">
  <wsdl:part name="parameters"
element="tns:DecisionCategoryCodeExistsResponse" />
</wsdl:message>
<wsdl:message name="PendingRollChangeGetForAppealableEventSoapIn">
  <wsdl:part name="parameters"
element="tns:PendingRollChangeGetForAppealableEvent" />
</wsdl:message>
<wsdl:message name="PendingRollChangeGetForAppealableEventSoapOut">
  <wsdl:part name="parameters"
element="tns:PendingRollChangeGetForAppealableEventResponse" />
</wsdl:message>
<wsdl:message name="OrderLineGetListSoapIn">
  <wsdl:part name="parameters" element="tns:OrderLineGetList" />
</wsdl:message>
<wsdl:message name="OrderLineGetListSoapOut">
  <wsdl:part name="parameters" element="tns:OrderLineGetListResponse" />
</wsdl:message>
<wsdl:message name="OrderGetForAppealSoapIn">
  <wsdl:part name="parameters" element="tns:OrderGetForAppeal" />
</wsdl:message>
<wsdl:message name="OrderGetForAppealSoapOut">
  <wsdl:part name="parameters" element="tns:OrderGetForAppealResponse" />
</wsdl:message>
<wsdl:message name="HearingAppealGetListSoapIn">
  <wsdl:part name="parameters" element="tns:HearingAppealGetList" />
</wsdl:message>
<wsdl:message name="HearingAppealGetListSoapOut">
  <wsdl:part name="parameters" element="tns:HearingAppealGetListResponse" />
</wsdl:message>
<wsdl:message name="HearingAppealGetForAppealSoapIn">
  <wsdl:part name="parameters" element="tns:HearingAppealGetForAppeal" />
</wsdl:message>
<wsdl:message name="HearingAppealGetForAppealSoapOut">
```



```
<wsdl:part name="parameters"
element="tns:HearingAppealGetForAppealResponse" />
</wsdl:message>
<wsdl:message name="HearingOfficialGetListSoapIn">
  <wsdl:part name="parameters" element="tns:HearingOfficialGetList" />
</wsdl:message>
<wsdl:message name="HearingOfficialGetListSoapOut">
  <wsdl:part name="parameters" element="tns:HearingOfficialGetListResponse" />
</wsdl:message>
<wsdl:message name="HearingSessionGetListSoapIn">
  <wsdl:part name="parameters" element="tns:HearingSessionGetList" />
</wsdl:message>
<wsdl:message name="HearingSessionGetListSoapOut">
  <wsdl:part name="parameters" element="tns:HearingSessionGetListResponse" />
</wsdl:message>
<wsdl:message name="ExhibitGetListSoapIn">
  <wsdl:part name="parameters" element="tns:ExhibitGetList" />
</wsdl:message>
<wsdl:message name="ExhibitGetListSoapOut">
  <wsdl:part name="parameters" element="tns:ExhibitGetListResponse" />
</wsdl:message>
<wsdl:message name="ExhibitCreateDefaultSoapIn">
  <wsdl:part name="parameters" element="tns:ExhibitCreateDefault" />
</wsdl:message>
<wsdl:message name="ExhibitCreateDefaultSoapOut">
  <wsdl:part name="parameters" element="tns:ExhibitCreateDefaultResponse" />
</wsdl:message>
<wsdl:message name="CommentTypeGetListSoapIn">
  <wsdl:part name="parameters" element="tns:CommentTypeGetList" />
</wsdl:message>
<wsdl:message name="CommentTypeGetListSoapOut">
  <wsdl:part name="parameters" element="tns:CommentTypeGetListResponse" />
</wsdl:message>
<wsdl:message name="CommentGetListSoapIn">
  <wsdl:part name="parameters" element="tns:CommentGetList" />
</wsdl:message>
<wsdl:message name="CommentGetListSoapOut">
  <wsdl:part name="parameters" element="tns:CommentGetListResponse" />
</wsdl:message>
<wsdl:message name="AppellantGetListSoapIn">
  <wsdl:part name="parameters" element="tns:AppellantGetList" />
</wsdl:message>
<wsdl:message name="AppellantGetListSoapOut">
  <wsdl:part name="parameters" element="tns:AppellantGetListResponse" />
</wsdl:message>
<wsdl:message name="AppealableEventHasTaxImpactSoapIn">
```

```

    <wsdl:part name="parameters" element="tns:AppealableEventHasTaxImpact" />
  </wsdl:message>
  <wsdl:message name="AppealableEventHasTaxImpactSoapOut">
    <wsdl:part name="parameters"
element="tns:AppealableEventHasTaxImpactResponse" />
  </wsdl:message>
  <wsdl:message name="AppealableEventListOfAllSoapIn">
    <wsdl:part name="parameters" element="tns:AppealableEventListOfAll" />
  </wsdl:message>
  <wsdl:message name="AppealableEventListOfAllSoapOut">
    <wsdl:part name="parameters" element="tns:AppealableEventListOfAllResponse"
/>
  </wsdl:message>
  <wsdl:message name="AppealableEventMissingCamaInfoSoapIn">
    <wsdl:part name="parameters" element="tns:AppealableEventMissingCamaInfo"
/>
  </wsdl:message>
  <wsdl:message name="AppealableEventMissingCamaInfoSoapOut">
    <wsdl:part name="parameters"
element="tns:AppealableEventMissingCamaInfoResponse" />
  </wsdl:message>
  <wsdl:message name="AppealableLineSetProjectedLossSoapIn">
    <wsdl:part name="parameters" element="tns:AppealableLineSetProjectedLoss" />
  </wsdl:message>
  <wsdl:message name="AppealableLineSetProjectedLossSoapOut">
    <wsdl:part name="parameters"
element="tns:AppealableLineSetProjectedLossResponse" />
  </wsdl:message>
  <wsdl:message name="AppealableLineGetListSoapIn">
    <wsdl:part name="parameters" element="tns:AppealableLineGetList" />
  </wsdl:message>
  <wsdl:message name="AppealableLineGetListSoapOut">
    <wsdl:part name="parameters" element="tns:AppealableLineGetListResponse" />
  </wsdl:message>
  <wsdl:message name="AppealConfirmGroupGetListSoapIn">
    <wsdl:part name="parameters" element="tns:AppealConfirmGroupGetList" />
  </wsdl:message>
  <wsdl:message name="AppealConfirmGroupGetListSoapOut">
    <wsdl:part name="parameters"
element="tns:AppealConfirmGroupGetListResponse" />
  </wsdl:message>
  <wsdl:message name="ConfirmGroupCreateSoapIn">
    <wsdl:part name="parameters" element="tns:ConfirmGroupCreate" />
  </wsdl:message>
  <wsdl:message name="ConfirmGroupCreateSoapOut">
    <wsdl:part name="parameters" element="tns:ConfirmGroupCreateResponse" />

```

```
</wsdl:message>
<wsdl:message name="ProcessCamaUpdatesSoapIn">
  <wsdl:part name="parameters" element="tns:ProcessCamaUpdates" />
</wsdl:message>
<wsdl:message name="ProcessCamaUpdatesSoapOut">
  <wsdl:part name="parameters" element="tns:ProcessCamaUpdatesResponse" />
</wsdl:message>
<wsdl:message name="ProcessCompletedAppealsSoapIn">
  <wsdl:part name="parameters" element="tns:ProcessCompletedAppeals" />
</wsdl:message>
<wsdl:message name="ProcessCompletedAppealsSoapOut">
  <wsdl:part name="parameters" element="tns:ProcessCompletedAppealsResponse"
/>
</wsdl:message>
<wsdl:message name="AppealGetListSoapIn">
  <wsdl:part name="parameters" element="tns:AppealGetList" />
</wsdl:message>
<wsdl:message name="AppealGetListSoapOut">
  <wsdl:part name="parameters" element="tns:AppealGetListResponse" />
</wsdl:message>
<wsdl:message name="ProjectedLossDefaultGetReportSoapIn">
  <wsdl:part name="parameters" element="tns:ProjectedLossDefaultGetReport" />
</wsdl:message>
<wsdl:message name="ProjectedLossDefaultGetReportSoapOut">
  <wsdl:part name="parameters"
element="tns:ProjectedLossDefaultGetReportResponse" />
</wsdl:message>
<wsdl:message name="GetAppealEntryCountsSoapIn">
  <wsdl:part name="parameters" element="tns:GetAppealEntryCounts" />
</wsdl:message>
<wsdl:message name="GetAppealEntryCountsSoapOut">
  <wsdl:part name="parameters" element="tns:GetAppealEntryCountsResponse" />
</wsdl:message>
<wsdl:message name="GetSpecialInstructionsReportDataSoapIn">
  <wsdl:part name="parameters" element="tns:GetSpecialInstructionsReportData"
/>
</wsdl:message>
<wsdl:message name="GetSpecialInstructionsReportDataSoapOut">
  <wsdl:part name="parameters"
element="tns:GetSpecialInstructionsReportDataResponse" />
</wsdl:message>
<wsdl:message name="GetAppealCountSummaryReportDataSoapIn">
  <wsdl:part name="parameters"
element="tns:GetAppealCountSummaryReportData" />
</wsdl:message>
<wsdl:message name="GetAppealCountSummaryReportDataSoapOut">
```

```
<wsdl:part name="parameters"
element="tns:GetAppealCountSummaryReportDataResponse" />
</wsdl:message>
<wsdl:message name="GetAppealYearSummaryReportDataSoapIn">
  <wsdl:part name="parameters" element="tns:GetAppealYearSummaryReportData"
/>
/>
</wsdl:message>
<wsdl:message name="GetAppealYearSummaryReportDataSoapOut">
  <wsdl:part name="parameters"
element="tns:GetAppealYearSummaryReportDataResponse" />
</wsdl:message>
<wsdl:message name="UserFileReportGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:UserFileReportGetData" />
</wsdl:message>
<wsdl:message name="UserFileReportGetDataSoapOut">
  <wsdl:part name="parameters" element="tns:UserFileReportGetDataResponse" />
</wsdl:message>
<wsdl:message name="VarianceReportGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:VarianceReportGetData" />
</wsdl:message>
<wsdl:message name="VarianceReportGetDataSoapOut">
  <wsdl:part name="parameters" element="tns:VarianceReportGetDataResponse" />
</wsdl:message>
<wsdl:message name="StaffHearingScheduleGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:StaffHearingScheduleGetData" />
</wsdl:message>
<wsdl:message name="StaffHearingScheduleGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:StaffHearingScheduleGetDataResponse" />
</wsdl:message>
<wsdl:message name="HearingDispoVarianceReportGetDataSoapIn">
  <wsdl:part name="parameters"
element="tns:HearingDispoVarianceReportGetData" />
</wsdl:message>
<wsdl:message name="HearingDispoVarianceReportGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:HearingDispoVarianceReportGetDataResponse" />
</wsdl:message>
<wsdl:message name="ExportAppealsDataDlgGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:ExportAppealsDataDlgGetData" />
</wsdl:message>
<wsdl:message name="ExportAppealsDataDlgGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:ExportAppealsDataDlgGetDataResponse" />
</wsdl:message>
<wsdl:message name="HearingScheduleGetDataSoapIn">
```

```
<wsdl:part name="parameters" element="tns:HearingScheduleGetData" />
</wsdl:message>
<wsdl:message name="HearingScheduleGetDataSoapOut">
  <wsdl:part name="parameters" element="tns:HearingScheduleGetDataResponse"
/>
</wsdl:message>
<wsdl:message name="OutstandingAppealsDlgDataGetSoapIn">
  <wsdl:part name="parameters" element="tns:OutstandingAppealsDlgDataGet" />
</wsdl:message>
<wsdl:message name="OutstandingAppealsDlgDataGetSoapOut">
  <wsdl:part name="parameters"
element="tns:OutstandingAppealsDlgDataGetResponse" />
</wsdl:message>
<wsdl:message name="TaxImpactDlgDataGetSoapIn">
  <wsdl:part name="parameters" element="tns:TaxImpactDlgDataGet" />
</wsdl:message>
<wsdl:message name="TaxImpactDlgDataGetSoapOut">
  <wsdl:part name="parameters" element="tns:TaxImpactDlgDataGetResponse" />
</wsdl:message>
<wsdl:message name="WinLossRatiosReportGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:WinLossRatiosReportGetData" />
</wsdl:message>
<wsdl:message name="WinLossRatiosReportGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:WinLossRatiosReportGetDataResponse" />
</wsdl:message>
<wsdl:message name="ExportRawTaxImpactDataDlgGetDataSoapIn">
  <wsdl:part name="parameters"
element="tns:ExportRawTaxImpactDataDlgGetData" />
</wsdl:message>
<wsdl:message name="ExportRawTaxImpactDataDlgGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:ExportRawTaxImpactDataDlgGetDataResponse" />
</wsdl:message>
<wsdl:message name="SessionCountsReportGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:SessionCountsReportGetData" />
</wsdl:message>
<wsdl:message name="SessionCountsReportGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:SessionCountsReportGetDataResponse" />
</wsdl:message>
<wsdl:message name="ExceptionReportGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:ExceptionReportGetData" />
</wsdl:message>
<wsdl:message name="ExceptionReportGetDataSoapOut">
```

```

    <wsdl:part name="parameters" element="tns:ExceptionReportGetDataResponse"
/>
</wsdl:message>
<wsdl:message name="MasterScheduleGetDataSoapIn">
    <wsdl:part name="parameters" element="tns:MasterScheduleGetData" />
</wsdl:message>
<wsdl:message name="MasterScheduleGetDataSoapOut">
    <wsdl:part name="parameters" element="tns:MasterScheduleGetDataResponse" />
</wsdl:message>
<wsdl:message name="HearingGetMailingLabelsSoapIn">
    <wsdl:part name="parameters" element="tns:HearingGetMailingLabels" />
</wsdl:message>
<wsdl:message name="HearingGetMailingLabelsSoapOut">
    <wsdl:part name="parameters" element="tns:HearingGetMailingLabelsResponse"
/>
</wsdl:message>
<wsdl:message name="PendingRollChangeKeyingReportGetDataSoapIn">
    <wsdl:part name="parameters"
element="tns:PendingRollChangeKeyingReportGetData" />
</wsdl:message>
<wsdl:message name="PendingRollChangeKeyingReportGetDataSoapOut">
    <wsdl:part name="parameters"
element="tns:PendingRollChangeKeyingReportGetDataResponse" />
</wsdl:message>
<wsdl:message name="TaxImpactRawDataGetSoapIn">
    <wsdl:part name="parameters" element="tns:TaxImpactRawDataGet" />
</wsdl:message>
<wsdl:message name="TaxImpactRawDataGetSoapOut">
    <wsdl:part name="parameters" element="tns:TaxImpactRawDataGetResponse" />
</wsdl:message>
<wsdl:message name="OrdersCoverSheetReportGetDataSoapIn">
    <wsdl:part name="parameters" element="tns:OrdersCoverSheetReportGetData" />
</wsdl:message>
<wsdl:message name="OrdersCoverSheetReportGetDataSoapOut">
    <wsdl:part name="parameters"
element="tns:OrdersCoverSheetReportGetDataResponse" />
</wsdl:message>
<wsdl:message name="HearingAgendaReportGetDataSoapIn">
    <wsdl:part name="parameters" element="tns:HearingAgendaReportGetData" />
</wsdl:message>
<wsdl:message name="HearingAgendaReportGetDataSoapOut">
    <wsdl:part name="parameters"
element="tns:HearingAgendaReportGetDataResponse" />
</wsdl:message>
<wsdl:message name="AppealsNotCompletedFormGetDataSoapIn">

```

```
<wsdl:part name="parameters" element="tns:AppealsNotCompletedFormGetData"
/>
</wsdl:message>
<wsdl:message name="AppealsNotCompletedFormGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:AppealsNotCompletedFormGetDataResponse" />
</wsdl:message>
<wsdl:message name="MaintainProjectedLossDefaultsDlgGetDataSoapIn">
  <wsdl:part name="parameters"
element="tns:MaintainProjectedLossDefaultsDlgGetData" />
</wsdl:message>
<wsdl:message name="MaintainProjectedLossDefaultsDlgGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:MaintainProjectedLossDefaultsDlgGetDataResponse" />
</wsdl:message>
<wsdl:message name="HearingScheduleReportFormGetDataSoapIn">
  <wsdl:part name="parameters"
element="tns:HearingScheduleReportFormGetData" />
</wsdl:message>
<wsdl:message name="HearingScheduleReportFormGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:HearingScheduleReportFormGetDataResponse" />
</wsdl:message>
<wsdl:message name="UserFileReportDlgGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:UserFileReportDlgGetData" />
</wsdl:message>
<wsdl:message name="UserFileReportDlgGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:UserFileReportDlgGetDataResponse" />
</wsdl:message>
<wsdl:message name="StaffHearingScheduleDlgGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:StaffHearingScheduleDlgGetData" />
</wsdl:message>
<wsdl:message name="StaffHearingScheduleDlgGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:StaffHearingScheduleDlgGetDataResponse" />
</wsdl:message>
<wsdl:message name="HearingDispoVarianceReportFormGetDataSoapIn">
  <wsdl:part name="parameters"
element="tns:HearingDispoVarianceReportFormGetData" />
</wsdl:message>
<wsdl:message name="HearingDispoVarianceReportFormGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:HearingDispoVarianceReportFormGetDataResponse" />
</wsdl:message>
<wsdl:message name="SelectHigherCourtDlgGetDataSoapIn">
```

```
<wsdl:part name="parameters" element="tns:SelectHigherCourtDlgGetData" />
</wsdl:message>
<wsdl:message name="SelectHigherCourtDlgGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:SelectHigherCourtDlgGetDataResponse" />
</wsdl:message>
<wsdl:message name="MaintainManualGacAssignmentDlgGetDataSoapIn">
  <wsdl:part name="parameters"
element="tns:MaintainManualGacAssignmentDlgGetData" />
</wsdl:message>
<wsdl:message name="MaintainManualGacAssignmentDlgGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:MaintainManualGacAssignmentDlgGetDataResponse" />
</wsdl:message>
<wsdl:message name="EditTaxImpactParametersDlgGetDataSoapIn">
  <wsdl:part name="parameters"
element="tns:EditTaxImpactParametersDlgGetData" />
</wsdl:message>
<wsdl:message name="EditTaxImpactParametersDlgGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:EditTaxImpactParametersDlgGetDataResponse" />
</wsdl:message>
<wsdl:message name="SecretaryHearingListFormGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:SecretaryHearingListFormGetData"
/>
</wsdl:message>
<wsdl:message name="SecretaryHearingListFormGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:SecretaryHearingListFormGetDataResponse" />
</wsdl:message>
<wsdl:message name="AssessorHearingListFormGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:AssessorHearingListFormGetData"
/>
</wsdl:message>
<wsdl:message name="AssessorHearingListFormGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:AssessorHearingListFormGetDataResponse" />
</wsdl:message>
<wsdl:message name="MarkRollsUpdatedDlgGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:MarkRollsUpdatedDlgGetData" />
</wsdl:message>
<wsdl:message name="MarkRollsUpdatedDlgGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:MarkRollsUpdatedDlgGetDataResponse" />
</wsdl:message>
<wsdl:message name="SelectCourtOfficialDlgGetDataSoapIn">
```



```
<wsdl:part name="parameters" element="tns:SelectCourtOfficialDlgGetData" />
</wsdl:message>
<wsdl:message name="SelectCourtOfficialDlgGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:SelectCourtOfficialDlgGetDataResponse" />
</wsdl:message>
<wsdl:message name="SelectUserDlgGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:SelectUserDlgGetData" />
</wsdl:message>
<wsdl:message name="SelectUserDlgGetDataSoapOut">
  <wsdl:part name="parameters" element="tns:SelectUserDlgGetDataResponse" />
</wsdl:message>
<wsdl:message name="AppellantDetailsFormGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:AppellantDetailsFormGetData" />
</wsdl:message>
<wsdl:message name="AppellantDetailsFormGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:AppellantDetailsFormGetDataResponse" />
</wsdl:message>
<wsdl:message name="TaskListFormGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:TaskListFormGetData" />
</wsdl:message>
<wsdl:message name="TaskListFormGetDataSoapOut">
  <wsdl:part name="parameters" element="tns:TaskListFormGetDataResponse" />
</wsdl:message>
<wsdl:message name="EditPendingRollChangeLineDlgGetDataSoapIn">
  <wsdl:part name="parameters"
element="tns:EditPendingRollChangeLineDlgGetData" />
</wsdl:message>
<wsdl:message name="EditPendingRollChangeLineDlgGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:EditPendingRollChangeLineDlgGetDataResponse" />
</wsdl:message>
<wsdl:message name="EditOrderLineDlgGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:EditOrderLineDlgGetData" />
</wsdl:message>
<wsdl:message name="EditOrderLineDlgGetDataSoapOut">
  <wsdl:part name="parameters" element="tns:EditOrderLineDlgGetDataResponse"
/>
</wsdl:message>
<wsdl:message name="EditRollChangesDlgGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:EditRollChangesDlgGetData" />
</wsdl:message>
<wsdl:message name="EditRollChangesDlgGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:EditRollChangesDlgGetDataResponse" />
```

```
</wsdl:message>
<wsdl:message name="AssignAssessorsToAppealsGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:AssignAssessorsToAppealsGetData"
/>
</wsdl:message>
<wsdl:message name="AssignAssessorsToAppealsGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:AssignAssessorsToAppealsGetDataResponse" />
</wsdl:message>
<wsdl:message name="AssignAssessorToAppealGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:AssignAssessorToAppealGetData" />
</wsdl:message>
<wsdl:message name="AssignAssessorToAppealGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:AssignAssessorToAppealGetDataResponse" />
</wsdl:message>
<wsdl:message name="OrderPrintDlgGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:OrderPrintDlgGetData" />
</wsdl:message>
<wsdl:message name="OrderPrintDlgGetDataSoapOut">
  <wsdl:part name="parameters" element="tns:OrderPrintDlgGetDataResponse" />
</wsdl:message>
<wsdl:message name="EditOrderDlgGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:EditOrderDlgGetData" />
</wsdl:message>
<wsdl:message name="EditOrderDlgGetDataSoapOut">
  <wsdl:part name="parameters" element="tns:EditOrderDlgGetDataResponse" />
</wsdl:message>
<wsdl:message name="HearingPrintDlgGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:HearingPrintDlgGetData" />
</wsdl:message>
<wsdl:message name="HearingPrintDlgGetDataSoapOut">
  <wsdl:part name="parameters" element="tns:HearingPrintDlgGetDataResponse"
/>
</wsdl:message>
<wsdl:message name="DisplayCommentsDlgGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:DisplayCommentsDlgGetData" />
</wsdl:message>
<wsdl:message name="DisplayCommentsDlgGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:DisplayCommentsDlgGetDataResponse" />
</wsdl:message>
<wsdl:message name="HearingDetailsFormGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:HearingDetailsFormGetData" />
</wsdl:message>
<wsdl:message name="HearingDetailsFormGetDataSoapOut">
```

```

    <wsdl:part name="parameters"
element="tns:HearingDetailsFormGetDataResponse" />
  </wsdl:message>
  <wsdl:message name="EditDocketFilterDlgGetDataSoapIn">
    <wsdl:part name="parameters" element="tns:EditDocketFilterDlgGetData" />
  </wsdl:message>
  <wsdl:message name="EditDocketFilterDlgGetDataSoapOut">
    <wsdl:part name="parameters"
element="tns:EditDocketFilterDlgGetDataResponse" />
  </wsdl:message>
  <wsdl:message name="DocketAppealsFormGetDataSoapIn">
    <wsdl:part name="parameters" element="tns:DocketAppealsFormGetData" />
  </wsdl:message>
  <wsdl:message name="DocketAppealsFormGetDataSoapOut">
    <wsdl:part name="parameters"
element="tns:DocketAppealsFormGetDataResponse" />
  </wsdl:message>
  <wsdl:message name="SelectHearingDlgSearchSoapIn">
    <wsdl:part name="parameters" element="tns:SelectHearingDlgSearch" />
  </wsdl:message>
  <wsdl:message name="SelectHearingDlgSearchSoapOut">
    <wsdl:part name="parameters" element="tns:SelectHearingDlgSearchResponse"
/>
  </wsdl:message>
  <wsdl:message name="EditHearingDlgGetDataSoapIn">
    <wsdl:part name="parameters" element="tns:EditHearingDlgGetData" />
  </wsdl:message>
  <wsdl:message name="EditHearingDlgGetDataSoapOut">
    <wsdl:part name="parameters" element="tns:EditHearingDlgGetDataResponse" />
  </wsdl:message>
  <wsdl:message name="EditMantaCustomerMailingAddressDlgGetDataSoapIn">
    <wsdl:part name="parameters"
element="tns:EditMantaCustomerMailingAddressDlgGetData" />
  </wsdl:message>
  <wsdl:message name="EditMantaCustomerMailingAddressDlgGetDataSoapOut">
    <wsdl:part name="parameters"
element="tns:EditMantaCustomerMailingAddressDlgGetDataResponse" />
  </wsdl:message>
  <wsdl:message name="EditAppellantDlgGetDataSoapIn">
    <wsdl:part name="parameters" element="tns:EditAppellantDlgGetData" />
  </wsdl:message>
  <wsdl:message name="EditAppellantDlgGetDataSoapOut">
    <wsdl:part name="parameters" element="tns:EditAppellantDlgGetDataResponse"
/>
  </wsdl:message>
  <wsdl:message name="SelectCustomerMailingAddressDlgSearchSoapIn">

```

```

    <wsdl:part name="parameters"
element="tns:SelectCustomerMailingAddressDlgSearch" />
  </wsdl:message>
  <wsdl:message name="SelectCustomerMailingAddressDlgSearchSoapOut">
    <wsdl:part name="parameters"
element="tns:SelectCustomerMailingAddressDlgSearchResponse" />
  </wsdl:message>
  <wsdl:message name="SelectCustomerDlgSearchSoapIn">
    <wsdl:part name="parameters" element="tns:SelectCustomerDlgSearch" />
  </wsdl:message>
  <wsdl:message name="SelectCustomerDlgSearchSoapOut">
    <wsdl:part name="parameters" element="tns:SelectCustomerDlgSearchResponse"
/>
  </wsdl:message>
  <wsdl:message name="AppealDetailsGetDataSoapIn">
    <wsdl:part name="parameters" element="tns:AppealDetailsGetData" />
  </wsdl:message>
  <wsdl:message name="AppealDetailsGetDataSoapOut">
    <wsdl:part name="parameters" element="tns:AppealDetailsGetDataResponse" />
  </wsdl:message>
  <wsdl:message name="UsersForManagerGetDataSoapIn">
    <wsdl:part name="parameters" element="tns:UsersForManagerGetData" />
  </wsdl:message>
  <wsdl:message name="UsersForManagerGetDataSoapOut">
    <wsdl:part name="parameters" element="tns:UsersForManagerGetDataResponse"
/>
  </wsdl:message>
  <wsdl:message name="SelectAppealDlgSearchSoapIn">
    <wsdl:part name="parameters" element="tns:SelectAppealDlgSearch" />
  </wsdl:message>
  <wsdl:message name="SelectAppealDlgSearchSoapOut">
    <wsdl:part name="parameters" element="tns:SelectAppealDlgSearchResponse" />
  </wsdl:message>
  <wsdl:message name="ScanAppealableEventGetDataSoapIn">
    <wsdl:part name="parameters" element="tns:ScanAppealableEventGetData" />
  </wsdl:message>
  <wsdl:message name="ScanAppealableEventGetDataSoapOut">
    <wsdl:part name="parameters"
element="tns:ScanAppealableEventGetDataResponse" />
  </wsdl:message>
  <wsdl:message name="MaintainExhibitTypesGetDataSoapIn">
    <wsdl:part name="parameters" element="tns:MaintainExhibitTypesGetData" />
  </wsdl:message>
  <wsdl:message name="MaintainExhibitTypesGetDataSoapOut">
    <wsdl:part name="parameters"
element="tns:MaintainExhibitTypesGetDataResponse" />

```

```
</wsdl:message>
<wsdl:message name="SelectAppealableEventDataSoapIn">
  <wsdl:part name="parameters" element="tns:SelectAppealableEventData" />
</wsdl:message>
<wsdl:message name="SelectAppealableEventDataSoapOut">
  <wsdl:part name="parameters"
element="tns:SelectAppealableEventDataResponse" />
</wsdl:message>
<wsdl:message name="MaintainDecisionTypesGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:MaintainDecisionTypesGetData" />
</wsdl:message>
<wsdl:message name="MaintainDecisionTypesGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:MaintainDecisionTypesGetDataResponse" />
</wsdl:message>
<wsdl:message name="MaintainFieldOpsClerksGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:MaintainFieldOpsClerksGetData" />
</wsdl:message>
<wsdl:message name="MaintainFieldOpsClerksGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:MaintainFieldOpsClerksGetDataResponse" />
</wsdl:message>
<wsdl:message name="MaintainAssessorsGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:MaintainAssessorsGetData" />
</wsdl:message>
<wsdl:message name="MaintainAssessorsGetDataSoapOut">
  <wsdl:part name="parameters" element="tns:MaintainAssessorsGetDataResponse"
/>
</wsdl:message>
<wsdl:message name="EditGacUserDlgGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:EditGacUserDlgGetData" />
</wsdl:message>
<wsdl:message name="EditGacUserDlgGetDataSoapOut">
  <wsdl:part name="parameters" element="tns:EditGacUserDlgGetDataResponse"
/>
</wsdl:message>
<wsdl:message name="MaintainGacUsersGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:MaintainGacUsersGetData" />
</wsdl:message>
<wsdl:message name="MaintainGacUsersGetDataSoapOut">
  <wsdl:part name="parameters" element="tns:MaintainGacUsersGetDataResponse"
/>
</wsdl:message>
<wsdl:message name="MaintainRoleUsersGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:MaintainRoleUsersGetData" />
</wsdl:message>
```

```
<wsdl:message name="MaintainRoleUsersGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:MaintainRoleUsersGetDataResponse" />
</wsdl:message>
<wsdl:message name="MaintainCourtOfficialsGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:MaintainCourtOfficialsGetData" />
</wsdl:message>
<wsdl:message name="MaintainCourtOfficialsGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:MaintainCourtOfficialsGetDataResponse" />
</wsdl:message>
<wsdl:message name="MaintainHearingSessionTypesGetDataSoapIn">
  <wsdl:part name="parameters"
element="tns:MaintainHearingSessionTypesGetData" />
</wsdl:message>
<wsdl:message name="MaintainHearingSessionTypesGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:MaintainHearingSessionTypesGetDataResponse" />
</wsdl:message>
<wsdl:message name="MaintainHearingLocationsGetDataSoapIn">
  <wsdl:part name="parameters" element="tns:MaintainHearingLocationsGetData"
/>
</wsdl:message>
<wsdl:message name="MaintainHearingLocationsGetDataSoapOut">
  <wsdl:part name="parameters"
element="tns:MaintainHearingLocationsGetDataResponse" />
</wsdl:message>
<wsdl:message name="UserRoleAttributeGetSoapIn">
  <wsdl:part name="parameters" element="tns:UserRoleAttributeGet" />
</wsdl:message>
<wsdl:message name="UserRoleAttributeGetSoapOut">
  <wsdl:part name="parameters" element="tns:UserRoleAttributeGetResponse" />
</wsdl:message>
<wsdl:message name="UserRoleGetSoapIn">
  <wsdl:part name="parameters" element="tns:UserRoleGet" />
</wsdl:message>
<wsdl:message name="UserRoleGetSoapOut">
  <wsdl:part name="parameters" element="tns:UserRoleGetResponse" />
</wsdl:message>
<wsdl:message name="UserGetSoapIn">
  <wsdl:part name="parameters" element="tns:UserGet" />
</wsdl:message>
<wsdl:message name="UserGetSoapOut">
  <wsdl:part name="parameters" element="tns:UserGetResponse" />
</wsdl:message>
<wsdl:message name="RoleAttributeTypeGetSoapIn">
```

```
<wsdl:part name="parameters" element="tns:RoleAttributeTypeGet" />
</wsdl:message>
<wsdl:message name="RoleAttributeTypeGetSoapOut">
  <wsdl:part name="parameters" element="tns:RoleAttributeTypeGetResponse" />
</wsdl:message>
<wsdl:message name="RoleGetSoapIn">
  <wsdl:part name="parameters" element="tns:RoleGet" />
</wsdl:message>
<wsdl:message name="RoleGetSoapOut">
  <wsdl:part name="parameters" element="tns:RoleGetResponse" />
</wsdl:message>
<wsdl:message name="ProjectedLossDefaultGetSoapIn">
  <wsdl:part name="parameters" element="tns:ProjectedLossDefaultGet" />
</wsdl:message>
<wsdl:message name="ProjectedLossDefaultGetSoapOut">
  <wsdl:part name="parameters" element="tns:ProjectedLossDefaultGetResponse"
/>
</wsdl:message>
<wsdl:message name="PendingRollChangeLineGetSoapIn">
  <wsdl:part name="parameters" element="tns:PendingRollChangeLineGet" />
</wsdl:message>
<wsdl:message name="PendingRollChangeLineGetSoapOut">
  <wsdl:part name="parameters"
element="tns:PendingRollChangeLineGetResponse" />
</wsdl:message>
<wsdl:message name="PendingRollChangeGetSoapIn">
  <wsdl:part name="parameters" element="tns:PendingRollChangeGet" />
</wsdl:message>
<wsdl:message name="PendingRollChangeGetSoapOut">
  <wsdl:part name="parameters" element="tns:PendingRollChangeGetResponse" />
</wsdl:message>
<wsdl:message name="OrderLineGetSoapIn">
  <wsdl:part name="parameters" element="tns:OrderLineGet" />
</wsdl:message>
<wsdl:message name="OrderLineGetSoapOut">
  <wsdl:part name="parameters" element="tns:OrderLineGetResponse" />
</wsdl:message>
<wsdl:message name="OrderGetSoapIn">
  <wsdl:part name="parameters" element="tns:OrderGet" />
</wsdl:message>
<wsdl:message name="OrderGetSoapOut">
  <wsdl:part name="parameters" element="tns:OrderGetResponse" />
</wsdl:message>
<wsdl:message name="NoticeTypeGetSoapIn">
  <wsdl:part name="parameters" element="tns:NoticeTypeGet" />
</wsdl:message>
```

```
<wsdl:message name="NoticeTypeGetSoapOut">
  <wsdl:part name="parameters" element="tns:NoticeTypeGetResponse" />
</wsdl:message>
<wsdl:message name="ManualGacAssignmentGetSoapIn">
  <wsdl:part name="parameters" element="tns:ManualGacAssignmentGet" />
</wsdl:message>
<wsdl:message name="ManualGacAssignmentGetSoapOut">
  <wsdl:part name="parameters" element="tns:ManualGacAssignmentGetResponse"
/>
</wsdl:message>
<wsdl:message name="HearingStatusGetSoapIn">
  <wsdl:part name="parameters" element="tns:HearingStatusGet" />
</wsdl:message>
<wsdl:message name="HearingStatusGetSoapOut">
  <wsdl:part name="parameters" element="tns:HearingStatusGetResponse" />
</wsdl:message>
<wsdl:message name="HearingSessionTypeGetSoapIn">
  <wsdl:part name="parameters" element="tns:HearingSessionTypeGet" />
</wsdl:message>
<wsdl:message name="HearingSessionTypeGetSoapOut">
  <wsdl:part name="parameters" element="tns:HearingSessionTypeGetResponse" />
</wsdl:message>
<wsdl:message name="HearingSessionGetSoapIn">
  <wsdl:part name="parameters" element="tns:HearingSessionGet" />
</wsdl:message>
<wsdl:message name="HearingSessionGetSoapOut">
  <wsdl:part name="parameters" element="tns:HearingSessionGetResponse" />
</wsdl:message>
<wsdl:message name="HearingOfficialGetSoapIn">
  <wsdl:part name="parameters" element="tns:HearingOfficialGet" />
</wsdl:message>
<wsdl:message name="HearingOfficialGetSoapOut">
  <wsdl:part name="parameters" element="tns:HearingOfficialGetResponse" />
</wsdl:message>
<wsdl:message name="HearingLocationGetSoapIn">
  <wsdl:part name="parameters" element="tns:HearingLocationGet" />
</wsdl:message>
<wsdl:message name="HearingLocationGetSoapOut">
  <wsdl:part name="parameters" element="tns:HearingLocationGetResponse" />
</wsdl:message>
<wsdl:message name="HearingAppealGetSoapIn">
  <wsdl:part name="parameters" element="tns:HearingAppealGet" />
</wsdl:message>
<wsdl:message name="HearingAppealGetSoapOut">
  <wsdl:part name="parameters" element="tns:HearingAppealGetResponse" />
</wsdl:message>
```



```
<wsdl:message name="HearingGetSoapIn">
  <wsdl:part name="parameters" element="tns:HearingGet" />
</wsdl:message>
<wsdl:message name="HearingGetSoapOut">
  <wsdl:part name="parameters" element="tns:HearingGetResponse" />
</wsdl:message>
<wsdl:message name="ExhibitTypeGetSoapIn">
  <wsdl:part name="parameters" element="tns:ExhibitTypeGet" />
</wsdl:message>
<wsdl:message name="ExhibitTypeGetSoapOut">
  <wsdl:part name="parameters" element="tns:ExhibitTypeGetResponse" />
</wsdl:message>
<wsdl:message name="ExhibitGetSoapIn">
  <wsdl:part name="parameters" element="tns:ExhibitGet" />
</wsdl:message>
<wsdl:message name="ExhibitGetSoapOut">
  <wsdl:part name="parameters" element="tns:ExhibitGetResponse" />
</wsdl:message>
<wsdl:message name="DecisionTypeGetSoapIn">
  <wsdl:part name="parameters" element="tns:DecisionTypeGet" />
</wsdl:message>
<wsdl:message name="DecisionTypeGetSoapOut">
  <wsdl:part name="parameters" element="tns:DecisionTypeGetResponse" />
</wsdl:message>
<wsdl:message name="DecisionCategoryGetSoapIn">
  <wsdl:part name="parameters" element="tns:DecisionCategoryGet" />
</wsdl:message>
<wsdl:message name="DecisionCategoryGetSoapOut">
  <wsdl:part name="parameters" element="tns:DecisionCategoryGetResponse" />
</wsdl:message>
<wsdl:message name="CreatedCustomerGetSoapIn">
  <wsdl:part name="parameters" element="tns:CreatedCustomerGet" />
</wsdl:message>
<wsdl:message name="CreatedCustomerGetSoapOut">
  <wsdl:part name="parameters" element="tns:CreatedCustomerGetResponse" />
</wsdl:message>
<wsdl:message name="CreatedCmaGetSoapIn">
  <wsdl:part name="parameters" element="tns:CreatedCmaGet" />
</wsdl:message>
<wsdl:message name="CreatedCmaGetSoapOut">
  <wsdl:part name="parameters" element="tns:CreatedCmaGetResponse" />
</wsdl:message>
<wsdl:message name="CourtTypeGetSoapIn">
  <wsdl:part name="parameters" element="tns:CourtTypeGet" />
</wsdl:message>
<wsdl:message name="CourtTypeGetSoapOut">
```

```
<wsdl:part name="parameters" element="tns:CourtTypeGetResponse" />
</wsdl:message>
<wsdl:message name="CourtOfficialGetSoapIn">
  <wsdl:part name="parameters" element="tns:CourtOfficialGet" />
</wsdl:message>
<wsdl:message name="CourtOfficialGetSoapOut">
  <wsdl:part name="parameters" element="tns:CourtOfficialGetResponse" />
</wsdl:message>
<wsdl:message name="ConfirmGroupGetSoapIn">
  <wsdl:part name="parameters" element="tns:ConfirmGroupGet" />
</wsdl:message>
<wsdl:message name="ConfirmGroupGetSoapOut">
  <wsdl:part name="parameters" element="tns:ConfirmGroupGetResponse" />
</wsdl:message>
<wsdl:message name="CommentTypeGetSoapIn">
  <wsdl:part name="parameters" element="tns:CommentTypeGet" />
</wsdl:message>
<wsdl:message name="CommentTypeGetSoapOut">
  <wsdl:part name="parameters" element="tns:CommentTypeGetResponse" />
</wsdl:message>
<wsdl:message name="CommentGetSoapIn">
  <wsdl:part name="parameters" element="tns:CommentGet" />
</wsdl:message>
<wsdl:message name="CommentGetSoapOut">
  <wsdl:part name="parameters" element="tns:CommentGetResponse" />
</wsdl:message>
<wsdl:message name="CamaUpdateQueueGetSoapIn">
  <wsdl:part name="parameters" element="tns:CamaUpdateQueueGet" />
</wsdl:message>
<wsdl:message name="CamaUpdateQueueGetSoapOut">
  <wsdl:part name="parameters" element="tns:CamaUpdateQueueGetResponse" />
</wsdl:message>
<wsdl:message name="AppellantTypeGetSoapIn">
  <wsdl:part name="parameters" element="tns:AppellantTypeGet" />
</wsdl:message>
<wsdl:message name="AppellantTypeGetSoapOut">
  <wsdl:part name="parameters" element="tns:AppellantTypeGetResponse" />
</wsdl:message>
<wsdl:message name="AppellantGetSoapIn">
  <wsdl:part name="parameters" element="tns:AppellantGet" />
</wsdl:message>
<wsdl:message name="AppellantGetSoapOut">
  <wsdl:part name="parameters" element="tns:AppellantGetResponse" />
</wsdl:message>
<wsdl:message name="AppealStatusGetSoapIn">
  <wsdl:part name="parameters" element="tns:AppealStatusGet" />
```

```
</wsdl:message>
<wsdl:message name="AppealStatusGetSoapOut">
  <wsdl:part name="parameters" element="tns:AppealStatusGetResponse" />
</wsdl:message>
<wsdl:message name="AppealNoticeGetSoapIn">
  <wsdl:part name="parameters" element="tns:AppealNoticeGet" />
</wsdl:message>
<wsdl:message name="AppealNoticeGetSoapOut">
  <wsdl:part name="parameters" element="tns:AppealNoticeGetResponse" />
</wsdl:message>
<wsdl:message name="AppealConfirmGroupGetSoapIn">
  <wsdl:part name="parameters" element="tns:AppealConfirmGroupGet" />
</wsdl:message>
<wsdl:message name="AppealConfirmGroupGetSoapOut">
  <wsdl:part name="parameters" element="tns:AppealConfirmGroupGetResponse"
/>
</wsdl:message>
<wsdl:message name="AppealAddlRiskGetSoapIn">
  <wsdl:part name="parameters" element="tns:AppealAddlRiskGet" />
</wsdl:message>
<wsdl:message name="AppealAddlRiskGetSoapOut">
  <wsdl:part name="parameters" element="tns:AppealAddlRiskGetResponse" />
</wsdl:message>
<wsdl:message name="AppealableTransGetSoapIn">
  <wsdl:part name="parameters" element="tns:AppealableTransGet" />
</wsdl:message>
<wsdl:message name="AppealableTransGetSoapOut">
  <wsdl:part name="parameters" element="tns:AppealableTransGetResponse" />
</wsdl:message>
<wsdl:message name="AppealableLineGetSoapIn">
  <wsdl:part name="parameters" element="tns:AppealableLineGet" />
</wsdl:message>
<wsdl:message name="AppealableLineGetSoapOut">
  <wsdl:part name="parameters" element="tns:AppealableLineGetResponse" />
</wsdl:message>
<wsdl:message name="AppealableEventGetSoapIn">
  <wsdl:part name="parameters" element="tns:AppealableEventGet" />
</wsdl:message>
<wsdl:message name="AppealableEventGetSoapOut">
  <wsdl:part name="parameters" element="tns:AppealableEventGetResponse" />
</wsdl:message>
<wsdl:message name="AppealGetSoapIn">
  <wsdl:part name="parameters" element="tns:AppealGet" />
</wsdl:message>
<wsdl:message name="AppealGetSoapOut">
  <wsdl:part name="parameters" element="tns:AppealGetResponse" />
```

```
</wsdl:message>
<wsdl:portType name="ServiceSoap">
  <wsdl:operation name="CamaUpdateQueueGetAppealStatus">
    <wsdl:input message="tns:CamaUpdateQueueGetAppealStatusSoapIn" />
    <wsdl:output message="tns:CamaUpdateQueueGetAppealStatusSoapOut" />
  </wsdl:operation>
  <wsdl:operation name="CamaUpdateQueueGetAppealList">
    <wsdl:input message="tns:CamaUpdateQueueGetAppealListSoapIn" />
    <wsdl:output message="tns:CamaUpdateQueueGetAppealListSoapOut" />
  </wsdl:operation>
  <wsdl:operation name="CamaClearAppealed">
    <wsdl:input message="tns:CamaClearAppealedSoapIn" />
    <wsdl:output message="tns:CamaClearAppealedSoapOut" />
  </wsdl:operation>
  <wsdl:operation name="CamaSetAppealed">
    <wsdl:input message="tns:CamaSetAppealedSoapIn" />
    <wsdl:output message="tns:CamaSetAppealedSoapOut" />
  </wsdl:operation>
  <wsdl:operation name="GetAreaCoordinatorUserId">
    <wsdl:input message="tns:GetAreaCoordinatorUserIdSoapIn" />
    <wsdl:output message="tns:GetAreaCoordinatorUserIdSoapOut" />
  </wsdl:operation>
  <wsdl:operation name="GetCamaInfoForAppealableEvent">
    <wsdl:input message="tns:GetCamaInfoForAppealableEventSoapIn" />
    <wsdl:output message="tns:GetCamaInfoForAppealableEventSoapOut" />
  </wsdl:operation>
  <wsdl:operation name="GetCamaParcelInfoLookupParams">
    <wsdl:input message="tns:GetCamaParcelInfoLookupParamsSoapIn" />
    <wsdl:output message="tns:GetCamaParcelInfoLookupParamsSoapOut" />
  </wsdl:operation>
  <wsdl:operation name="GetHighestValueRollNumber">
    <wsdl:input message="tns:GetHighestValueRollNumberSoapIn" />
    <wsdl:output message="tns:GetHighestValueRollNumberSoapOut" />
  </wsdl:operation>
  <wsdl:operation name="FormatMailingAddressLabel">
    <wsdl:input message="tns:FormatMailingAddressLabelSoapIn" />
    <wsdl:output message="tns:FormatMailingAddressLabelSoapOut" />
  </wsdl:operation>
  <wsdl:operation name="MantaGetLiabilityStatusList">
    <wsdl:input message="tns:MantaGetLiabilityStatusListSoapIn" />
    <wsdl:output message="tns:MantaGetLiabilityStatusListSoapOut" />
  </wsdl:operation>
  <wsdl:operation name="CustomerGetListOfOwners">
    <wsdl:input message="tns:CustomerGetListOfOwnersSoapIn" />
    <wsdl:output message="tns:CustomerGetListOfOwnersSoapOut" />
  </wsdl:operation>

```

```
<wsdl:operation name="MantaCustomerMailingAddressGet">
  <wsdl:input message="tns:MantaCustomerMailingAddressGetSoapIn" />
  <wsdl:output message="tns:MantaCustomerMailingAddressGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="MantaCustomerGet">
  <wsdl:input message="tns:MantaCustomerGetSoapIn" />
  <wsdl:output message="tns:MantaCustomerGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="MantaPropertyGet">
  <wsdl:input message="tns:MantaPropertyGetSoapIn" />
  <wsdl:output message="tns:MantaPropertyGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="MantaGetFormattedPropertyAddress">
  <wsdl:input message="tns:MantaGetFormattedPropertyAddressSoapIn" />
  <wsdl:output message="tns:MantaGetFormattedPropertyAddressSoapOut" />
</wsdl:operation>
<wsdl:operation name="MantaAppealableEventSearch">
  <wsdl:input message="tns:MantaAppealableEventSearchSoapIn" />
  <wsdl:output message="tns:MantaAppealableEventSearchSoapOut" />
</wsdl:operation>
<wsdl:operation name="MantaPropertySearchByRoll">
  <wsdl:input message="tns:MantaPropertySearchByRollSoapIn" />
  <wsdl:output message="tns:MantaPropertySearchByRollSoapOut" />
</wsdl:operation>
<wsdl:operation name="MantaPropertySearchByAddress">
  <wsdl:input message="tns:MantaPropertySearchByAddressSoapIn" />
  <wsdl:output message="tns:MantaPropertySearchByAddressSoapOut" />
</wsdl:operation>
<wsdl:operation name="CamaDatabaseAlive">
  <wsdl:input message="tns:CamaDatabaseAliveSoapIn" />
  <wsdl:output message="tns:CamaDatabaseAliveSoapOut" />
</wsdl:operation>
<wsdl:operation name="MantaDatabaseAlive">
  <wsdl:input message="tns:MantaDatabaseAliveSoapIn" />
  <wsdl:output message="tns:MantaDatabaseAliveSoapOut" />
</wsdl:operation>
<wsdl:operation name="GenerateProjectedLossDefaults">
  <wsdl:input message="tns:GenerateProjectedLossDefaultsSoapIn" />
  <wsdl:output message="tns:GenerateProjectedLossDefaultsSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealNoticeGetListForObject">
  <wsdl:input message="tns:AppealNoticeGetListForObjectSoapIn" />
  <wsdl:output message="tns:AppealNoticeGetListForObjectSoapOut" />
</wsdl:operation>
<wsdl:operation name="NoticeListGetOrdersMergeDataset">
  <wsdl:input message="tns:NoticeListGetOrdersMergeDatasetSoapIn" />
```

```
<wsdl:output message="tns:NoticeListGetOrdersMergeDatasetSoapOut" />
</wsdl:operation>
<wsdl:operation name="NoticeListGetHearingNoticesMergeDataset">
  <wsdl:input message="tns:NoticeListGetHearingNoticesMergeDatasetSoapIn" />
  <wsdl:output message="tns:NoticeListGetHearingNoticesMergeDatasetSoapOut"
/>
</wsdl:operation>
<wsdl:operation name="AppealNoticeMakeLabels">
  <wsdl:input message="tns:AppealNoticeMakeLabelsSoapIn" />
  <wsdl:output message="tns:AppealNoticeMakeLabelsSoapOut" />
</wsdl:operation>
<wsdl:operation name="CourtTypeGetByRank">
  <wsdl:input message="tns:CourtTypeGetByRankSoapIn" />
  <wsdl:output message="tns:CourtTypeGetByRankSoapOut" />
</wsdl:operation>
<wsdl:operation name="DecisionTypeCodeExists">
  <wsdl:input message="tns:DecisionTypeCodeExistsSoapIn" />
  <wsdl:output message="tns:DecisionTypeCodeExistsSoapOut" />
</wsdl:operation>
<wsdl:operation name="DecisionCategoryCodeExists">
  <wsdl:input message="tns:DecisionCategoryCodeExistsSoapIn" />
  <wsdl:output message="tns:DecisionCategoryCodeExistsSoapOut" />
</wsdl:operation>
<wsdl:operation name="UserGetListByRole">
  <wsdl:input message="tns:UserGetListByRoleSoapIn" />
  <wsdl:output message="tns:UserGetListByRoleSoapOut" />
</wsdl:operation>
<wsdl:operation name="DoesUserHaveRoleAndManager">
  <wsdl:input message="tns:DoesUserHaveRoleAndManagerSoapIn" />
  <wsdl:output message="tns:DoesUserHaveRoleAndManagerSoapOut" />
</wsdl:operation>
<wsdl:operation name="DoesUserHaveRoleAttributeValue">
  <wsdl:input message="tns:DoesUserHaveRoleAttributeValueSoapIn" />
  <wsdl:output message="tns:DoesUserHaveRoleAttributeValueSoapOut" />
</wsdl:operation>
<wsdl:operation name="UserRoleGetListByUser">
  <wsdl:input message="tns:UserRoleGetListByUserSoapIn" />
  <wsdl:output message="tns:UserRoleGetListByUserSoapOut" />
</wsdl:operation>
<wsdl:operation name="IsUserInRole">
  <wsdl:input message="tns:IsUserInRoleSoapIn" />
  <wsdl:output message="tns:IsUserInRoleSoapOut" />
</wsdl:operation>
<wsdl:operation name="UserGetByUserName">
  <wsdl:input message="tns:UserGetByUserNameSoapIn" />
  <wsdl:output message="tns:UserGetByUserNameSoapOut" />
```

```
</wsdl:operation>
<wsdl:operation name="PendingRollChangeGetForAppealableEvent">
  <wsdl:input message="tns:PendingRollChangeGetForAppealableEventSoapIn" />
  <wsdl:output
message="tns:PendingRollChangeGetForAppealableEventSoapOut" />
</wsdl:operation>
<wsdl:operation name="OrderLineGetList">
  <wsdl:input message="tns:OrderLineGetListSoapIn" />
  <wsdl:output message="tns:OrderLineGetListSoapOut" />
</wsdl:operation>
<wsdl:operation name="OrderGetForAppeal">
  <wsdl:input message="tns:OrderGetForAppealSoapIn" />
  <wsdl:output message="tns:OrderGetForAppealSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingAppealChangeSequence">
  <wsdl:input message="tns:HearingAppealChangeSequenceSoapIn" />
  <wsdl:output message="tns:HearingAppealChangeSequenceSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingAppealGetList">
  <wsdl:input message="tns:HearingAppealGetListSoapIn" />
  <wsdl:output message="tns:HearingAppealGetListSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingAppealGetForAppeal">
  <wsdl:input message="tns:HearingAppealGetForAppealSoapIn" />
  <wsdl:output message="tns:HearingAppealGetForAppealSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingOfficialGetList">
  <wsdl:input message="tns:HearingOfficialGetListSoapIn" />
  <wsdl:output message="tns:HearingOfficialGetListSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingSessionGetList">
  <wsdl:input message="tns:HearingSessionGetListSoapIn" />
  <wsdl:output message="tns:HearingSessionGetListSoapOut" />
</wsdl:operation>
<wsdl:operation name="ExhibitGetList">
  <wsdl:input message="tns:ExhibitGetListSoapIn" />
  <wsdl:output message="tns:ExhibitGetListSoapOut" />
</wsdl:operation>
<wsdl:operation name="ExhibitCreateDefault">
  <wsdl:input message="tns:ExhibitCreateDefaultSoapIn" />
  <wsdl:output message="tns:ExhibitCreateDefaultSoapOut" />
</wsdl:operation>
<wsdl:operation name="CommentTypeGetList">
  <wsdl:input message="tns:CommentTypeGetListSoapIn" />
  <wsdl:output message="tns:CommentTypeGetListSoapOut" />
</wsdl:operation>
```

```
<wsdl:operation name="CommentGetList">
  <wsdl:input message="tns:CommentGetListSoapIn" />
  <wsdl:output message="tns:CommentGetListSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppellantGetList">
  <wsdl:input message="tns:AppellantGetListSoapIn" />
  <wsdl:output message="tns:AppellantGetListSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppellantChangeSequence">
  <wsdl:input message="tns:AppellantChangeSequenceSoapIn" />
  <wsdl:output message="tns:AppellantChangeSequenceSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealableEventHasTaxImpact">
  <wsdl:input message="tns:AppealableEventHasTaxImpactSoapIn" />
  <wsdl:output message="tns:AppealableEventHasTaxImpactSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealableEventListOfAll">
  <wsdl:input message="tns:AppealableEventListOfAllSoapIn" />
  <wsdl:output message="tns:AppealableEventListOfAllSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealableEventMissingCamaInfo">
  <wsdl:input message="tns:AppealableEventMissingCamaInfoSoapIn" />
  <wsdl:output message="tns:AppealableEventMissingCamaInfoSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealableLineSetProjectedLoss">
  <wsdl:input message="tns:AppealableLineSetProjectedLossSoapIn" />
  <wsdl:output message="tns:AppealableLineSetProjectedLossSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealableLineGetList">
  <wsdl:input message="tns:AppealableLineGetListSoapIn" />
  <wsdl:output message="tns:AppealableLineGetListSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealableEventCreateNextCourt">
  <wsdl:input message="tns:AppealableEventCreateNextCourtSoapIn" />
  <wsdl:output message="tns:AppealableEventCreateNextCourtSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealableEventCreateForImport">
  <wsdl:input message="tns:AppealableEventCreateForImportSoapIn" />
  <wsdl:output message="tns:AppealableEventCreateForImportSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealableEventCreateForScan">
  <wsdl:input message="tns:AppealableEventCreateForScanSoapIn" />
  <wsdl:output message="tns:AppealableEventCreateForScanSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealableEventCreate">
  <wsdl:input message="tns:AppealableEventCreateSoapIn" />
```



```
<wsdl:output message="tns:AppealableEventCreateSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealConfirmGroupGetList">
  <wsdl:input message="tns:AppealConfirmGroupGetListSoapIn" />
  <wsdl:output message="tns:AppealConfirmGroupGetListSoapOut" />
</wsdl:operation>
<wsdl:operation name="ConfirmGroupCreate">
  <wsdl:input message="tns:ConfirmGroupCreateSoapIn" />
  <wsdl:output message="tns:ConfirmGroupCreateSoapOut" />
</wsdl:operation>
<wsdl:operation name="ProcessCamaUpdates">
  <wsdl:input message="tns:ProcessCamaUpdatesSoapIn" />
  <wsdl:output message="tns:ProcessCamaUpdatesSoapOut" />
</wsdl:operation>
<wsdl:operation name="ProcessCompletedAppeals">
  <wsdl:input message="tns:ProcessCompletedAppealsSoapIn" />
  <wsdl:output message="tns:ProcessCompletedAppealsSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealSetFileNumber">
  <wsdl:input message="tns:AppealSetFileNumberSoapIn" />
  <wsdl:output message="tns:AppealSetFileNumberSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealGetList">
  <wsdl:input message="tns:AppealGetListSoapIn" />
  <wsdl:output message="tns:AppealGetListSoapOut" />
</wsdl:operation>
<wsdl:operation name="ProjectedLossDefaultGetReport">
  <wsdl:input message="tns:ProjectedLossDefaultGetReportSoapIn" />
  <wsdl:output message="tns:ProjectedLossDefaultGetReportSoapOut" />
</wsdl:operation>
<wsdl:operation name="GetAppealEntryCounts">
  <wsdl:input message="tns:GetAppealEntryCountsSoapIn" />
  <wsdl:output message="tns:GetAppealEntryCountsSoapOut" />
</wsdl:operation>
<wsdl:operation name="GetSpecialInstructionsReportData">
  <wsdl:input message="tns:GetSpecialInstructionsReportDataSoapIn" />
  <wsdl:output message="tns:GetSpecialInstructionsReportDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="GetAppealCountSummaryReportData">
  <wsdl:input message="tns:GetAppealCountSummaryReportDataSoapIn" />
  <wsdl:output message="tns:GetAppealCountSummaryReportDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="GetAppealYearSummaryReportData">
  <wsdl:input message="tns:GetAppealYearSummaryReportDataSoapIn" />
  <wsdl:output message="tns:GetAppealYearSummaryReportDataSoapOut" />
</wsdl:operation>
```

```
<wsdl:operation name="UserFileReportGetData">
  <wsdl:input message="tns:UserFileReportGetDataSoapIn" />
  <wsdl:output message="tns:UserFileReportGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="VarianceReportGetData">
  <wsdl:input message="tns:VarianceReportGetDataSoapIn" />
  <wsdl:output message="tns:VarianceReportGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="StaffHearingScheduleGetData">
  <wsdl:input message="tns:StaffHearingScheduleGetDataSoapIn" />
  <wsdl:output message="tns:StaffHearingScheduleGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingDispoVarianceReportGetData">
  <wsdl:input message="tns:HearingDispoVarianceReportGetDataSoapIn" />
  <wsdl:output message="tns:HearingDispoVarianceReportGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="ExportAppealsDataDlgGetData">
  <wsdl:input message="tns:ExportAppealsDataDlgGetDataSoapIn" />
  <wsdl:output message="tns:ExportAppealsDataDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingScheduleGetData">
  <wsdl:input message="tns:HearingScheduleGetDataSoapIn" />
  <wsdl:output message="tns:HearingScheduleGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="OutstandingAppealsDlgDataGet">
  <wsdl:input message="tns:OutstandingAppealsDlgDataGetSoapIn" />
  <wsdl:output message="tns:OutstandingAppealsDlgDataGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="TaxImpactDlgDataGet">
  <wsdl:input message="tns:TaxImpactDlgDataGetSoapIn" />
  <wsdl:output message="tns:TaxImpactDlgDataGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="WinLossRatiosReportGetData">
  <wsdl:input message="tns:WinLossRatiosReportGetDataSoapIn" />
  <wsdl:output message="tns:WinLossRatiosReportGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="ExportRawTaxImpactDataDlgGetData">
  <wsdl:input message="tns:ExportRawTaxImpactDataDlgGetDataSoapIn" />
  <wsdl:output message="tns:ExportRawTaxImpactDataDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="SessionCountsReportGetData">
  <wsdl:input message="tns:SessionCountsReportGetDataSoapIn" />
  <wsdl:output message="tns:SessionCountsReportGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="ExceptionReportGetData">
  <wsdl:input message="tns:ExceptionReportGetDataSoapIn" />
```

```
<wsdl:output message="tns:ExceptionReportGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="MasterScheduleGetData">
  <wsdl:input message="tns:MasterScheduleGetDataSoapIn" />
  <wsdl:output message="tns:MasterScheduleGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingGetMailingLabels">
  <wsdl:input message="tns:HearingGetMailingLabelsSoapIn" />
  <wsdl:output message="tns:HearingGetMailingLabelsSoapOut" />
</wsdl:operation>
<wsdl:operation name="PendingRollChangeKeyingReportGetData">
  <wsdl:input message="tns:PendingRollChangeKeyingReportGetDataSoapIn" />
  <wsdl:output message="tns:PendingRollChangeKeyingReportGetDataSoapOut"
/>
</wsdl:operation>
<wsdl:operation name="TaxImpactRawDataGet">
  <wsdl:input message="tns:TaxImpactRawDataGetSoapIn" />
  <wsdl:output message="tns:TaxImpactRawDataGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="OrdersCoverSheetReportGetData">
  <wsdl:input message="tns:OrdersCoverSheetReportGetDataSoapIn" />
  <wsdl:output message="tns:OrdersCoverSheetReportGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingAgendaReportGetData">
  <wsdl:input message="tns:HearingAgendaReportGetDataSoapIn" />
  <wsdl:output message="tns:HearingAgendaReportGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealsNotCompletedFormGetData">
  <wsdl:input message="tns:AppealsNotCompletedFormGetDataSoapIn" />
  <wsdl:output message="tns:AppealsNotCompletedFormGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="MaintainProjectedLossDefaultsDlgGetData">
  <wsdl:input message="tns:MaintainProjectedLossDefaultsDlgGetDataSoapIn" />
  <wsdl:output message="tns:MaintainProjectedLossDefaultsDlgGetDataSoapOut"
/>
</wsdl:operation>
<wsdl:operation name="HearingScheduleReportFormGetData">
  <wsdl:input message="tns:HearingScheduleReportFormGetDataSoapIn" />
  <wsdl:output message="tns:HearingScheduleReportFormGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="UserFileReportDlgGetData">
  <wsdl:input message="tns:UserFileReportDlgGetDataSoapIn" />
  <wsdl:output message="tns:UserFileReportDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="StaffHearingScheduleDlgGetData">
  <wsdl:input message="tns:StaffHearingScheduleDlgGetDataSoapIn" />
```

```
<wsdl:output message="tns:StaffHearingScheduleDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingDispoVarianceReportFormGetData">
  <wsdl:input message="tns:HearingDispoVarianceReportFormGetDataSoapIn" />
  <wsdl:output message="tns:HearingDispoVarianceReportFormGetDataSoapOut" />
/>
</wsdl:operation>
<wsdl:operation name="SelectHigherCourtDlgGetData">
  <wsdl:input message="tns:SelectHigherCourtDlgGetDataSoapIn" />
  <wsdl:output message="tns:SelectHigherCourtDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="MaintainManualGacAssignmentDlgGetData">
  <wsdl:input message="tns:MaintainManualGacAssignmentDlgGetDataSoapIn" />
/>
  <wsdl:output
message="tns:MaintainManualGacAssignmentDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="EditTaxImpactParametersDlgGetData">
  <wsdl:input message="tns:EditTaxImpactParametersDlgGetDataSoapIn" />
  <wsdl:output message="tns:EditTaxImpactParametersDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="SecretaryHearingListFormGetData">
  <wsdl:input message="tns:SecretaryHearingListFormGetDataSoapIn" />
  <wsdl:output message="tns:SecretaryHearingListFormGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="AssessorHearingListFormGetData">
  <wsdl:input message="tns:AssessorHearingListFormGetDataSoapIn" />
  <wsdl:output message="tns:AssessorHearingListFormGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="MarkRollsUpdatedDlgGetData">
  <wsdl:input message="tns:MarkRollsUpdatedDlgGetDataSoapIn" />
  <wsdl:output message="tns:MarkRollsUpdatedDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="SelectCourtOfficialDlgGetData">
  <wsdl:input message="tns:SelectCourtOfficialDlgGetDataSoapIn" />
  <wsdl:output message="tns:SelectCourtOfficialDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="SelectUserDlgGetData">
  <wsdl:input message="tns:SelectUserDlgGetDataSoapIn" />
  <wsdl:output message="tns:SelectUserDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppellantDetailsFormGetData">
  <wsdl:input message="tns:AppellantDetailsFormGetDataSoapIn" />
  <wsdl:output message="tns:AppellantDetailsFormGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="TaskListFormGetData">
```

```
<wsdl:input message="tns:TaskListFormGetDataSoapIn" />
<wsdl:output message="tns:TaskListFormGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="EditPendingRollChangeLineDlgGetData">
  <wsdl:input message="tns:EditPendingRollChangeLineDlgGetDataSoapIn" />
  <wsdl:output message="tns:EditPendingRollChangeLineDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="EditOrderLineDlgGetData">
  <wsdl:input message="tns:EditOrderLineDlgGetDataSoapIn" />
  <wsdl:output message="tns:EditOrderLineDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="EditRollChangesDlgGetData">
  <wsdl:input message="tns:EditRollChangesDlgGetDataSoapIn" />
  <wsdl:output message="tns:EditRollChangesDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="AssignAssessorsToAppealsGetData">
  <wsdl:input message="tns:AssignAssessorsToAppealsGetDataSoapIn" />
  <wsdl:output message="tns:AssignAssessorsToAppealsGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="AssignAssessorToAppealGetData">
  <wsdl:input message="tns:AssignAssessorToAppealGetDataSoapIn" />
  <wsdl:output message="tns:AssignAssessorToAppealGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="OrderPrintDlgGetData">
  <wsdl:input message="tns:OrderPrintDlgGetDataSoapIn" />
  <wsdl:output message="tns:OrderPrintDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="EditOrderDlgGetData">
  <wsdl:input message="tns:EditOrderDlgGetDataSoapIn" />
  <wsdl:output message="tns:EditOrderDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingPrintDlgGetData">
  <wsdl:input message="tns:HearingPrintDlgGetDataSoapIn" />
  <wsdl:output message="tns:HearingPrintDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="DisplayCommentsDlgGetData">
  <wsdl:input message="tns:DisplayCommentsDlgGetDataSoapIn" />
  <wsdl:output message="tns:DisplayCommentsDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingDetailsFormGetData">
  <wsdl:input message="tns:HearingDetailsFormGetDataSoapIn" />
  <wsdl:output message="tns:HearingDetailsFormGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="EditDocketFilterDlgGetData">
  <wsdl:input message="tns:EditDocketFilterDlgGetDataSoapIn" />
  <wsdl:output message="tns:EditDocketFilterDlgGetDataSoapOut" />
</wsdl:operation>
```

```
</wsdl:operation>
<wsdl:operation name="DocketAppealsFormGetData">
  <wsdl:input message="tns:DocketAppealsFormGetDataSoapIn" />
  <wsdl:output message="tns:DocketAppealsFormGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="SelectHearingDlgSearch">
  <wsdl:input message="tns:SelectHearingDlgSearchSoapIn" />
  <wsdl:output message="tns:SelectHearingDlgSearchSoapOut" />
</wsdl:operation>
<wsdl:operation name="EditHearingDlgGetData">
  <wsdl:input message="tns:EditHearingDlgGetDataSoapIn" />
  <wsdl:output message="tns:EditHearingDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="EditMantaCustomerMailingAddressDlgGetData">
  <wsdl:input
message="tns:EditMantaCustomerMailingAddressDlgGetDataSoapIn" />
  <wsdl:output
message="tns:EditMantaCustomerMailingAddressDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="EditAppellantDlgGetData">
  <wsdl:input message="tns:EditAppellantDlgGetDataSoapIn" />
  <wsdl:output message="tns:EditAppellantDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="SelectCustomerMailingAddressDlgSearch">
  <wsdl:input message="tns:SelectCustomerMailingAddressDlgSearchSoapIn" />
  <wsdl:output message="tns:SelectCustomerMailingAddressDlgSearchSoapOut"
/>
</wsdl:operation>
<wsdl:operation name="SelectCustomerDlgSearch">
  <wsdl:input message="tns:SelectCustomerDlgSearchSoapIn" />
  <wsdl:output message="tns:SelectCustomerDlgSearchSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealDetailsGetData">
  <wsdl:input message="tns:AppealDetailsGetDataSoapIn" />
  <wsdl:output message="tns:AppealDetailsGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="UsersForManagerGetData">
  <wsdl:input message="tns:UsersForManagerGetDataSoapIn" />
  <wsdl:output message="tns:UsersForManagerGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="SelectAppealDlgSearch">
  <wsdl:input message="tns:SelectAppealDlgSearchSoapIn" />
  <wsdl:output message="tns:SelectAppealDlgSearchSoapOut" />
</wsdl:operation>
<wsdl:operation name="ScanAppealableEventGetData">
  <wsdl:input message="tns:ScanAppealableEventGetDataSoapIn" />
```

```
<wsdl:output message="tns:ScanAppealableEventDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="MaintainExhibitTypesGetData">
  <wsdl:input message="tns:MaintainExhibitTypesGetDataSoapIn" />
  <wsdl:output message="tns:MaintainExhibitTypesGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="SelectAppealableEventData">
  <wsdl:input message="tns:SelectAppealableEventDataSoapIn" />
  <wsdl:output message="tns:SelectAppealableEventDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="MaintainDecisionTypesGetData">
  <wsdl:input message="tns:MaintainDecisionTypesGetDataSoapIn" />
  <wsdl:output message="tns:MaintainDecisionTypesGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="MaintainFieldOpsClerksGetData">
  <wsdl:input message="tns:MaintainFieldOpsClerksGetDataSoapIn" />
  <wsdl:output message="tns:MaintainFieldOpsClerksGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="MaintainAssessorsGetData">
  <wsdl:input message="tns:MaintainAssessorsGetDataSoapIn" />
  <wsdl:output message="tns:MaintainAssessorsGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="EditGacUserDlgGetData">
  <wsdl:input message="tns:EditGacUserDlgGetDataSoapIn" />
  <wsdl:output message="tns:EditGacUserDlgGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="MaintainGacUsersGetData">
  <wsdl:input message="tns:MaintainGacUsersGetDataSoapIn" />
  <wsdl:output message="tns:MaintainGacUsersGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="MaintainRoleUsersGetData">
  <wsdl:input message="tns:MaintainRoleUsersGetDataSoapIn" />
  <wsdl:output message="tns:MaintainRoleUsersGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="MaintainCourtOfficialsGetData">
  <wsdl:input message="tns:MaintainCourtOfficialsGetDataSoapIn" />
  <wsdl:output message="tns:MaintainCourtOfficialsGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="MaintainHearingSessionTypesGetData">
  <wsdl:input message="tns:MaintainHearingSessionTypesGetDataSoapIn" />
  <wsdl:output message="tns:MaintainHearingSessionTypesGetDataSoapOut" />
</wsdl:operation>
<wsdl:operation name="MaintainHearingLocationsGetData">
  <wsdl:input message="tns:MaintainHearingLocationsGetDataSoapIn" />
  <wsdl:output message="tns:MaintainHearingLocationsGetDataSoapOut" />
</wsdl:operation>
```

```
<wsdl:operation name="UserRoleAttributeGet">
  <wsdl:input message="tns:UserRoleAttributeGetSoapIn" />
  <wsdl:output message="tns:UserRoleAttributeGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="UserRoleGet">
  <wsdl:input message="tns:UserRoleGetSoapIn" />
  <wsdl:output message="tns:UserRoleGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="UserGet">
  <wsdl:input message="tns:UserGetSoapIn" />
  <wsdl:output message="tns:UserGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="RoleAttributeTypeGet">
  <wsdl:input message="tns:RoleAttributeTypeGetSoapIn" />
  <wsdl:output message="tns:RoleAttributeTypeGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="RoleGet">
  <wsdl:input message="tns:RoleGetSoapIn" />
  <wsdl:output message="tns:RoleGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="ProjectedLossDefaultGet">
  <wsdl:input message="tns:ProjectedLossDefaultGetSoapIn" />
  <wsdl:output message="tns:ProjectedLossDefaultGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="PendingRollChangeLineGet">
  <wsdl:input message="tns:PendingRollChangeLineGetSoapIn" />
  <wsdl:output message="tns:PendingRollChangeLineGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="PendingRollChangeGet">
  <wsdl:input message="tns:PendingRollChangeGetSoapIn" />
  <wsdl:output message="tns:PendingRollChangeGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="OrderLineGet">
  <wsdl:input message="tns:OrderLineGetSoapIn" />
  <wsdl:output message="tns:OrderLineGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="OrderGet">
  <wsdl:input message="tns:OrderGetSoapIn" />
  <wsdl:output message="tns:OrderGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="NoticeTypeGet">
  <wsdl:input message="tns:NoticeTypeGetSoapIn" />
  <wsdl:output message="tns:NoticeTypeGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="ManualGacAssignmentGet">
  <wsdl:input message="tns:ManualGacAssignmentGetSoapIn" />
```



```
<wsdl:output message="tns:ManualGacAssignmentGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingStatusGet">
  <wsdl:input message="tns:HearingStatusGetSoapIn" />
  <wsdl:output message="tns:HearingStatusGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingSessionTypeGet">
  <wsdl:input message="tns:HearingSessionTypeGetSoapIn" />
  <wsdl:output message="tns:HearingSessionTypeGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingSessionGet">
  <wsdl:input message="tns:HearingSessionGetSoapIn" />
  <wsdl:output message="tns:HearingSessionGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingOfficialGet">
  <wsdl:input message="tns:HearingOfficialGetSoapIn" />
  <wsdl:output message="tns:HearingOfficialGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingLocationGet">
  <wsdl:input message="tns:HearingLocationGetSoapIn" />
  <wsdl:output message="tns:HearingLocationGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingAppealGet">
  <wsdl:input message="tns:HearingAppealGetSoapIn" />
  <wsdl:output message="tns:HearingAppealGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="HearingGet">
  <wsdl:input message="tns:HearingGetSoapIn" />
  <wsdl:output message="tns:HearingGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="ExhibitTypeGet">
  <wsdl:input message="tns:ExhibitTypeGetSoapIn" />
  <wsdl:output message="tns:ExhibitTypeGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="ExhibitGet">
  <wsdl:input message="tns:ExhibitGetSoapIn" />
  <wsdl:output message="tns:ExhibitGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="DecisionTypeGet">
  <wsdl:input message="tns:DecisionTypeGetSoapIn" />
  <wsdl:output message="tns:DecisionTypeGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="DecisionCategoryGet">
  <wsdl:input message="tns:DecisionCategoryGetSoapIn" />
  <wsdl:output message="tns:DecisionCategoryGetSoapOut" />
</wsdl:operation>
```

```
<wsdl:operation name="CreatedCustomerGet">
  <wsdl:input message="tns:CreatedCustomerGetSoapIn" />
  <wsdl:output message="tns:CreatedCustomerGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="CreatedCmaGet">
  <wsdl:input message="tns:CreatedCmaGetSoapIn" />
  <wsdl:output message="tns:CreatedCmaGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="CourtTypeGet">
  <wsdl:input message="tns:CourtTypeGetSoapIn" />
  <wsdl:output message="tns:CourtTypeGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="CourtOfficialGet">
  <wsdl:input message="tns:CourtOfficialGetSoapIn" />
  <wsdl:output message="tns:CourtOfficialGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="ConfirmGroupGet">
  <wsdl:input message="tns:ConfirmGroupGetSoapIn" />
  <wsdl:output message="tns:ConfirmGroupGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="CommentTypeGet">
  <wsdl:input message="tns:CommentTypeGetSoapIn" />
  <wsdl:output message="tns:CommentTypeGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="CommentGet">
  <wsdl:input message="tns:CommentGetSoapIn" />
  <wsdl:output message="tns:CommentGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="CamaUpdateQueueGet">
  <wsdl:input message="tns:CamaUpdateQueueGetSoapIn" />
  <wsdl:output message="tns:CamaUpdateQueueGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppellantTypeGet">
  <wsdl:input message="tns:AppellantTypeGetSoapIn" />
  <wsdl:output message="tns:AppellantTypeGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppellantGet">
  <wsdl:input message="tns:AppellantGetSoapIn" />
  <wsdl:output message="tns:AppellantGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealStatusGet">
  <wsdl:input message="tns:AppealStatusGetSoapIn" />
  <wsdl:output message="tns:AppealStatusGetSoapOut" />
</wsdl:operation>
<wsdl:operation name="AppealNoticeGet">
  <wsdl:input message="tns:AppealNoticeGetSoapIn" />
```

```

    <wsdl:output message="tns:AppealNoticeGetSoapOut" />
  </wsdl:operation>
  <wsdl:operation name="AppealConfirmGroupGet">
    <wsdl:input message="tns:AppealConfirmGroupGetSoapIn" />
    <wsdl:output message="tns:AppealConfirmGroupGetSoapOut" />
  </wsdl:operation>
  <wsdl:operation name="AppealAddIRiskGet">
    <wsdl:input message="tns:AppealAddIRiskGetSoapIn" />
    <wsdl:output message="tns:AppealAddIRiskGetSoapOut" />
  </wsdl:operation>
  <wsdl:operation name="AppealableTransGet">
    <wsdl:input message="tns:AppealableTransGetSoapIn" />
    <wsdl:output message="tns:AppealableTransGetSoapOut" />
  </wsdl:operation>
  <wsdl:operation name="AppealableLineGet">
    <wsdl:input message="tns:AppealableLineGetSoapIn" />
    <wsdl:output message="tns:AppealableLineGetSoapOut" />
  </wsdl:operation>
  <wsdl:operation name="AppealableEventGet">
    <wsdl:input message="tns:AppealableEventGetSoapIn" />
    <wsdl:output message="tns:AppealableEventGetSoapOut" />
  </wsdl:operation>
  <wsdl:operation name="AppealGet">
    <wsdl:input message="tns:AppealGetSoapIn" />
    <wsdl:output message="tns:AppealGetSoapOut" />
  </wsdl:operation>
</wsdl:portType>
<wsdl:binding name="ServiceSoap" type="tns:ServiceSoap">
  <soap:binding transport="http://schemas.xmlsoap.org/soap/http" style="document"
/>
  <wsdl:operation name="CamaUpdateQueueGetAppealStatus">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/CamaUpdateQueue
GetAppealStatus" style="document" />
    <wsdl:input>
      <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
      <soap:body use="literal" />
    </wsdl:output>
  </wsdl:operation>
  <wsdl:operation name="CamaUpdateQueueGetAppealList">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/CamaUpdateQueue
GetAppealList" style="document" />
    <wsdl:input>

```

```

    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="CamaClearAppealed">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/CamaClearAppealed" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="CamaSetAppealed">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/CamaSetAppealed" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetAreaCoordinatorUserId">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/GetAreaCoordinatorUserId" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetCamaInfoForAppealableEvent">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/GetCamaInfoForAppealableEvent" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>

```

```
<wsdl:output>
  <soap:body use="literal" />
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetCamaParcelInfoLookupParams">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/GetCamaParcelInfo
LookupParams" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetHighestValueRollNumber">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/GetHighestValueRo
llNumber" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="FormatMailingAddressLabel">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/FormatMailingAddr
essLabel" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MantaGetLiabilityStatusList">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/MantaGetLiabilityS
tatusList" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
```

```
</wsdl:output>
</wsdl:operation>
<wsdl:operation name="CustomerGetListOfOwners">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/CustomerGetListOf
Owners" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MantaCustomerMailingAddressGet">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/MantaCustomerMai
lingAddressGet" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MantaCustomerGet">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/MantaCustomerGet
" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MantaPropertyGet">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/MantaPropertyGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
```

```
<wsdl:operation name="MantaGetFormattedPropertyAddress">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/MantaGetFormatted
PropertyAddress" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MantaAppealableEventSearch">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/MantaAppealableEv
entSearch" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MantaPropertySearchByRoll">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/MantaPropertySearc
hByRoll" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MantaPropertySearchByAddress">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/MantaPropertySearc
hByAddress" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="CamaDatabaseAlive">
```

```

    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/CamaDatabaseAlive
" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MantaDatabaseAlive">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/MantaDatabaseAliv
e" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GenerateProjectedLossDefaults">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/GenerateProjectedL
ossDefaults" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealNoticeGetListForObject">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppealNoticeGetLi
stForObject" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="NoticeListGetOrdersMergeDataset">

```



```
<soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/NoticeListGetOrder
sMergeDataset" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="NoticeListGetHearingNoticesMergeDataset">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/NoticeListGetHeari
ngNoticesMergeDataset" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealNoticeMakeLabels">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/AppealNoticeMake
Labels" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="CourtTypeGetByRank">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/CourtTypeGetByRa
nk" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="DecisionTypeCodeExists">
```

```

    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/DecisionTypeCode
Exists" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="DecisionCategoryCodeExists">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/DecisionCategoryC
odeExists" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UserGetListByRole">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/UserGetListByRole
" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="DoesUserHaveRoleAndManager">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/DoesUserHaveRole
AndManager" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="DoesUserHaveRoleAttributeValue">

```

```

    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/DoesUserHaveRole
AttributeValue" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UserRoleGetListByUser">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/UserRoleGetListBy
User" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="IsUserInRole">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/IsUserInRole"
style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UserGetByUserName">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/UserGetByUserNa
me" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="PendingRollChangeGetForAppealableEvent">

```

```
<soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/PendingRollChange
GetForAppealableEvent" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="OrderLineGetList">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/OrderLineGetList"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="OrderGetForAppeal">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/OrderGetForAppeal
" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingAppealChangeSequence">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/HearingAppealChan
geSequence" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingAppealGetList">
```

```

    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/HearingAppealGetL
ist" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingAppealGetForAppeal">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/HearingAppealGetF
orAppeal" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingOfficialGetList">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/HearingOfficialGet
List" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingSessionGetList">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/HearingSessionGet
List" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ExhibitGetList">

```

```

    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/ExhibitGetList"
style="document" />
    <wsdl:input>
        <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ExhibitCreateDefault">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/ExhibitCreateDefau
lt" style="document" />
    <wsdl:input>
        <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="CommentTypeGetList">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/CommentTypeGetL
ist" style="document" />
    <wsdl:input>
        <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="CommentGetList">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/CommentGetList"
style="document" />
    <wsdl:input>
        <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppellantGetList">

```

```

    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppellantGetList"
style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppellantChangeSequence">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppellantChangeSe
quence" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealableEventHasTaxImpact">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppealableEventHa
sTaxImpact" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealableEventListOfAll">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppealableEventLis
tOfAll" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealableEventMissingCamaInfo">

```

```

    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppealableEventMissingCamaInfo" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealableLineSetProjectedLoss">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppealableLineSetProjectedLoss" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealableLineGetList">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppealableLineGetList" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealableEventCreateNextCourt">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppealableEventCreateNextCourt" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealableEventCreateForImport">

```



```

    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppealableEventCr
eateForImport" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealableEventCreateForScan">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppealableEventCr
eateForScan" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealableEventCreate">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppealableEventCr
eate" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealConfirmGroupGetList">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppealConfirmGro
upGetList" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ConfirmGroupCreate">

```

```
<soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/ConfirmGroupCreat
e" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ProcessCamaUpdates">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/ProcessCamaUpdat
es" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ProcessCompletedAppeals">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/ProcessCompletedA
ppeals" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealSetFileNumber">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/AppealSetFileNumb
er" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealGetList">
```

```

    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/AppealGetList"
style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ProjectedLossDefaultGetReport">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/ProjectedLossDefau
ltGetReport" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetAppealEntryCounts">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/GetAppealEntryCou
nts" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetSpecialInstructionsReportData">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/GetSpecialInstruatio
nsReportData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetAppealCountSummaryReportData">

```

```
<soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/GetAppealCountSummaryReportData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GetAppealYearSummaryReportData">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/GetAppealYearSummaryReportData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UserFileReportGetData">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/UserFileReportGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="VarianceReportGetData">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/VarianceReportGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="StaffHearingScheduleGetData">
```

```

    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/StaffHearingScheduleGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingDispoVarianceReportGetData">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/HearingDispoVarianceReportGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ExportAppealsDataDlgGetData">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/ExportAppealsDataDlgGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingScheduleGetData">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/HearingScheduleGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="OutstandingAppealsDlgDataGet">

```

```

    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/OutstandingAppeals
DlgDataGet" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="TaxImpactDlgDataGet">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/TaxImpactDlgData
Get" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="WinLossRatiosReportGetData">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/WinLossRatiosRep
ortGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ExportRawTaxImpactDataDlgGetData">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/ExportRawTaxImpa
ctDataDlgGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="SessionCountsReportGetData">

```

```
<soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/SessionCountsReportGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ExceptionReportGetData">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/ExceptionReportGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MasterScheduleGetData">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/MasterScheduleGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingGetMailingLabels">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/HearingGetMailingLabels" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="PendingRollChangeKeyingReportGetData">
```

```
<soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/PendingRollChange
KeyingReportGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="TaxImpactRawDataGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/TaxImpactRawData
Get" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="OrdersCoverSheetReportGetData">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/OrdersCoverSheetR
eportGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingAgendaReportGetData">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/HearingAgendaRep
ortGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealsNotCompletedFormGetData">
```



```
<soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppealsNotCompletedFormGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MaintainProjectedLossDefaultsDlgGetData">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/MaintainProjectedLossDefaultsDlgGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingScheduleReportFormGetData">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/HearingScheduleReportFormGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UserFileReportDlgGetData">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/UserFileReportDlgGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="StaffHearingScheduleDlgGetData">
```

```

    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/StaffHearingScheduleDlgGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingDispoVarianceReportFormGetData">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/HearingDispoVarianceReportFormGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="SelectHigherCourtDlgGetData">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/SelectHigherCourtDlgGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MaintainManualGacAssignmentDlgGetData">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/MaintainManualGacAssignmentDlgGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="EditTaxImpactParametersDlgGetData">

```

```

    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/EditTaxImpactPara
metersDlgGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="SecretaryHearingListFormGetData">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/SecretaryHearingLi
stFormGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AssessorHearingListFormGetData">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/AssessorHearingLis
tFormGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MarkRollsUpdatedDlgGetData">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/MarkRollsUpdated
DlgGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="SelectCourtOfficialDlgGetData">

```

```

    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/SelectCourtOfficial
DlgGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="SelectUserDlgGetData">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/SelectUserDlgGetD
ata" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppellantDetailsFormGetData">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/AppellantDetailsFor
mGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="TaskListFormGetData">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/TaskListFormGetD
ata" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="EditPendingRollChangeLineDlgGetData">

```

```

    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/EditPendingRollCh
angeLineDlgGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="EditOrderLineDlgGetData">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/EditOrderLineDlgG
etData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="EditRollChangesDlgGetData">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/EditRollChangesDl
gGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AssignAssessorsToAppealsGetData">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AssignAssessorsTo
AppealsGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AssignAssessorToAppealGetData">

```

```
<soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AssignAssessorToA
ppealGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="OrderPrintDlgGetData">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/OrderPrintDlgGetD
ata" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="EditOrderDlgGetData">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/EditOrderDlgGetDa
ta" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingPrintDlgGetData">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/HearingPrintDlgGet
Data" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="DisplayCommentsDlgGetData">
```

```
<soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/DisplayCommentsD
lgGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingDetailsFormGetData">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/HearingDetailsForm
GetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="EditDocketFilterDlgGetData">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/EditDocketFilterDlg
GetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="DocketAppealsFormGetData">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/DocketAppealsFor
mGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="SelectHearingDlgSearch">
```

```
<soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/SelectHearingDlgSe
arch" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="EditHearingDlgGetData">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/EditHearingDlgGet
Data" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="EditMantaCustomerMailingAddressDlgGetData">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/EditMantaCustomer
MailingAddressDlgGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="EditAppellantDlgGetData">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/EditAppellantDlgG
etData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="SelectCustomerMailingAddressDlgSearch">
```



```
<soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/SelectCustomerMail
ingAddressDlgSearch" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="SelectCustomerDlgSearch">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/SelectCustomerDlg
Search" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealDetailsGetData">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppealDetailsGetD
ata" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UsersForManagerGetData">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/UsersForManagerG
etData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="SelectAppealDlgSearch">
```

```
<soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/SelectAppealDlgSe
arch" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ScanAppealableEventGetData">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/ScanAppealableEve
ntGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MaintainExhibitTypesGetData">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/MaintainExhibitTyp
esGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="SelectAppealableEventGetData">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/SelectAppealableEv
entGetData" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MaintainDecisionTypesGetData">
```

```

    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/MaintainDecisionT
ypesGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MaintainFieldOpsClerksGetData">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/MaintainFieldOpsCl
erksGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MaintainAssessorsGetData">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/MaintainAssessors
GetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="EditGacUserDlgGetData">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/EditGacUserDlgGet
Data" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MaintainGacUsersGetData">

```

```

    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/MaintainGacUsersG
etData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MaintainRoleUsersGetData">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/MaintainRoleUsers
GetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MaintainCourtOfficialsGetData">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/MaintainCourtOffic
ialsGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MaintainHearingSessionTypesGetData">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/MaintainHearingSes
sionTypesGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="MaintainHearingLocationsGetData">

```

```

    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/MaintainHearingLocationsGetData" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UserRoleAttributeGet">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/UserRoleAttributeGet" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UserRoleGet">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/UserRoleGet" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="UserGet">
    <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/UserGet" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="RoleAttributeTypeGet">

```

```

    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/RoleAttributeType
Get" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="RoleGet">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/RoleGet"
style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ProjectedLossDefaultGet">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/ProjectedLossDefau
ltGet" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="PendingRollChangeLineGet">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/PendingRollChange
LineGet" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="PendingRollChangeGet">

```

```
<soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/PendingRollChange
Get" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="OrderLineGet">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/OrderLineGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="OrderGet">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/OrderGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="NoticeTypeGet">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/NoticeTypeGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ManualGacAssignmentGet">
```

```
<soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/ManualGacAssignm
entGet" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingStatusGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/HearingStatusGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingSessionTypeGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/HearingSessionTyp
eGet" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingSessionGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/HearingSessionGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingOfficialGet">
```



```
<soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/HearingOfficialGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingLocationGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/HearingLocationGet"
" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingAppealGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/HearingAppealGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="HearingGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/HearingGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ExhibitTypeGet">
```

```
<soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/ExhibitTypeGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ExhibitGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/ExhibitGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="DecisionTypeGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/DecisionTypeGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="DecisionCategoryGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/DecisionCategoryG
et" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="CreatedCustomerGet">
```

```
<soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/CreatedCustomerGe
t" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="CreatedCmaGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/CreatedCmaGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="CourtTypeGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/CourtTypeGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="CourtOfficialGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/CourtOfficialGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ConfirmGroupGet">
```

```
<soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/ConfirmGroupGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="CommentTypeGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/CommentTypeGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="CommentGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/CommentGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="CamaUpdateQueueGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/CamaUpdateQueue
Get" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppellantTypeGet">
```

```
<soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppellantTypeGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppellantGet">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppellantGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealStatusGet">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppealStatusGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealNoticeGet">
  <soap:operation
soapAction="http://tempuri.org/aacs/ws/DataAccessWebServices/AppealNoticeGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealConfirmGroupGet">
```

```

    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/AppealConfirmGro
upGet" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealAddIRiskGet">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/AppealAddIRiskGet
" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealableTransGet">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/AppealableTransGe
t" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealableLineGet">
    <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/AppealableLineGet
" style="document" />
    <wsdl:input>
    <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
    <soap:body use="literal" />
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealableEventGet">

```

```
<soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/AppealableEventGe
t" style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
<wsdl:operation name="AppealGet">
  <soap:operation
soapAction="http://tempuri.org/aacsws/DataAccessWebServices/AppealGet"
style="document" />
  <wsdl:input>
    <soap:body use="literal" />
  </wsdl:input>
  <wsdl:output>
    <soap:body use="literal" />
  </wsdl:output>
</wsdl:operation>
</wsdl:binding>
<wsdl:service name="Service">
  <documentation xmlns="http://schemas.xmlsoap.org/wsdl/" />
  <wsdl:port name="ServiceSoap" binding="tns:ServiceSoap">
    <soap:address location="http://localhost/aacsws/DataAccess.asmx" />
  </wsdl:port>
</wsdl:service>
</wsdl:definitions>
```