FORM A: BID (See B8)

1.	Contract Title	BRANCH I AQUEDUCT PUMPING STATION	VALVE CHAMBER AT MCPI	HILLIPS STREET
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business ur	der the above name.	
3.	Contact Person	The Bidder hereby authors the Bidder for purposes	norizes the following contact p of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		used in the Contract shall had General Conditions and D3.	ave the meanings
5.	Offer		ers to perform the Work in ac Bid Price, in Canadian funds, s o.	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or off	icials have signed this
		day of	, 20
		Signature of Bidder or Bidder's Authorized Official or Officials	
		(Print here name and official capacity of individual whos	e signature appears above)
		(Print here name and official capacity of individual whos	e signature appears above)

SEAL

(See B:9)

BRANCH I AQUEDUCT VALVE CHAMBER AT MCPHILLIPS STREET PUMPING STATION

	RICES		I	ADDDOV	1	
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	Construction of Yard Piping	33 11 16				
a)	Supply and Installation of AWWA C301 Fittings and					
	Specials					
i)	1220 mm 45 deg B x S Bend		Ea	4		
ii)	1220 mm x 1067 B x S Top Tangent Reducer		Ea	1		
iii)	1220 mm Special Adaptor to RCPP		Ea	1		
iv)	1220 x 1067 mm Top Tangent Reducing Wall Piece,					
	B x F, C/W Thrust Flange, 100 Bottom Tangent					
	Flanged Outlet, and 50 Threaded Outlet (Top)		Ea	1		
v)	1067 mm Wall Piece F x B, C/W Thrust Flange		Ea	1		
vi)	1067 mm Pipe, F x PE, C/W 600 Flanged Outlet					
	(Top) and Class D Blind Flange		Ea	1		
vii)	1067 mm Spool, F x PE		Ea	1		
viii)	1067 x 910 mm Tee, PE x PE x F, C/W 100 Bottom					
	Tangent Flanged Outlet, and 150 Flanged Outlet					
	(Top)		Ea	1		
ix)	910 mm Wall Piece, PE x B, C/W Thrust Flange, 100					
	Bottom Tanget Flanged Outlet, and 50 Threaded		_			
	Outlet (Top)		Ea	1		
x)	910 mm Spool F x PE		Ea	1		
xi)	910 mm 22.5 deg B x S Vertical Bend		Ea	1		
xii)	910 mm 22.5 deg Vertical Bend S x PE c/w 50 mm		_			
	NPT outlet (Top)		Ea	1		
b)	Supply and Installation of AWWA C208 Fittings					
i)			Ea	1		
-,						
c)	Installation of Owner Supplied Equipment	01 11 00	LS	1		
-,		33 11 16				
d)	Main Line Pipe-Supply and Installation of AWWA C301					
	Pipe	33 11 16				
i)	1220 mm					
	(1) In a Trench with Class 4 backfill		Lin.m.	31.8		
	(2) In a Trench with Class 2 Backfill		Lin.m.	29.0		
ii)	1067 mm					
	In a Trench with Class 2 backfill		Lin.m.	2.8		
iii)	910 mm					
	In a Trench with Class 4 backfill		Lin.m.	3.8		
0)	Main Line Dine. Supply and Install AMAMA CORE Steel					
e)	Main Line Pipe -Supply and Install AWWA C200 Steel	22 14 46				
:\	Pipe	33 11 16				
i)	In a Trench with Class 4 backfill, c/w concrete		l in m	10		
	encasement		Lin.m.	10		

(See B:9)

BRANCH I AQUEDUCT VALVE CHAMBER AT MCPHILLIPS STREET PUMPING STATION

UNIT P	RICES					
ITEM				APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
f)	Pressure Test Joints and Disinfection Piping		LS	1		
g) i) ii)	Connect to 1220 mm PCCP 1220 mm RCPP	33 11 16	Ea Ea	1 1		
iii)	910 mm Steel Pipe		Ea	1		
h) i)	Supply and Installation of Internal Compression Seals 1200 mm	33 11 16	Ea	1		
i) i)	Supply and Install 200 mm SDR 35 PVC Sewer by Trenchless Methods	CW 2130	Lin.m.	23		
j) i)	Supply and Install 150 mm Underdrain In common Trench With Feedermain Piping	CW 2130	Lin.m.	45		
k)	Connect 200 mm Drain to Combined Sewer	CW 2130	Ea	1		
l)	Supply and Install 50 mm PE Air Bleed c/w Curb stop, box and 90 deg fitting MPT x MPT	33 11 16	Ea	1		
m)	Supply and Install Small Diameter Chamber Piping	33 11 16	LS	1		
n) i) ii)	100 mm Rigid Box Insulation 1220 mm width 1000 mm width	CW 2110	Lin.m. Lin.m.	11.1 3.7		
2.	Construction of Valve Chamber	01 29 00	LS	1		
3.	Abandonments and Demolition					
a) b) c)	Abandonment of Existing Valve Chamber Demolition of Existing Reservoir Walls and Floor Abandonment of Existing Feedermain with Flowable Fill		Ea Ea	1 1		
d) e)	Abandonment of existing Sewer Connnections Demolition, Removal of Existing Feedermain Pipe and	CW 2130 CW 2130	m3 Ea	56 3		
- /	Fittings	33 11 16	l.m.	18		

(See B:9)

BRANCH I AQUEDUCT VALVE CHAMBER AT MCPHILLIPS STREET PUMPING STATION

UNIT P	RICES					
ITEM				APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
4.	Landscaping					
4.	Lanuscaping					
a)	Site Grading	31 22 13	m2	2200		
		014/0550				
b) i)	Fencing Supply and Install 1.5 m Chain Link Fence	CW 3550	Lin.m.	60		
ii)	Supply and Install 1.5 m Grant Link rence		Ea	1		
iii)	Removal and Replacement of Existing 1.2 m Chain		La	,		
,	Link Fence		L.S.	1		
iv)			Ea	6		
1						
c)	Supply and Placement of Sod using Imported					
	Topsoil	CW 3510	m2	1700		
d)	Supply and Placement of Seed using Imported		_			
	Topsoil	CW3540	m2	500		
-\	Construction of Planting Dada	22.02.40		40		
e)	Construction of Planting Beds	32 93 10	m2	40		
f)	Supply and Placement of Wood Chip Mulch	32 93 10	m2	40		
''	Supply and I lacoment of Wood Only Water	02 00 10	1112	10		
g)	Supply and Placement of Plastic Edging	32 93 10	l.m.	36		
0,						
h)	Supply and Placement of Trees and Plantings	32 93 10				
i)	Morden Little-Leaf Linden		Ea	1		
ii)	Kelsey Flowing Crabapple		Ea	1		
iii)	Japanese Tree Lilac		Ea	1		
iv)	American Highbush Cranberry		Ea	1		
v)	False Spirea		Ea	2		
vi)	Sweetberry Honeysuckle		Ea	10		
vii)	Abbotswood Potentila		Ea	29		
viii)	Green Mound Alpine Currant		Ea	26		
			_	_		
i)	Precast Concrete Curb		Ea	3		
5.	Pavement Construction and Restoration					
a)	Crushed Sub-base Material	CW 3110-R11				
i)	50 mm - Limestone	J	4	400		
,,			tonne	180 150		
ii)	100mm - Limestone		tonne	150		
b)	Supplying and Placing Base Course Material	CW 3110-R11	m3	30		

(See B:9)

BRANCH I AQUEDUCT VALVE CHAMBER AT MCPHILLIPS STREET PUMPING STATION

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
c) i)	Full Slab Replacement (Logan Ave) 200 mm Reinforced Concrete	CW 3230-R6	m2	180		
	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians Construction of 200 mm Concrete Pavement (Reinforced) for Approach	CW 3310-R13	m2	16.0		
e) i) ii)	Construction of Asphaltic Concrete Pavements Overlay Type 1A (Logan Ave. and Approach) Main Line Paving Type 1A (Parking Area)	CW 3410-R8	Tonne Tonne			
f) i)	Miscellaneous Concrete Slab Renewal Sidewalk	CW 3235-R7	m2	75		
g) i) ii)	Restoration/Construction of Concrete Curb Barrier Curb Curb Ramp (10mm ht, Integral)	CW 3240	Lin.m. Lin.m.	30 6.6		
「OTAL	BID PRICE (GST extra) (in figures)					
in word	ds)					

(Seal)

Template Version: C020090615 - Main C

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	IHAI
(hereinafter called the "Principal") and	
called the "Obligee") in the sum of ten per described, for the payment of which sum to	and firmly bound unto THE CITY OF WINNIPEG (hereinafte reent (10%) of the Total Bid Price set out in the Bid hereinafte he Principal and Surety bind themselves, their heirs, executors ntly and severally, firmly by these presents.
WHEREAS the Principal has submitted a B	id to the Obligee for
BID OPPORTUNITY NO. 16-2010 – ADDE	NDUM 2
BRANCH I AQUEDUCT VALVE CHAMBER	R AT MCPHILLIPS STREET PUMPING STATION
as more fully set out in the Bid Opportunity.	
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accepted, o accordance with the terms of the Bid, enters into a Contract with performance security for guaranteeing the faithful performance, but otherwise shall remain in full force and effect.
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the
day of	, 20
SIGNED AND SEALED in the presence of: (Witness as to Principal if no seal)	(Name of Principal) Per: (Seal)
	Per:

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 16-2010 - ADDENDUM 2 BRANCH I AQUEDUCT VALVE CHAMBER AT MCPHILLIPS STREET PUMPING STATION in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Materi 185 Ki	ity of Winnipeg rate Finance Department als Management Division ing Street, Main Floor beg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 16-2010 – ADDENDUM 2
	BRANCH I AQUEDUCT VALVE CHAMBER AT MCPHILLIPS STREET PUMPING STATION
Pursua	ant to the request of and for the account of our customer,
(Name o	of Bidder)
WE H	s of Bidder) EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 3, 2010.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	(Name of bank or financial institution)					
Per:						
	(Authorized Signing Officer)					
Per:						
	(Authorized Signing Officer)					