

Timber Playground Curb (Single Layer with Cap)

Scale: 1:10

L-6

Safety Surface Filter fabric 2 tiers 150 mm x 150 mm PT-Timber. 8 mm chamfer on both top edges. Joints at corners to be half lap. Joints in straight runs lap with min 90 cm overlap. Min length of Timber is 120 cm. Used longest lengths possible. 19mm dia. rebar 50 cm inlength placed in predrilled holes 1200 mm o.c. and at all lap and half lap joints. 32 mm x 150 mm Trex Cap. 8 mm chamfir on both top Top Plan and bottom edges. Bark side to be up. Joints to be lapped with Timber below. Trex Cap to be predrilled and screwed to Base course using screws. Screws shall be Stainless Steel or Ceramic Compacted 20 mm ø-Coated and appoved for use with ACQ treated wood. down Limestone Screws to extend into timber base a minimum of 5 cm and be countersunk into Trex . Two screws are to be Sod to be below top ofplaced at each end and every 60 cm alonge length. timbers as per grading Strait sections of Trex are to be butt jointed. drawing. Sod is to drain away from timbers. Minimum 1/2 of bottom tier of timber to be buried. S° 800 G Section Timber Playground Curb (Double Layer with Cap)

3 5/12/10 Delete pedra, Add Trex

No. Date Issue Notes

Dean Spearman
Landscape Architect

Scale: 1:10

L-6

Drawing No.