FORM A: BID (See B8)

| 1. | Contract Title | 2010 WATERMAIN REI | NEWALS - CONTRACT NO. 6 | |
|----|--------------------------------|--|--|--------------------|
| 2. | Bidder | | | |
| | | Name of Bidder | | |
| | | Street | | |
| | | City | Province | Postal Code |
| | | Facsimile Number | | |
| | (Mailing address if different) | Street or P.O. Box | | |
| | | City | Province | Postal Code |
| | | The Bidder is: | | |
| | (Choose one) | a sole proprietor | | |
| | | a partnership | | |
| | | a corporation | | |
| | | carrying on business un | der the above name. | |
| 3. | Contact Person | The Bidder hereby auth the Bidder for purposes | orizes the following contact p of the Bid. | erson to represent |
| | | Contact Person | Title | |
| | | Telephone Number | Facsimile Number | |
| 4. | Definitions | All capitalized terms useribed to them in the | sed in the Contract shall ha General Conditions. | ave the meanings |
| 5. | Offer | | ers to perform the Work in action of the control of | |

| 6. | Bid Security | In accordance with B11.1, the Bidder encloses bid security in the form of: |
|-----|--------------------------|---|
| | (Choose one) | a bid bond (Form G1: Bid Bond and Agreement to Bond) |
| | | an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) |
| | | a certified cheque or draft |
| | | and agrees that it shall be held by the City in accordance with the Contract. |
| 7. | Execution of Contract | The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4. |
| 8. | Commencement of the Work | The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work. |
| 9. | Contract | The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid. |
| 10. | Addenda | The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: |
| | | No Dated |
| | | |
| | | |
| 11. | Time | This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline. |

| 12. | Signatures | The Bidder or the Bidder's authorized official or officials have signed this |
|-----|------------|---|
| | | , 20 |
| | | Signature of Bidder or Bidder's Authorized Official or Officials |
| | | (Print here name and official capacity of individual whose signature appears above) |
| | | (Print here name and official capacity of individual whose signature appears above) |

2010 WATERMAIN RENEWALS - CONTRACT NO. 6

| UNIT | NIOE3 | | | | | ı |
|------------|---|--------------|---------|-------------------|---------------|--------|
| ITEM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT PRICE | AMOUNT |
| <u>A</u> | Ash Street - 187.5 South of Corydon A | REF. | vdon Av | QUANTITY (enue | FNICE | |
| _ | Asir Street - 107.3 South of Corydon A | venue to coi | yuun A | renue | | |
| | | | | | | |
| A. 1 | Watermain Renewal | CW 2110 | | | | |
| a) | 150mm | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 100.0 | | |
| ii) | trenchless installation, Class B sand bedding, Class 5 backfill | | m | 93.0 | | |
| b) | 250mm | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 3.0 | | |
| A. 2 | Hydrant Assembly | CW 2110 | | | | |
| a) | SD-007 | | each | 2 | | |
| ۵, | 32 00. | | Cacii | 2 | | |
| A. 3 | Watermain Valve | CW 2110 | | | | |
| a) | 150mm | | each | 3 | | |
| A. 4 | Fittings | CW 2110 | | | | |
| a) | Crosses | | | | | |
| i) | 250mm X 250mm X 150mm X 150mm | | each | 1 | | |
| A. 5 a) | Connecting to Existing Watermains and Large Diameter Water Services Inline connection - plug existing | CW 2110 | | | | |
| i) | 150mm | | each | 2 | | |
| ii) | 250mm | | each | 2 | | |
| A. 6 | Connecting Existing Copper Water Services to New Watermains | E9 | | | | |
| a) | 19mm | | each | 24 | | |
| A. 7 | Corporation Stops | CW 2110 | | | | |
| a) | 19mm | | each | 24 | | |
| A. 8 | 10.9 Kilogram Sacrificial Zinc Anodes | CW 2110 | | | | |
| a) | On Water Services | | each | 24 | | |

2010 WATERMAIN RENEWALS - CONTRACT NO. 6

| | RICES | | | | | |
|-------------|---------------------------------------|--------------|-------|--------------|--------------|------------|
| ITEM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT | AMOUNT |
| | BESSI HOW | REF. | 01111 | QUANTITY | PRICE | 7111100111 |
| . | D | | | | | |
| | Partial Slab Patches | E5 | | | | |
| i) | 200mm reinforced concrete | | | | | |
| | pavement for early opening (24 hours) | | m² | 20.0 | | |
| | nodio) | | ''' | 20.0 | | |
| A. 10 | Miscellaneous Concrete Slab Renewal | E6 | | | | |
| a) | Sidewalk (SD-228A) | | m² | 10.0 | | |
| | , | | ''' | 10.0 | | |
| A. 11 | Concrete Curb Renewal | E7 | | | | |
| a) | Barrier curb (SD-204) | | m | 5.0 | | |
| b) | Ramp curb | | m | 5.0 | | |
| | | | | Street - Sub | total Part A | |
| <u>B</u> (| Cordova Street - 225 South of Kingsw | ay to Kingsw | ay | | | |
| | • | | Ī | i i | | I |
| B. 1 | Watermain Renewal | CW 2110 | | | | |
| a) | 150mm | J | | | | |
| i) | trenchless installation, Class B sand | | | | | |
| 1) | bedding, Class 3 backfill | | | 100.0 | | |
| ii) | trenchless installation, Class B sand | | m | 100.0 | | |
| 11) | bedding, Class 5 backfill | | | 07.0 | | |
| | bodding, Glace e backiiii | | m | 87.0 | | |
| B. 2 | Hydrant Assembly | CW 2110 | | | | |
| a) | SD-007 | OW 2110 | | | | |
| α) | 3D 007 | | each | 2 | | |
| В. 3 | Watermain Valve | CW 2110 | | | | |
| a) | 150mm | | each | 2 | | |
| ۵, | | | eacii | 2 | | |
| B. 4 F | Fittings | CW 2110 | | | | |
| a) | Bends (SD-004) | | | | | |
| i) | 150mm - 45° | | each | 2 | | |
| '/ | 100111111 40 | | Gacii | ۷ | | |
| B. 5 | Connecting to Existing Watermains and | CW 2110 | | | | |
| | Large Diameter Water Services | | | | | |
| a) | In-line connection - no plug existing | | | | | |
| i) | 150mm | | each | 2 | | |
| | | | | _ | | |
| B. 6 | Connecting Existing Copper Water | E9 | | | | |
| | Services to New Watermains | | | | | |
| a) | 12mm | | each | 4 | | |
| b) | 19mm | | each | 21 | | |

2010 WATERMAIN RENEWALS - CONTRACT NO. 6

| OINITE | PRICES | SPEC. | Ī | APPROX. | UNIT | |
|----------|---|---------------|-----------|--------------|--------|--------|
| ITEM | DESCRIPTION | REF. | UNIT | QUANTITY | PRICE | AMOUNT |
| | | 1161. | | QUANTITI | 111102 | |
| B. 7 | Water Services | CW 2110 | | | | |
| a) | 19mm | | | | | |
| i) | trenchless installation, Class B sand | | | | | |
| | bedding, Class 3 backfill | | m | 92.0 | | |
| | | | | | | |
| B. 8 | Corporation Stops | CW 2110 | | | | |
| a) | 19mm | | each | 25 | | |
| B. 9 | Curb Stops | CW 2110 | | | | |
| a) | 19mm | 311 2110 | each | 10 | | |
| "" | | | eacii | 10 | | |
| B. 10 | Curb Stop Boxes | CW 2110 | | | | |
| a) | 19mm | | each | 10 | | |
| l | | | | | | |
| B. 11 | 10.9 Kilogram Sacrificial Zinc Anodes | CW 2110 | | | | |
| a) | On Metallic Watermains | | each | 1 | | |
| b) | On Water Services | | each | 29 | | |
| D 40 | Double Clab Databas | | | | | |
| B. 12 | Partial Slab Patches 150mm reinforced concrete | E5 | | | | |
| a) | pavement | | m² | 5.0 | | |
| | | | | | | |
| B. 13 | Miscellaneous Concrete Slab Renewal | E6 | | | | |
| a) | Sidewalk (SD-228A) | | m² | 70.0 | | |
| <u>C</u> | Glastonbury Boulevard - Lancaster Bo | | | Street - Sub | | |
| = | Glasionbury Bodievard - Lancaster Bo | Julevalu (O I | OIKSTOITE | - Doulevalu | | |
| | Watermania Bassa at | 000 0440 | | | | |
| C. 1 | Watermain Renewal | CW 2110 | | | | |
| a) | 150mm | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | | 05.0 | | |
| ii) | | | m | 25.0 | | |
| ") | bedding, Class 5 backfill | | | 0.0 | | |
| b) | 200mm | | m | 8.0 | | |
| i) | | | | | | |
| '' | bedding, Class 3 backfill | | m | 26.0 | | |
| ii) | • | | m | 20.0 | | |
| ", | bedding, Class 5 backfill | | m | 130.0 | | |
| L | | | | . 55.5 | | |

2010 WATERMAIN RENEWALS - CONTRACT NO. 6

| ITEM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT | AMOUNT |
|----------|---|---------|-------|----------|-------|--------|
| I I LIVI | DESCRIPTION | REF. | OINIT | QUANTITY | PRICE | AMOUNT |
| C. 2 | Hydrant Assembly | CW 2110 | | | | |
| a) | SD-006 | OW 2110 | each | 3 | | |
| | 32 333 | | Gacii | 3 | | |
| C. 3 | Watermain Valve | CW 2110 | | | | |
| a) | 150mm | | each | 1 | | |
| b) | 200mm | | each | 4 | | |
| C. 4 | Fittings | CW 2110 | | | | |
| a) | Tees | | | | | |
| i) | 200mm X 200mm X 150mm | | each | 2 | | |
| ii) | 200mm X 200mm X 200mm | | each | 1 | | |
| b) | Bends (SD-004) | | | | | |
| i) | 150mm - 11 1/4° | | each | 1 | | |
| ii) | 150mm - 45° | | each | 4 | | |
| iii) | 200mm - 45° | | each | 4 | | |
| c) | Reducers | | | | | |
| i) | 200mm - 150mm | | each | 1 | | |
| C. 5 | Connecting to Existing Watermains and Large Diameter Water Services | CW 2110 | | | | |
| a) | In-line connection - no plug existing | | | | | |
| i) | 150mm | | each | 3 | | |
| ii) | 200mm | | each | 2 | | |
| C. 6 | Connecting Existing Copper Water Services to New Watermains | E9 | | | | |
| a) | 19mm | | each | 8 | | |
| C. 7 | Water Services | CW 2110 | | | | |
| a) | 19mm | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 15.0 | | |
| C. 8 | Corporation Stops | CW 2110 | | | | |
| a) | 19mm | | each | 9 | | |
| C. 9 | Curb Stops | CW 2110 | | | | |
| a) | 19mm | | each | 1 | | |

2010 WATERMAIN RENEWALS - CONTRACT NO. 6

| <u>UNIT P</u> | RICES | | | | | |
|---------------------------------------|---|------------|----------|--------------|---------------|--------|
| ITEM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT | AMOUNT |
| | | REF. | | QUANTITY | PRICE | |
| C. 10 | Curb Stop Boxes | CW 2110 | | | | |
| a) | 19mm | 311 2110 | aaah | | | |
| a) | 1311111 | | each | 1 | | |
| C. 11 | 10.9 Kilogram Sacrificial Zinc Anodes | CW 2110 | | | | |
| a) | On Metallic Watermains | | each | 4 | | |
| b) | On Water Services | | each | 9 | | |
| , , , , , , , , , , , , , , , , , , , | on traidi del trade | | eacii | 9 | | |
| C. 12 | Partial Slab Patches | E5 | | | | |
| ۵) | 150mm reinforced concrete | | | | | |
| a) | pavement | | m² | 30.0 | | |
| 0 10 | Comparets Comb Benevial | - 7 | | | | |
| C. 13 | Concrete Curb Renewal Barrier curb (SD-204) | E7 | | 5.0 | | |
| <u>a</u>) | Barrier Curb (SD-204) | Glastonhi | ırv Boul | levard - Sub | total Part C | |
| <u>D</u> | Hunterspoint Road - The Bridle Path to | | | cvara - oab | total i alt o | |
| _ | | | | | | _ |
| D 4 | Watermania Denamel | OW 0440 | | | | |
| D. 1 | Watermain Renewal | CW 2110 | | | | |
| a) | 150mm | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | | | | |
| ii) | | | m | 40.0 | | |
| ") | bedding, Class 5 backfill | | | 77.0 | | |
| | g, e.acc c sacrum | | m | 77.0 | | |
| D. 2 | Hydrant Assembly | CW 2110 | | | | |
| a) | SD-006 | | each | 1 1 | | |
| , | | | 04011 | | | |
| D. 3 | Watermain Valve | CW 2110 | | | | |
| a) | 150mm | | each | 3 | | |
| | | | | | | |
| D. 4 | Fittings | CW 2110 | | | | |
| a) | Tees | | | | | |
| i) | 150mm X 150mm X 150mm | | each | 1 | | |
| b) | Bends (SD-004) | | | | | |
| i) | 150mm - 22 1/2° | | each | 2 | | |
| ii) | 150mm - 45° | | each | 6 | | |
| | | 014.0::: | | | | |
| D. 5 | Connecting to Existing Watermains and | CW 2110 | | | | |
| c) | Large Diameter Water Services | | | | | |
| a) | In-line connection - no plug existing | | | | | |
| i) | 150mm | | each | 3 | | |

2010 WATERMAIN RENEWALS - CONTRACT NO. 6

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT | | | |
|----------|--|---------------|------|---------------------|---------------|--------|--|--|--|
| D. 6 | Connecting Existing Copper Water Services to New Watermains | E9 | | | | | | | |
| a) | 19mm | | each | 6 | | | | | |
| D. 7 | Water Services | CW 2110 | | | | | | | |
| a) i) | 19mm trenchless installation, Class B sand | | | | | | | | |
| | bedding, Class 3 backfill | | m | 5.0 | | | | | |
| ii) | trenchless installation, Class B sand bedding, Class 5 backfill | | m | 5.0 | | | | | |
| D. 8 | Corporation Stops | CW 2110 | | | | | | | |
| a) | 19mm | | each | 6 | | | | | |
| D. 9 | Curb Stops | CW 2110 | | | | | | | |
| a) | 19mm | | each | 2 | | | | | |
| D. 10 | Curb Stop Boxes | CW 2110 | | | | | | | |
| a) | 19mm | | each | 2 | | | | | |
| D. 11 | 10.9 Kilogram Sacrificial Zinc Anodes | CW 2110 | | | | | | | |
| a) | On Metallic Watermains | | each | 1 | | | | | |
| b) | On Water Services | | each | 6 | | | | | |
| D. 12 | Partial Slab Patches | E5 | | | | | | | |
| a) | 150mm reinforced concrete pavement | | m² | 20.0 | | | | | |
| | Hunterspoint Road - Subtotal Part D | | | | | | | | |

2010 WATERMAIN RENEWALS - CONTRACT NO. 6

| OIVIII | 111020 | | | 4.555.637 | | |
|----------|---|---------------|----------|---------------------|---------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| <u>E</u> | Laxdal Road - 187.50 South of Eldridg | | Eldridge | | | |
| | | | İ | l I | | |
| E. 1 | Watermain Renewal | CW 2110 | | | | |
| a) | 200mm | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 177.0 | | |
| ii) | trenchless installation, Class B sand bedding, Class 5 backfill | | m | 5.0 | | |
| b) | 250mm | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 15.0 | | |
| c) | 300mm | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 30.0 | | |
| ii) | trenchless installation, Class B sand bedding, Class 5 backfill | | m | 10.0 | | |
| E. 2 | Hydrant Assembly | CW 2110 | | | | |
| a) | SD-006 | | each | 2 | | |
| E. 3 | Construction of Hydrant Approach c/w 300 CMP | E10 | | | | |
| | 300 CIVIP | | each | 2 | | |
| E. 4 | Watermain Valve | CW 2110 | | | | |
| a) | 200mm | | each | 2 | | |
| b) | 300mm | | each | 2 | | |
| E. 5 | Fittings | CW 2110 | | | | |
| a) | Tees | OW 2110 | | | | |
| i) | 300mm x 300mm x 300 mm | | each | 2 | | |
| b) ' | Bends (SD-004) | | | | | |
| i) | 200mm - 22 1/2° | | each | 2 | | |
| ii) | 300mm - 22 1/2° | | each | 2 | | |
| iii) | 300mm - 45° | | each | 2 | | |
| c) | Reducers | | | | | |
| i) | 300mm - 200mm | | each | 1 | | |
| ii) | 300mm - 250mm | | each | 1 | | |

2010 WATERMAIN RENEWALS - CONTRACT NO. 6

| UNIT PE | RICES | | | | | |
|------------|---|---------------|-------|---------------------|---------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| | Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existing | CW 2110 | | | | |
| 1 | , , , | | | , | | |
| i) | 200mm | | each | 1 | | |
| ii) | 250mm | | each | 1 | | |
| iii) | 300mm | | each | 2 | | |
| | Connecting Existing Copper Water Services to New Watermains | E9 | | | | |
| a) | 19mm | | each | 18 | | |
| E. 8 | Corporation Stops | CW 2110 | | | | |
| a) | 19mm | | each | 18 | | |
| E. 9 | 10.9 Kilogram Sacrificial Zinc Anodes | CW 2110 | | | | |
| a) | On Water Services | | each | 18 | | |
| | Construction of Asphaltic Concrete Overlays Type 1A | CW 3410 | tonne | 10.0 | | |
| E. 11 | Surfacing Material | CW 3150-R4 | | | | |
| a) | Limestone | | tonne | 3.0 | | |
| <u> </u> | | | | Road - Sub | total Part E | |
| <u>F</u> | Queenston Street - 200 South of Gros | venor Avenue | | | | |
| | | | ı | | | |
| F. 1 a) | Watermain Renewal | CW 2110 | | | | |
| i) | trenchless installation, Class B sand | | | | | |
| ') | bedding, Class 5 backfill | | | 100.0 | | |
| | | | m | 193.0 | | |
| F. 2 | Hydrant Assembly | CW 2110 | | | | |
| a) | SD-006 | | each | 3 | | |
| ' | | | 00011 | | | |
| F. 3 | Watermain Valve | CW 2110 | | | | |
| a) | 150mm | | each | 2 | | |
| F. 4 | Fittings | CW 2110 | | | | |
| a) | Bends (SD-004) | | | | | |
| i) | 150mm - 22 1/2° | | each | 2 | | |
| ii) | 150mm - 45° | | each | 2 | | |

2010 WATERMAIN RENEWALS - CONTRACT NO. 6

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------------|---|---------------|------|---------------------|---------------|--------|
| F. 5 | Connecting to Existing Watermains and Large Diameter Water Services | CW 2110 | | | | |
| a) | In-line connection - no plug existing | | | | | |
| i) | 150mm | | each | 2 | | |
| F. 6 | Connecting Existing Copper Water Services to New Watermains | E9 | | | | |
| a) | 19mm | | each | 29 | | |
| F. 7 a) | Water Services 19mm | CW 2110 | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 95.0 | | |
| F. 8 | Corporation Stops | CW 2110 | | | | |
| a) | 19mm | | each | 29 | | |
| F. 9 | Curb Stops | CW 2110 | | | | |
| a) | 19mm | | each | 7 | | |
| F. 10 | Curb Stop Boxes | CW 2110 | | | | |
| a) | 19mm | | each | 7 | | |

2010 WATERMAIN RENEWALS - CONTRACT NO. 6

| | KIUES | 0050 | | ABBBOY | LINUT | |
|-----------|---|--------------|--------|--------------|--------------|--------|
| ITEM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT | AMOUNT |
| | | REF. | | QUANTITY | PRICE | |
| F. 11 | 10.9 Kilogram Sacrificial Zinc Anodes | CW 2110 | | | | |
| a) | On Metallic Watermains | 311 = 113 | each | 1 | | |
| b) | On Water Services | | | • | | |
| 5) | On Water Services | | each | 33 | | |
| F. 12 | Miscellaneous Concrete Slab Renewal | E6 | | | | |
| a) | Sidewalk (SD-228A) | | m² | 50.0 | | |
| | | Que | enston | Street - Sub | total Part F | |
| | | | | | | |
| <u>G</u> | Berry Street - Portage Avenue to 259 E | Berry Street | | | | |
| G. 1 | Watermain Renewal | CW 2110 | | | | |
| a) | 150mm | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 275.0 | | |
| b) | 250mm | | | | | |
| i) | trenchless installation, Class B sand | | m | 30.0 | | |
| | bedding, Class 3 backfill | | | | | |
| G. 2 | Hydrant Assembly | CW 2110 | | | | |
| a) | SD-006 | | each | 3 | | |
| b) | SD-007 | | each | 1 | | |
| G. 3 | Watermain Valve | CW 2110 | | | | |
| a) | 150mm | | each | 3 | | |
| b) | 250mm | | each | 1 | | |
| C 4 | Fitting o | CW 2110 | | | | |
| G. 4 | Fittings | CW 2110 | | | | |
| a) ;\ | Tees | | oach | 1 | | |
| i) b) | 250mm x 250mm x150 mm Bends (SD-004) | | each | ' | | |
| | 150mm - 45° | | ooob | 0 | | |
| i) ::\ | | | each | 2 2 | | |
| ii) | 250mm - 45° | | each | 4 | | |
| G. 5 | Water Services | CW 2110 | | | | |
| a) | 19mm | | | | | |
| i) | trenchless installation, Class B sand | | m | 180.0 | | |
| | bedding, Class 3 backfill | | | | | |
| b) | 50mm | | | | | |

2010 WATERMAIN RENEWALS - CONTRACT NO. 6

| UNITE | NICES | SPEC. | | APPROX. | UNIT | |
|-------|--|---------|------|----------|-------|--------|
| ITEM | DESCRIPTION | REF. | UNIT | QUANTITY | PRICE | AMOUNT |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 1.0 | | |
| G. 6 | Corporation Stops | CW 2110 | | | | |
| a) | 19mm | | each | 36 | | |
| b) | 50mm | | each | 1 | | |
| G. 7 | Curb Stops | CW 2110 | | | | |
| a) | 19mm | | each | 18 | | |
| G. 8 | Curb Stop Boxes | CW 2110 | | | | |
| a) | 19mm | | each | 18 | | |
| G. 9 | Connecting to Existing Watermains and Large Diameter Water Services | CW 2110 | | | | |
| a) | In-line connection - no plug existing | | | | | |
| i) | | | each | 1 | | |
| ii) | 250mm | | each | 2 | | |
| G. 10 | Connecting Existing Copper Water Services to New Watermains | CW 2110 | | | | |
| a) | 19mm | | each | 36 | | |
| b) | 50mm | | each | 1 | | |
| G. 11 | 10.9 Kilogram Sacrificial Zinc Anodes | CW 2110 | | | | |
| a) | On Metallic Watermains | | each | 2.0 | | |
| b) | On Water Services | | each | 37.0 | | |
| G. 12 | Partial Slab Patches | E6 | | | | |
| a) | 150mm reinforced concrete | | m² | 10.0 | | |
| i) | pavement 200mm reinforced concrete pavement for early opening (24 hours) | | m² | 10.0 | | |
| G. 13 | Miscellaneous Concrete Slab Renewal | CW 3235 | | | | |
| a) | Sidewalk (SD-228A) | | m² | 140.0 | | |
| G. 14 | Concrete Curb Renewal | CW 3240 | | | | |
| a) | Barrier curb (SD-204) | | m | 10.0 | | |
| b) | Ramp curb | | m | 5.0 | | |

2010 WATERMAIN RENEWALS - CONTRACT NO. 6

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|---------------|----------------|---------------------|---------------|--------|
| G. 15 | Construction of Asphaltic Concrete Overlays Type 1A | CW 3410 | tonne | 2.4 | | |
| | | | Berry | Street - Subt | total Part G | |
| <u>H</u> | Provisional Items | | | | | |
| | | | i | 1 1 | ı | |
| H. 1 | Cement Stabilized Fill | CW 2030 | m ³ | 50.0 | | |
| H. 2 | Sodding | CW 3510 | m² | 100.0 | | |
| H. 3 | Fittings | CW 2110 | | | | |
| a) | Bends (SD-005) | | | | | |
| i) | , , | | each | 2 | | |
| ii) | | | each | 2 | | |
| ", | | | Jugari | _ | | |
| H. 4 | Remove and Replace Existing Catch Basin | CW 2130 | | | | |
| a) | SD-024 | | each | 1 | | |
| b) | SD-025 | | each | 1 | | |
| H. 5 | Remove and Replace Existing Catch Pit | CW 2130 | | | | |
| a) | SD-023 | | each | 1 | | |
| Δ) | | | eacii | I I | | |
| H. 6 | Drainage Connection Pipe | CW 2130 | | | | |
| a) | 250mm | | m | 10.0 | | |
| , | | | | 10.0 | | |
| H. 7 | Regrading of Existing Sewer Service - Up to 1.5 metres Long | CW 2110 | | | | |
| a) | 150mm | | each | 10 | | |
| | | | | | | |
| H. 8 | Regrading of Existing Sewer Service - Longer Than 1.5 metres | CW 2110 | | | | |
| a) | 150mm | | m | 6.0 | | |
| H. 9 | Regrading Existing Interlocking Paving Stone Installations | CW 3330 | m² | 10.0 | | |
| | | | | Items - Sub | total Part H | |
| _ | | | | | | |
| | | | | 0 | arand Total | |

2010 WATERMAIN RENEWALS - CONTRACT NO. 6

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-----------------------------|-------------|---------------------------------------|------|---------------------|---------------|--------------|
| TOTAL BID PRICE (GST extra) | | (in figures)\$ | | | | |
| (in words) | | · · · · · · · · · · · · · · · · · · · | | | | |
| | | | | | | |
| | | | | Name of Bide | der | |

(Seal)

Template Version: C120100203 - C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

(Name of Surety)

(Attorney-in-Fact)

By:

(Seal)

Template Version: C120100203 - C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 397-2010 2010 WATERMAIN RENEWALS - CONTRACT NO. 6 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety)

By: (Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

| (Date) | |
|--------------------------|---|
| Corpo Materi 185 K | ity of Winnipeg rate Finance Department als Management Division ing Street, Main Floor peg MB R3B 1J1 |
| RE: | BID SECURITY - BID OPPORTUNITY NO. 397-2010 |
| | 2010 WATERMAIN RENEWALS - CONTRACT NO. 6 |
| Pursua | ant to the request of and for the account of our customer, |
| (Name | of Bidder) |
| WE H | s of Bidder) EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate |
| | Canadian dollars. |
| demai Letter payme | Standby Letter of Credit may be drawn on by you at any time and from time to time upon writtened for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us. |
| | mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be |
| Partia | drawings are permitted. |
| | ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at: |
| (Addres | s) |
| and w | e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us. |

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 2, 2010

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

| (Name of bank or financial institution) | | | |
|---|------------------------------|--|--|
| Per: | | | |
| | (Authorized Signing Officer) | | |
| Per: | | | |
| | (Authorized Signing Officer) | | |