FORM A: BID (See B8)

1.	Contract Title	2010 WATERMAIN RI	ENEWALS – CONTRACT 10	
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business t	inder the above name.	
3.	Contact Person	The Bidder hereby au the Bidder for purpose	thorizes the following contact ps of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms ascribed to them in the	used in the Contract shall he General Conditions.	ave the meanings
5.	Offer		fers to perform the Work in a Bid Price, in Canadian funds, eto.	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
		
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of thirty (30) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

(See B9) 2010 WATERMAIN RENEWALS - CONTRACT 10

ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
Part /	A: De Bourmont					
	Surface Restorations					
A.1	Partial Slab Patches	CW 2110				
a)	Remove and replace	E5				
i)	150mm reinforced concrete pavement		sq.m.	5		
ii)	200mm reinforced concrete pavement		sq.m.	5		
iii)	200mm reinforced concrete pavement		•			
,	for early opening (24hours)		sq.m.	5		
	Missallan and Cananata Olah Danamal	0)4/ 0005				
	Miscellaneous Concrete Slab Renewal	CW 3235		45		
a)	Sidewalk		sq.m.	45		
A.3	Concrete Curb Renewal	CW 3240				
i)	Barrier Curb SD-206A		lin.m.	75		
ii)	Ramp Curb SD-229C & SD-202B		lin.m.	40		
iii)	Modified Barrier Curb		lin.m.	10		
	Construction of Asphaltic Concrete Patches	CW 3410		400		
i)	Type 1A		sq. m.	100		
	Watermain Renewal					
A.5	Watermain Renewal	CW 2110				
a)	150 mm					
i)	trenchless installation, Class B sand bedding, Class 3		lin. m.	52		
ii)	trenchless installation, Class B sand bedding, Class 5		lin. m.	5		
,	200 mm			0.45		
i)	trenchless installation, Class B sand bedding, Class 3		lin. m.	315		
ii)	trenchless installation, Class B sand bedding, Class 5		lin. m.	50		
A.6	Hydrant Assembly	CW 2110				
a)	SD-007	011 = 110	each	5		
′						
A.7	Watermain Valve	CW 2110				
a)	150 mm		each	4		
b)	200 mm		each	4		
A.8	Fittings	CW 2110				
a)	Crosses	J V Z 1 10				
i)	200x200x150x150		each	3		
b)	Bends					
i)	150mm- 11¼º to 45º		each	8		
ii)	200mm- 11¼º to 45°		each	4		
A.9	Connection to Existing Watermain	CW 2110				
				•		•

(See B9) 2010 WATERMAIN RENEWALS - CONTRACT 10

	PRICES					
ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
a)	Inline Connection - No Plug Existing					
i)	150mm watermain		each	6		
ii)	200mm watermain		each	4		
A.10		CW 2110				
	Services to New Watermains					
a)	19mm		each	2		
		CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3		lin.m.	20		
	Corporation Stops	CW 2110	_	_		
a)	19mm		each	2		
	0.1.00	0144 044 0				
	Curb Stops	CW 2110				
a)	19mm		each	1		
A 4 4	Curb Stan Bayes	CW 2440				
	Curb Stop Boxes	CW 2110	aaah	4		
a)	19mm		each	1		
Λ 15	Continuity Bonding	CW 2110	each	1		
Α.13		CVV 2110	eacii	'		
Δ 16	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services	011 2110	each	1		
b)	On Metallic Watermains		each	4		
,	On Wetamo Watermans		Caon	7		
A 17	Sewer Repairs on Fontaine Crescent					
a)	Up to 3.0m long	CW 2130				
i)	200mm, Class B sand bedding, Class 3 backfill	011 2100	each	1		
b)	Sewer Repairs in addition to first 3.0m		- Cuon			
i)	200mm, Class B sand bedding, Class 3 backfill		lin.m.	5		
c)	Video Inspection		lin.m.	10		
-,	7					
		•		•		
Part A	A: De Bourmont		Subto	otal Part A:		
Part	B: Hazel Dell					
	Surface Restorations					
B.1	Partial Slab Patches	CW 2110				
- \	B			1		1

	Surface Restorations				
B.1	Partial Slab Patches	CW 2110			
a)	Remove and replace	E5			
i)	150mm reinforced concrete pavement		sq.m.	150	
B.2 a)	Miscellaneous Concrete Slab Renewal Sidewalk	CW 3235	sq.m.	15	
B.3	Concrete Curb Renewal	CW 3240			

(See B9) 2010 WATERMAIN RENEWALS - CONTRACT 10

	PRICES		1			T
ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
i)	Barrier Curb SD-206A		lin.m.	140		
ii)	Ramp Curb SD-229C & SD-202B		lin.m.	15		
	•					
B.4	Construction of Asphaltic Concrete Patches	CW 3410				
i)	Type 1A	011 0110	sq. m.	150		
''	Type 174		34. 111.	130		
Į.	Watermain Renewal					
B.5		CW 2110				
	Watermain Renewal	CW 2110				
a)	150 mm On-Line			055		
i)	trenchless installation, Class B sand bedding, Class 3		lin. m.	355		
Į.		_				
B.6	Hydrant Assembly	CW 2110				
a)	SD-007		each	4		
'						
B.7	Watermain Valve	CW 2110				
a)	150 mm		each	5		
'						
B.9	Connection to Existing Watermain	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150mm watermain		each	1		
, ,						
B.10	Connecting Existing Copper Water	CW 2110				
	Services to New Watermains	011 = 110				
a)	19mm		each	2		
a)	1911111		Cacii	2		
D 11	Water Services	CW 2110				
		CVV 2110				
a)	19mm		Line and	40		
i)	trenchless installation, Class B sand bedding, Class 3		lin.m.	40		
-		0144 044 0				
	Corporation Stops	CW 2110				
a)	19mm		each	46		
'						
	Curb Stops	CW 2110				
a)	19mm		each	2		
'						
B.14	Curb Stop Boxes	CW 2110				
a)	19mm		each	2		
B.15	Continuity Bonding	CW 2110	each	2		
				_		
B 16	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services	311 2110	each	44		
b)	On Metallic Watermains		each	1		
5)	On Metallic Waternalis		Eacil	'		
1			l	ı l		I

(See B9)

2010 WATERMAIN RENEWALS - CONTRACT 10

	PRICES	•							
ITEM		SPEC.		APPROX.	UNIT				
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT			
Part I	Part B: Hazel Dell Subtotal Part B:								
Part (C: Helmsdale (Watt-Golspie)								
	Surface Restorations								
C.1	Partial Slab Patches	CW 2110							
a)	Remove and replace	E5							
i)	150mm reinforced concrete pavement		sq.m.	10					
ii)	200mm reinforced concrete pavement		sq.m.	5					
0.0	Missallanasus Canarata Clah Danawal	C) M 2005							
a)	Miscellaneous Concrete Slab Renewal Sidewalk	CW 3235	ca m	15					
a)	Sidewalk		sq.m.	15					
C.3	Concrete Curb Renewal	CW 3240							
i)	Barrier Curb SD-206A		lin.m.	30					
ii)	Ramp Curb SD-229C & SD-202B		lin.m.	10					
iii)	Modified Barrier Curb		lin.m.	10					
	Construction of Asphaltic Concrete Patches	CW 3410							
i)	Type 1A		sq. m.	15					
	Watermain Renewal								
C.5	Watermain Renewal	CW 2110							
a)	150 mm	011 2110							
i)	trenchless installation, Class B sand bedding, Class 3		lin. m.	250					
ii)	trenchless installation, Class B sand bedding, Class 5		lin. m.	5					
	-								
C.6	Hydrant Assembly	CW 2110							
a)	SD-007		each	3					
C.7	Watermain Valve	CW 2110							
a)	150 mm	OW 2110	each	2					
ω,			0 0.011	_					
C.8	Fittings	CW 2110							
a)	Bends								
i)	150mm- 11¼º to 45º		each	4					
0.0	Connection to Eviating Meta-	OW 0440							
C.9	Connection to Existing Watermain	CW 2110							
a) i)	Inline Connection - No Plug Existing 150mm watermain		each	2					
'/	100mm watermain		Cacii	-					
C.10	Connecting Existing Copper Water	CW 2110							
-	Services to New Watermains								
a)	19mm		each	30					
C.11	Water Services	CW 2110							

(See B9)

2010 WATERMAIN RENEWALS - CONTRACT 10

UNIT PRICES

ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3		lin.m.	30		
C.12 a)	Corporation Stops 19mm	CW 2110	each	30		
C.13 a)	Curb Stops 19mm	CW 2110	each	4		
C.14 a)	Curb Stop Boxes 19mm	CW 2110	each	4		
C.15	Continuity Bonding	CW 2110	each	2		
C.16 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	28		
D	O. Halmadala (Matt Oalania)		0.14	tal David O		

Part C: Helmsdale (Watt-Golspie)

Subtotal Part C:

Part D: Helmsdale (Henderson)

Surface Restorations	1			
our race restorations				
D.1 Partial Slab Patches	CW 2110			
a) Remove and replace	E5			
i) 150mm reinforced concrete pavement		sq.m.	10	
D.2 Miscellaneous Concrete Slab Renewal	CW 3235			
a) Sidewalk		sq.m.	15	
D.3 Concrete Curb Renewal	CW 3240			
i) Barrier Curb SD-206A		lin.m.	25	
ii) Ramp Curb SD-229C & SD-202B		lin.m.	20	
iii) Modified Barrier Curb		lin.m.	10	
D.4 Construction of Asphaltic Concrete Patches	CW 3410			
i) Type 1A		sq. m.	15	
Watermain Renewal				
D.5 ON - LINE Watermain Renewal	CW 2110			
a) 150 mm				
i) trenchless installation, Class B sand bedding, C		lin. m.	10	
ii) trenchless installation, Class B sand bedding, C	Class 5	lin. m.	165	
D.6 Hydrant Assembly	CW 2110			
a) SD-007		each	2	
D.7 Watermain Valve	CW 2110			

(See B9)

2010 WATERMAIN RENEWALS - CONTRACT 10

	PRICES		•			,
ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
a)	150 mm		each	3		
D.8	Fittings	CW 2110				
a)	Bends					
i)	150mm- 11¼º to 45º		each	2		
D.9	Connection to Existing Watermain	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150mm watermain		each	2		
D.10	Connecting Existing Copper Water	CW 2110				
	Services to New Watermains					
a)	19mm		each	14		
b)	25mm		each	1		
c)	37mm		each	1		
ď)	50mm		each	1		
,						
D.11	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3		lin.m.	20		
b)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3		lin.m.	20		
c)	37mm					
i)	trenchless installation, Class B sand bedding, Class 3		lin.m.	20		
d)	50mm					
i)	trenchless installation, Class B sand bedding, Class 3		lin.m.	20		
D.12	Corporation Stops	CW 2110				
a)	19mm		each	14		
b)	25mm		each	1		
c)	37mm		each	1		
d)	50mm		each	1		
	Curb Stops	CW 2110				
a)	19mm		each	2		
b)	25mm		each	1 1		
c)	37mm		each	1 1		
d)	50mm		each	1 1		

(See B9)

2010 WATERMAIN RENEWALS - CONTRACT 10

UNIT PRICES

	PRICES			1		T
ITEM		SPEC.		APPROX.	UNIT	_
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	Curb Stop Boxes	CW 2110				
a)	19mm		each	2		
b)	25mm		each	1		
c)	37mm		each	1		
d)	50mm		each	1		
D.15	Continuity Bonding	CW 2110	each	2		
	, ,					
D.16	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	12		
b)	On Metallic Watermains		each	1		
′						
		•	•	•		
Part I	D: Helmsdale (Henderson)		Subto	tal Part D:		
Part I	E: Kimberly					
			ı			I
	Surface Restorations					
E.1	Partial Slab Patches	CW 2110				
a)	Remove and replace	E5				
i)	150mm reinforced concrete pavement		sq.m.	20		
ii)	200mm reinforced concrete pavement		sq.m.	80		
E.2	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk		sq.m.	20		
E.3	Concrete Curb Renewal	CW 3240				
i)	Barrier Curb SD-206A		lin.m.	30		
ii)	Ramp Curb SD-229C & SD-202B		lin.m.	20		
'						
E.4	Construction of Asphaltic Concrete Patches	CW 3410				
i)	Type 1A	211 01.0	sq. m.	100		
'			- 1			
	Watermain Renewal					
E.5	Watermain Renewal	CW 2110				
a)	150 mm	2				
i)	trenchless installation, Class B sand bedding, Class 3		lin. m.	115		
"	districting of the state of the			''		
E.6	Hydrant Assembly	CW 2110				
a)	SD-007	JVV 2110	each	1		
a)			Cacii	'		
E.7	Watermain Valve	CW 2110				
l l		CVV 2110	ooob			
a)	150 mm		each	4		
			1			

(See B9)

2010 WATERMAIN RENEWALS - CONTRACT 10

	PRICES	_	1	, ,		, · · · · · · · · · · · · · · · · · · ·
ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
E.8	Fittings	CW 2110				
a)	Tees					
i)	150X150X150		each	1		
b)	Bends					
i)	150mm- 11¼º to 45º		each	2		
E.9	Connection to Existing Watermain	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150mm watermain		each	3		
E.10		CW 2110				
	Services to New Watermains					
a)	19mm		each	3		
b)	25mm		each	1		
c)	50mm		each	1		
E.11	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3		lin.m.	3		
	•					
b)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3		lin.m.	15		
c)	50mm					
i)	trenchless installation, Class B sand bedding, Class 3		lin.m.	6		
E.12	Corporation Stops	CW 2110				
a)	19mm		each	3		
b)	25mm		each	1		
c)	50mm		each	1		
E.13	Curb Stops	CW 2110				
a)	19mm		each	1		
b)	25mm		each	1		
c)	50mm		each	1		
E.14	Curb Stop Boxes	CW 2110				
a)	19mm		each	1		
b)	25mm		each	1		
c)	50mm		each	1		
E.15	Continuity Bonding	CW 2110	each	2		
	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	3		
b)	On Metallic Watermains		each	2		

(See B9) 2010 WATERMAIN RENEWALS - CONTRACT 10

ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
Part l	Part E: Kimberly Subtotal Part E:					
Part I	F: Munroe					
F.1 a) i) ii)	Surface Restorations Partial Slab Patches Remove and replace 150mm reinforced concrete pavement 200mm reinforced concrete pavement	CW 2110 E5	sq.m.	35 35		
F.2 a)	Miscellaneous Concrete Slab Renewal Sidewalk	CW 3235	sq.m.	45		
i) ii) iii)	Concrete Curb Renewal Barrier Curb SD-206A Ramp Curb SD-229C & SD-202B Modified Barrier Curb	CW 3240	lin.m. lin.m. lin.m.	30 10 10		
F.4 i)	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	sq. m.	30		
F.5 a)	Watermain Renewal Watermain Renewal 150 mm	CW 2110		_		
i) ii) a)	trenchless installation, Class B sand bedding, Class 3 trenchless installation, Class B sand bedding, Class 5 200 mm		lin. m. lin. m.	5 25		
i) ii)	trenchless installation, Class B sand bedding, Class 3 trenchless installation, Class B sand bedding, Class 5		lin. m. lin. m.	5 5		
b) i) ii)	250 mm trenchless installation, Class B sand bedding, Class 3 trenchless installation, Class B sand bedding, Class 5		lin. m. lin. m.	25 400		
F.6 a)	Hydrant Assembly SD-007	CW 2110	each	4		
F.7 a) b) c)	Watermain Valve 150 mm 200 mm 250 mm	CW 2110	each each each	2 2 7		

(See B9)

2010 WATERMAIN RENEWALS - CONTRACT 10

	PRICES	_		,		
ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
F.8	Fittings	CW 2110				
a)	Tees					
i)	250X250X200		each	2		
ii)	250X250X150		each	2		
′						
b)	Bends					
i)	150mm- 11¼º to 45º		each	2		
ii)	250mm- 11½° to 45°		each	4		
"/	23011111 1174 10 40		Caon	_		
F.9	Connection to Existing Watermain	CW 2110				
		CVV Z110				
a)	Inline Connection - No Plug Existing		l-	2		
i)	150mm watermain		each	2		
ii)	200mm watermain		each	2		
iii)	250mm watermain		each	2		
F.10	0 0 11	CW 2110				
	Services to New Watermains					
a)	19mm		each	1		
b)	25mm		each	1		
c)	37mm		each	2		
ď)	50mm		each	1		
'						
F.11	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3		lin.m.	25		
b)	25mm			20		
i)	trenchless installation, Class B sand bedding, Class 3		lin.m.	25		
c)	37mm		11111.1111.	25		
	trenchless installation, Class B sand bedding, Class 3		lin.m.	25		
i)	50mm		1111.1111.	25		
d)			lin ma	25		
i)	trenchless installation, Class B sand bedding, Class 3		lin.m.	25		
L 40	Comparation Stans	OW 0440				
	Corporation Stops	CW 2110		_		
a)	19mm		each	1		
b)	25mm		each	1		
c)	37mm		each	2		
d)	50mm		each	1		
	Curb Stops	CW 2110				
a)	19mm		each	1		
b)	25mm		each	1		
c)	37mm		each	2		
d)	50mm		each	1		
F.14	Curb Stop Boxes	CW 2110				
a)	19mm		each	1		
b)	25mm		each	1		
c)	38mm		each	1		
d)	50mm		each	1		
	r	l I		ı		1

(See B9)

2010 WATERMAIN RENEWALS - CONTRACT 10

UNIT PRICES

ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
F 15	Continuity Bonding	CW 2110	each	1		
1 .13	Continuity Bonding	OW 2110	Cacii	'		
E 16	10.0 Kilogram Sparificial Zing Anados	CW 2110				
	10.9 Kilogram Sacrificial Zinc Anodes	CVV Z110	_	_		
a)	On Water Services		each	2		
b)	On Metallic Watermains		each	1		
'						
			I			1

Part F: Munroe Subtotal Part F: _____

Part G: Ravenhill

			1		T
	Surface Restorations	_			
	Partial Slab Patches	CW 2110			
a)	Remove and replace	E5			
i)	150mm reinforced concrete pavement		sq.m.	10	
G.2	Miscellaneous Concrete Slab Renewal	CW 3235			
a)	Sidewalk	011 0200	sq.m.	10	
۵,			94	. •	
_					
	Concrete Curb Renewal	CW 3240		40	
i)	Barrier Curb SD-206A		lin.m.	10	
ii)	Ramp Curb SD-229C & SD-202B		lin.m.	10	
iii)	Modified Barrier Curb		lin.m.	5	
G 4	Construction of Asphaltic Concrete Patches	CW 3410			
i)	Type 1A	011 0110	sq. m.	5	
.,			94	· ·	
	Watermain Renewal				
G.5	Watermain Renewal	CW 2110			
a)	150 mm				
i)	trenchless installation, Class B sand bedding, Class 3		lin. m.	15	
ii)	trenchless installation, Class B sand bedding, Class 5		lin. m.	150	
C 6	Lhydrant Aggambhy	CW 2110			
G.6 a)	Hydrant Assembly SD-007	CW 2110	each	3	
a)	35-007		eacii	3	
G.7	Watermain Valve	CW 2110			
a)	150 mm		each	3	
G.8	Fittings	CW 2110			
a)	Tees				
i)	150X150X150		each	1	
b)	Bends				
i)	150mm- 111/4° to 45°		each	6	
•,	1	ļ	1 54511	•	I

(See B9) 2010 WATERMAIN RENEWALS - CONTRACT 10

LINIT PRICES

	PRICES					
ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
G.9 a) i)	Connection to Existing Watermain Inline Connection - No Plug Existing 150mm watermain	CW 2110	each	3		
G.10 a)	Connecting Existing Copper Water Services to New Watermains 19mm	CW 2110	each	23		
G.11 a) i)	Water Services 19mm trenchless installation, Class B sand bedding, Class 3	CW 2110	lin.m.	150		
G.12 a)	Corporation Stops 19mm	CW 2110	each	23		
G.13 a)	Curb Stops 19mm	CW 2110	each	12		
G.14 a)	Curb Stop Boxes 19mm	CW 2110	each	12		
G.15	Continuity Bonding	CW 2110	each	2		
G.16 a) b)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services On Metallic Watermains	CW 2110	each each	21 2		
G.17 a)	New Hydrant Assembly On Existing PVC Watermain SD-007	CW2110	each	1		
Part (G: Ravenhill		Subto	otal Part G:		
Part I	H: Fontaine					
a) i) b)	Sewer Repairs Sewer Repairs on Fontaine Crescent Up to 3.0m long 200mm, Class B sand bedding, Class 3 backfill Sewer Repairs in addition to first 3.0m 200mm, Class B sand bedding, Class 3 backfill Video Inspection	CW 2130	each lin.m. lin.m.	1 5 10		
Part I	H: Fontaine		Subto	otal Part H:		

(See B9) 2010 WATERMAIN RENEWALS - CONTRACT 10

	PRICES		1			
ITEM		SPEC.		APPROX.	UNIT	4.4.G.LIN.IT
NO.	DESCRIPTION	REF.	UNII	QUANTITY	PRICE	AMOUNT
Part I	: Provisional Items					
l.1	Cement Stabilized Fill	CW 2030	cu m	20		
1.2	Sodding	CW 3510	sq.m.	40		
l.3 a)	Fittings Vertical Bends	CW 2110				
i) ii)	150mm- 11¼° to 45° 200mm - 11 1/4° - 45° bend		each each	1 2		
b) i)	Tees 150x150x200		each	1		
l.4 a)	Watermain & Service Insulation In a Trench - 50mm thick	CW 2110	lin.m.	10		
I.5 a)	Regrading of Existing Sewer Services - up to 1.5 metres long 150mm Class 5 Backfill	CW 2130 & CW 2110	each	10		
b) I.6	250mm Class 3 Backfill Regrading Existing Interlocking		each	2		
	Paving Stone Installations	CW 3330	sq.m.	20		
l.7 a) b)	Street Light Cable Installation Trenching Coring	E3	lin.m. lin.m.	150 50		
1.8	Supply & Installation of Precast Sidewalk Blocks	CW 3234	sq.m.	10		
1.9	Hydro Vac excavation		each	3		
I.10	Remove and Replace Existing Catchbasins	CW 2130				
a)	SD-024		each	4		
l.11 i)	Construction of Asphaltic Concrete Patches Overlays Type 1A	CW 3410	tonne	30		
l.12	Maintaining Curb Stop Excavations	CW 2110	day	2		
Part I	: Provisional Items		Subt	otal Part I:		

Name of Bidder

(See B9) 2010 WATERMAIN RENEWALS - CONTRACT 10

UNIT	PRI	CES
------	-----	-----

ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	aL BID PRICE (GST extra) (in figures)\$ ords)					

(Seal)

Template Version: C120100203 - C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

	RID ROND	
KNOW ALL MEN BY THESE PRESENTS	ГНАТ	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per	and firmly bound unto THE CITY OF WINNIPEG cent (10%) of the Total Bid Price set out in the Bin he Principal and Surety bind themselves, their heir ntly and severally, firmly by these presents.	d hereinafter
WHEREAS the Principal has submitted a B	id to the Obligee for	
BID OPPORTUNITY NO. 506-2010 ADDEN	NDUM 1	
2010 WATERMAIN RENEWALS - CONTR	ACT 10	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a deferment performance security for guaranteeing the faithful, but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of		
SIGNED AND SEALED in the presence of:	(Name of Principal) Per:	(Seal)
(Witness as to Principal if no seal)	Per:	(Godi)
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

(Seal)

Template Version: C120100203 - C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 506-2010 ADDENDUM 1 2010 WATERMAIN RENEWALS - CONTRACT 10 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within thirty (30) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20______, (Name of Surety)

By: (Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Materi 185 Ki	ty of Winnipeg ate Finance Department als Management Division ng Street, Main Floor eg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 506-2010 ADDENDUM 1
	2010 WATERMAIN RENEWALS – CONTRACT 10
Pursua	ant to the request of and for the account of our customer,
(Name o	f Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	tandby Letter of Credit may be drawn on by you at any time and from time to time upon writter d for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand fo nt without inquiring whether you have a right as between yourself and our customer to make such d and without recognizing any claim of our customer or objection by the customer to payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	
and w	confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 8, 2010

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	(Name of bank or financial institution)			
Per:				
	(Authorized Signing Officer)			
Per:				
	(Authorized Signing Officer)			