FORM A: BID (See B8)

1.	Contract Title	2010 Active Transportation / In Pathways – Transcona Trails F		Multi Use
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	e above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the		o represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Genera		e meanings
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Pric Prices, appended hereto.		

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:			
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)			
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)			
		a certified cheque or draft			
		and agrees that it shall be held by the City in accordance with the Contract.			
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.			
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.			
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.			
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:			
		No Dated			
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of thirty (30) Calendar Days following the Submission Deadline.			

12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials
(Print here name and official capacity of individual whose signature appears above)
(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	<u>Transcona Trail Phase IA</u>					
	EARTH AND BASE WORKS					
A.1	Stripping and Stockpiling Topsoil	CW 3110-R12	m³	176		
A.2	Excavation	CW 3110-R12	M3	365		
A.3	Sub-Grade Compaction	CW 3110-R12	m²	7433		
A.4	Crushed Sub-base Material	CW 3110-R12				
i)	50 mm - Limestone		tonne	484		
ii)	100 mm - Limestone		tonne	5163		
4.5	Supplying and Placing Base Course Material	CW 3110-R12, E16	M3	386		
A.6	Ditch Grading	CW 3110-R12	m²	4182		
A.7	Ditch Excavation	CW 3110-R12	M3	38		
A.8	Separation Geotextile Fabric	CW 3130-R2	m²	7433		
A.9	Supply and Install Geogrid	CW 3135	m²	7433		
A.10	Topsoil Excavation	CW 3170-R3	m³	1033		
A.11	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		M3	357		
	ROADWORKS - REMOVALS/RENEWALS					
A.12	Pavement Removal	CW 3110-R12				
i)	Asphalt Pavement		m²	133		
A.13	Miscellaneous Concrete Slab Installation	CW 3235-R7				
i)	Sidewalk	SD-228A	m²	59		
A.14	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
b) 5 sq.m. to 20 sq.m.		m²	16		
A.15	Concrete Curb Removal	CW 3240-R8				
i)	Barrier Integral		m	5		
ii)	Curb Ramp		m	2		
A.16	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (150mm ht, Dowelled)	SD-205	m	2		
ii)	Curb Ramp (10-15mm ht, Integral)	SD-229A,B,C	m	5		

		1	(SEE B9)				
ITEN	N	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		ROADWORKS - NEW CONSTRUCTION					
A.17		Construction of Asphaltic Concrete Pavements	CW 3410-R8				
i)		Main Line Paving					
	a)	Туре IA		tonne	150		
ii)		Tie-ins and Approaches					
	a)	Туре ІА		tonne	18		
		PATHWAYS - NEW CONSTRUCTION					
A.18		Construction of Asphaltic Concrete Pavements	CW 3410-R8				
i)		Main Line Paving					
		(Bidder shall bid either A.18i)a) <u>Or</u>	B15.5/B15.5.1				
	a)	A.18i)b) below, not both) Type IA		tonne	1179		
	b)	RAS Modified Type IA		tonne	1179		
iii)		Tie-ins and Approaches					
	a)	Туре IA		tonne	18		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.19		Connecting to Existing Catch Basin	CW 2130-R11				
i)		400mm Drainage Connection Pipe		each	1		
A.20		Corrugated Steel Pipe - Supply	CW 3610-R3				
i)		(400mm, 1.8 gauge)		m	50		
A.21		Corrugated Steel Pipe - Install	CW 3610-R3				
i)		(400mm, 1.8 gauge)		m	50		
		ADJUSTMENTS					
A.22		Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
A.23		Replacing Existing Risers	CW 2130-R11				
i)		Pre-cast Concrete Risers		vert. m	0.85		
		LANDSCAPING					
A.24		Seeding	CW 3520-R7	m²	6655		
		MISCELLANEOUS					
A.25		Chain Link Fence	CW 3550-R2				
i)		1.83m Height		m	1193		

FORM B (R1): PRICES (SEE B9)

		(SEE B9)				
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
A.26	Gates	CW 3550-R2	m	30		
A.27	Removal and Relocation of Existing Chain Link Fence	E-11	m	383		
A.28	Grouted Stone Riprap	CW 3615-R2	m³	3		
A.29	Construct Control Access Gate	E-18	each	1		
A.30	Supply and Installation of Sign Bollards	E-17	each	2		
A.31	Detectable Warning Surface Tiles	E-22	each	4		
Α	Transcona Trail Phase IA	1	1	1	Subtotal:	

ITEM	DESCRIPTION	(SEE B9) SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Transcona Trail Phase IB					
	EARTH AND BASE WORKS					
B.1	Clearing and Grubbing	CW 3010-R4	m²	105		
B.2	Stripping and Stockpiling Topsoil	CW 3110-R12	m³	1438		
B.3	Excavation	CW 3110-R12	m³	953		
B.4	Sub-Grade Compaction	CW 3110-R12	m²	11676		
B.5	Crushed Sub-base Material	CW 3110-R12				
i)	50 mm - Limestone		tonne	3182		
ii)	100 mm - Limestone		tonne	1426		
B.6	Supplying and Placing Base Course Material	CW 3110-R12, E16	M3	570		
B.7	Grading of Boulevards	CW 3110-R12	m²	15519		
B.8	Ditch Grading	CW 3110-R12	m²	1026		
B.9	Separation Geotextile Fabric	CW 3130-R2	M²	11676		
B.10	Supply and Install Geogrid	CW 3135	m²	2066		
B.11	Topsoil Excavation	CW 3170-R3	m³	1675		
B.12	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	204		
	ROADWORKS - REMOVALS/RENEWALS					
B.13	Miscellaneous Concrete Slab Installation	CW 3235-R7				
i)	Sidewalk	SD-228A	m²	63		
B.14	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
b) 5 sq.m. to 20 sq.m.		m²	16		
B.15	Concrete Curb Removal	CW 3240-R8				
i)	Barrier Integral		m	19		
ii)	Curb Ramp		m	12		
B.16	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (150mm ht, Dowelled)	SD-205	m	4		
ii)	Curb Ramp (10-15mm ht, Integral)	SD-229A,B,C	m	12		
	PATHWAYS - NEW CONSTRUCTION					

		(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.17	Construction of Asphaltic Concrete Pavements	CW 3410-R8				
i)	Main Line Paving					
1)	Ĵ	D16 6/D16 6 1				
	(Bidder shall bid either B.17i)a) <u>or</u> B.17i)b) below, not both)	B15.5/B15.5.1				
a) Туре IA		tonne	1903		
b) RAS Modified Type IA		tonne	1903		
ii)	Tie-ins and Approaches					
а) Туре IA		tonne	17		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.18	Connecting to Existing Catch Basin	CW 2130-R11				
i)	300mm Drainage Connection Pipe		each	1		
B.19	Abandoning Existing Drainage Inlets	CW 2130-R11	each	1		
B.20	Corrugated Steel Pipe - Supply	CW 3610-R3				
i)	(300mm, 1.8 gauge)		m	24		
B.21	Corrugated Steel Pipe - Install	CW 3610-R3				
i)	(300mm, 1.8 gauge)		m	24		
B.22	Connections to Existing Culverts	CW 3610-R3	each	1		
	LANDSCAPING					
B.23	Seeding	CW 3520-R7	m²	15053		
	MISCELLANEOUS					
B.24	Chain Link Fence	CW 3550-R2				
i)	1.83m Height		m	509		
B.25	Gates	CW 3550-R2	m	2		
B.26	Removal of Existing Chain Link Fence		m	50		
B.27	Relocation of Existing Trees	E-9	each	12		
B.28	Removal of Existing Wooden Bollards	E-10	each	41		
B.29	Relocation of Pathway Benches and Picnic Table	E-9	each	3		
B.30	Construct Control Access Gate	E-18	each	3		
B.31	Supply and Installation of Sign Bollards	E-17	each	7		
B.32	Supply and Installation of Plain Bollards	E-17	each	278		
B.33	Detectable Warning Surface Tiles	E-22	each	12		
В	Transcona Trail Phase IB	1			Subtotal:	

		(SEE B9)	020			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Transcona Trail Phase II					
	EARTH AND BASE WORKS					
C.1	Stripping and Stockpiling Topsoil	CW 3110-R12	m³	1504		
C.2	Excavation	CW 3110-R12	m³	1573		
C.3	Sub-Grade Compaction	CW 3110-R12	m²	12389		
C.4	Crushed Sub-base Material	CW 3110-R12				
i)	50 mm - Limestone		tonne	4830		
ii)	100 mm - Limestone		tonne	535		
C.5	Supplying and Placing Base Course Material	CW 3110-R12, E16	M3	620		
C.6	Grading of Boulevards	CW 3110-R12	m²	8084		
C.7	Ditch Grading	CW 3110-R12	m²	774		
C.8	Separation Geotextile Fabric	CW 3130-R2	m²	12389		
C.9	Supply and Install Geogrid	CW 3135	m²	3149		
C.10	Topsoil Excavation	CW 3170-R3	m³	1813		
C.11	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	127		
	ROADWORKS - REMOVALS/RENEWALS					
C.12	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
b)	5 sq.m. to 20 sq.m.		m²	15		
C.13	Concrete Curb Removal	CW 3240-R8				
i)	Barrier Integral		m	12		
ii)	Curb Ramp		m	3		
C.14	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (150mm ht, Dowelled)	SD-205	m	3		
ii)	Curb Ramp (10-15mm ht, Integral)	SD-229A,B,C	m	19		

		(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	PATHWAYS - NEW CONSTRUCTION					
C.15	Construction of Asphaltic Concrete Pavements	CW 3410-R8				
i)	Main Line Paving					
	(Bidder shall bid either C.15i)a) <u>or</u> C.15i)b) below, not both)	B15.5/B15.5.1				
a)	Type IA		tonne	2157		
b)	RAS Modified Type IA		tonne	2157		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	17		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.16	Corrugated Steel Pipe - Supply	CW 3610-R3				
i)	(300mm, 1.8 gauge)		m	92		
C.17	Corrugated Steel Pipe - Install	CW 3610-R3				
i)	(300mm, 1.8 gauge)		m	92		
C.18	Connections to Existing Culverts	CW 3610-R3	each	1		
	LANDSCAPING					
C.19	Seeding	CW 3520-R7	m²	13319		
	MISCELLANEOUS					
C.20	Removal of Existing Wooden Bollards	E-10	each	3		
C.21	Asphalt Traffic Barrier	E-21	m	380		
C.22	Construct Control Access Gate	E-18	each	3		
C.23	Supply and Installation of Sign Bollards	E-17	each	6		
C.24	Supply and Installation of Plain Bollards	E-17	each	170		
C.25	Detectable Warning Surface Tiles	E-22	each	8		
С	Transcona Trail Phase II	1	1	1	Subtotal:	

		(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	Transcona Trail Phase IA				Subtotal:	
В	<u> Transcona Trail Phase IB</u>				Subtotal:	
С	Transcona Trail Phase II				Subtotal:	
TOTAL BI	D PRICE (GST extra)		(in figures)		
(in words)						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 524-2010

2010 Active Transportation / Infrastructure Stimulus Program Multi Use Pathways – Transcona Trails Phases IA, IB & II

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per: Per:	
	(Name of Surety) By: (Attorney-in-Fact)	(Seal)

of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 524-2010

2010 Active Transportation / Infrastructure Stimulus Program Multi Use Pathways – Transcona Trails Phases IA, IB & II

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within thirty (30) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this ______ day of ______, 20_____,

(Name of Surety)

By:

(Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 524-2010

2010 Active Transportation / Infrastructure Stimulus Program Multi Use Pathways – Transcona Trails Phases IA, IB & II

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 26, 2010

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)

Per:

(Authorized Signing Officer)