

## PROVISION OF BOARD-UP AND/OR SECURING BUILDINGS FOLLOWING FIRES FOR FIRE PARAMEDIC SERVICES

## **URGENT**

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY ISSUED: March 2, 2011 BY: Coleen Groening TELEPHONE NO. (204) 986-2491

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

## PART A - BID SUBMISSION

Replace: 733-2010 Bid Submission with 733-2010 Addendum 1 - Bid Submission. The following is a summary of changes incorporated in the replacement Bid Submission:

Form B(R1): changes to items 8, 11 and 12

## PART E - SPECIFICATIONS

Revise:	E2.1 to read:	Fire Paramedic Services requires the securing of a building that has been involved in a fire and that building has to be secured immediately after the fire has been extinguished. The Contractor is required to secure the building with either new locks/hasps, deadbolts, and/or plywood, lighting, heating and temporary fencing.
Revise:	E3.7(f) to read:	Plywood board-up shall consist of Plywood and all other material required for the board- up and securing of the building. To include but not be limited to Plywood, nails and screws. Plywood should be in accordance with the Vacant Buildings By-Law No. 79/2010 Schedule B – Security Requirements for Vacant Buildings <u>http://www.winnipeg.ca/CLKDMIS/DocExt/ViewDoc.asp?DocumentTypeId=1&amp;DocId=523</u> <u>9</u> . If, during the Contract period, a partial piece of Plywood is used for board-up of a building the cost per sheet shall be pro-rated to reflect the approximate quantity of Plywood used. E.g. if only ½ sheet of Plywood is used the price shown on Form B: Prices item 8 shall be divided in half.
Revise:	E3.7(h) to read:	Supply and Installation of temporary fencing should be plastic/vinyl snow fencing a minimum of 48" high. Fencing shall be supported by steel rods at a minimum of 8 foot intervals as necessary to maintain strength, uniformity and taughtness.
Revise:	E3.7(i) to read:	Temporary wiring/electrical service. In the event that a structure has had it's electrical service disconnected and there is a need for electrical service to either heat or light the structure, the Contractor may be required to hire a licensed electrician to provide electrical service to the structure. In some instances Hydro may be available to reconnect the service.
Add:	E3.7(k) to read:	Provision of Heaters. A single residence home would normally require one electrical heater per floor. Each heater should be 4.8 KW which equals approx. 16,000 BTU. These are only required when the structure may be subjected to freezing temperatures.