FORM A: BID (See B8)

1.	Contract Title	2010 WASTEWATER SEWER CONTRACT 16	RENEWALS AND REPAIRS –	
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B		represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Genera		meanings
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Price Prices, appended hereto.		

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_ day of _____ , 20__ ____ ·

Signature of Bidder or Bidder's Authorized Official or Officials (Print here name and official capacity of individual whose signature appears above) _____ (Print here name and official capacity of individual whose signature appears above)

UNIT F	PRICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	Bayview Dr (MA40009820)					
A.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	87.3		
A.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	1		
A.3	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	9.0		
	Sub-Total					
в	Berwyn Blvd (MA40013442)					
B.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	91.7		
B.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	1		
B.3	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	9.0		
B.4	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	1.4		
B.5	Existing Manhole Repairs a) Patching MH40012170	CW 2130	vert. m	0.2		
	Sub-Total					

UNIT P	RICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
NO.				QUANTITY		
с	Bond St (MA40011814)					
C.1	Sewer Inspection a) 200mm	CW 2145				
	i) Post Repair		m	90.6		
C.2	Sewer Repair - Up to 3 Metres Long a) 200mm	CW 2130				
	i) Class 3 backfill		each	1		
C.3	Full Depth Partial Slab Patches a) Partial Slab Patches	E7				
	i) 150mm Concrete Pavement - Reinforced		m²	14.0		
C.4	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	2.2		
C.5	Remove and Replace Existing Manhole a) SD-010	CW 2130				
	i) 1200mm diameter base		vert m.	2.7		
C.6	New Manhole Inspection	CW 2145	each	1		
	Sub-Total					
D	Bond St (MA40013763)					
D.1	Sewer Inspection a) 250mm	CW 2145				
	i) Post Repair		m	89.2		
D.2	Sewer Repair - Up to 3 Metres Long a) 250mm	CW 2130				
	i) Class 3 backfill		each	1		
D.3	Sewer Repair - In Addition to First 3 Metres a) 250mm	CW 2130				
	i) Class 3 backfill		m	0.5		
D.4	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	2		
D.5	Full Depth Partial Slab Patches a) Partial Slab Patches	E7				
0.0	i) 150mm Concrete Pavement - Reinforced		m²	10.0		
D.6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	1.6		
D.7	Existing Manhole Repairs a) Patching	CW 2130	vert. m	1.8		
	Sub-Total					

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	Bond St (MA40013842)					
E.1	Sewer Inspection a) 250mm i) Post Repair	CW 2145	m	89.4		
E.2	Sewer Repair - Up to 3 Metres Long a) 250mm i) Class 3 backfill	CW 2130	each	2		
E.3	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	2		
E.4	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	18.0		
E.5	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	2.8		
E.6	Existing Manhole Repairs a) Patching	CW 2130	vert. m	2.3		
	Sub-Total					
F	Bond St (MA40013845)					
F.1	Sewer Inspection a) 250mm i) Post Repair	CW 2145	m	87.2		
F.2	Sewer Repair - Up to 3 Metres Long a) 250mm i) Class 3 backfill	CW 2130	each	1		
F.3	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	2		
F.4	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	9.0		
F.5	Existing Manhole Repairs a) Patching	CW 2130	vert. m	1.5		
	Sub-Total					

UNIT P	RICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
NO.				QUANTITY		
G	Day St (MA40013781)					
G.1	Sewer Inspection a) 250mm	CW 2145		00.0		
	i) Post Repair		m	89.3		
G.2	Sewer Repair - Up to 3 Metres Long a) 250mm	CW 2130				
	i) Class 3 backfill		each	1		
G.3	Sewer Repair - In Addition to First 3 Metres a) 250mm	CW 2130				
	i) Class 3 backfill		m	0.3		
G.4	Miscellaneous Concrete Slab Renewal	CW 3235	m²	7.0		
	a) Sidewalk (SD-228A)		111-	7.0		
G.5	Concrete Curb Renewal a) Curb and Gutter	CW 3240	m	6.0		
G.6	Full Depth Partial Slab Patches a) Partial Slab Patches	E7				
	i) 150mm Concrete Pavement - Reinforced		m²	9.6		
G.7	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	1.5		
	Sub-Total					

UNIT P					1	
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H	Day St (MA40013782)			QUANTIT		
H.1	Sewer Inspection a) 250mm i) Post Repair	CW 2145	m	89.5		
H.2	Sewer Repair - Up to 3 Metres Long a) 250mm	CW 2130		09.0		
H.3	i) Class 3 backfill Connecting Existing Sewer Service to New	CW 2130	each	1		
	a) 150mm		each	1		
H.4	Concrete Curb Renewal a) Curb and Gutter	CW 3240	m	6.0		
H.5	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	9.0		
H.6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	1.4		
H.7	Existing Manhole Repairs a) Patching	CW 2130	vert. m	1.4		
	Sub-Total					
I	Day St (MA40013905)					
1.1	Sewer Inspection a) 300mm i) Post Repair	CW 2145	m	87.1		
1.2	Sewer Repair - Up to 3 Metres Long a) 300mm i) Class 3 backfill	CW 2130	each	1		
1.3	Sewer Repair - In Addition to First 3 Metres a) 300mm	CW 2130	each			
	i) Class 3 backfill		m	1.4		
1.4	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	3		
1.5	Concrete Curb Renewal a) Curb and Gutter	CW 3240	m	7.0		
1.6	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	9.0		
1.7	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	1.4		
	Sub-Total					

UNIT F	PRICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
NO. J	Kanata St (MA40013868)			QUANTITY		
J.1	Sewer Inspection a) 200mm	CW 2145				
	i) Post Repair		m	89.0		
J.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	1		
J.3	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	1		
J.4	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	21.0		
	1) 150mm Concrete Pavement - Reinforced		111-	21.0		
J.5	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	3.3		
J.6	Remove and Replace Existing Manhole a) SD-010	CW 2130	vorten	26		
	i) 1200mm diameter base		vert m.	3.6		
J.7	New Manhole Inspection	CW 2145	each	1		
J.8	Existing Manhole Repairs a) Patching	CW 2130	vert. m	1.0		
	Sub-Total					
к	Leola St (MA40009494)					
K.1	Sewer Inspection a) 250mm i) Post Repair	CW 2145	m	87.1		
K.2	Sewer Repair - Up to 3 Metres Long a) 250mm i) Class 3 backfill	CW 2130	each	1		
K.3	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m 2	9.0		
	ny roomin Concrete Pavement - Reinforced		m²	9.0		
K.4	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	1.4		
K.5	Existing Manhole Repairs a) Patching	CW 2130	vert. m	0.3		
	Sub-Total					

UNIT F	PRICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
L	Madeline St (MA40013521)					
L.1	Sewer Inspection a) 200mm	CW 2145				
	i) Post Repair		m	87.3		
L.2	Sewer Repair - Up to 3 Metres Long a) 200mm	CW 2130		2		
	i) Class 3 backfill		each	2		
L.3	Sewer Repair - In Addition to First 3 Metres a) 200mm	CW 2130				
	i) Class 3 backfill		m	0.8		
L.4	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	1		
L.5	Full Depth Partial Slab Patches a) Partial Slab Patches	E7				
	i) 150mm Concrete Pavement - Reinforced		m²	28.0		
L.6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	4.4		
L.7	Remove and Replace Existing Manhole a) SD-010	CW 2130				
	i) 1200mm diameter base		vert m.	4.2		
L.8	New Manhole Inspection	CW 2145	each	1		
	Sub-Total					

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
M	Melrose Ave W (MA40011964)			QUANTIT		
M.1	Sewer Inspection a) 200mm	CW 2145				
	i) Post Repair		m	63.2		
M.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	1		
			each	1		
M.3	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	1		
M.4	Full Depth Partial Slab Patches a) Partial Slab Patches	E7				
	i) 150mm Concrete Pavement - Reinforced		m²	13.0		
M.5	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	2.0		
	Sub-Total					
N	Melrose Ave W (MA40012068)					
N.1	Sewer Inspection a) 200mm	CW 2145				
	i) Post Repair		m	148.3		
N.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	aaah	1		
	I) Class 3 Dackini		each	1		
N.3	Sewer Repair - In Addition to First 3 Metres a) 200mm i) Class 3 backfill	CW 2130	m	0.8		
		0.00				
N.4	Pavement Removal a) 150mm Concrete Pavement	CW 2130	m²	20.0		
N.5	Full Depth Partial Slab Patches a) Partial Slab Patches	E7				
	i) 150mm Concrete Pavement - Reinforced		m²	20.0		
N.6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	3.1		
N.7	Existing Manhole Repairs a) Patching i) Pipe / MH Interface ii) Benching	E10	l.s. I.s.	1 1		
	Sub-Total		I			

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
o	Melrose Ave W (MA40011815)					
O.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	58.3		
0.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	3		
0.3	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	3		
0.4	Full Depth Partial Slab Patches a) Partial Slab Patches	E7		2		
O.5	i) 150mm Concrete Pavement - Reinforced Construction of Asphaltic Concrete Overlays	CW 3410	m² Tonnes	25.0 3.9		
	Type 1A Sub-Total					
Р	Melrose Ave W (MA40011805)					
P.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	109.5		
P.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	1		
P.3	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	1		
P.4	Full Depth Partial Slab Patches a) Partial Slab Patches	E7	2			
P.5	i) 150mm Concrete Pavement - Reinforced Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	m² Tonnes	9.0 1.4		
	Sub-Total					

UNIT P	RICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
NO.				QUANTITY		
Q	Melrose Ave W (MA40011806)					
Q.1	Sewer Inspection	CW 2145				
	a) 200mm					
	i) Post Repair		m	99.7		
Q.2	Sewer Repair - Up to 3 Metres Long	CW 2130				
	a) 200mm					
	i) Class 3 backfill		each	1		
Q.3	Connecting Existing Sewer Service to New	CW 2130				
4.0	a) 150mm	0.11 2.000	each	2		
	,					
Q.4	Full Depth Partial Slab Patches	E7				
	a) Partial Slab Patches					
	i) 150mm Concrete Pavement - Reinforced		m²	9.0		
Q.5	Construction of Asphaltic Concrete Overlays	CW 3410	Tonnes	1.4		
Q.J	Type 1A	010 3410	TOTILES	1.4		
	Sub-Total					
R	Melrose Ave E (MA40011872)					
R.1	Sewer Inspection	CW 2145				
	a) 200mm	0.1.2.10				
	i) Post Repair		m	88.7		
R.2	Sewer Repair - Up to 3 Metres Long	CW 2130				
	a) 200mm i) Class 3 backfill		each	1		
	I) Class 5 Dackill		each	1		
R.3	Sewer Repair - In Addition to First 3 Metres	CW 2130				
	a) 200mm					
	i) Class 3 backfill		m	0.2		
R.4	Connecting Existing Sewer Service to New	CW 2130	aaab	2		
	a) 150mm		each	2		
R.5	Full Depth Partial Slab Patches	E7				
	a) Partial Slab Patches					
	i) 150mm Concrete Pavement - Reinforced		m²	9.5		
R.6	Construction of Asphaltic Concrete Overlays	CW 3410	Tonnes	1.5		
	Туре 1А					
	Sub-Total					

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
s	Melrose Ave E (MA40009023)					
S.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	78.9		
S.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	1		
S.3	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	2		
S.4	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	9.0		
S.5	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	1.4		
	Sub-Total					
т	Pandora Ave E (MA40011785)					
T.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	76.0		
Т.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	2		
Т.3	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	1		
Т.4	Concrete Curb Renewal a) Curb and Gutter	CW 3240	m	10.0		
T.5	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	9.0		
Т.6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	1.4		
	Sub-Total					

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
U	Park Circle (MA40013888)					
U.1	Sewer Inspection	CW 2145				
	a) 200mm i) Post Repair		m	44.1		
U.2	Sewer Repair - Up to 3 Metres Long a) 200mm	CW 2130				
	i) Class 3 backfill		each	1		
U.3	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	1		
U.4	Full Depth Partial Slab Patches a) Partial Slab Patches	E7				
	i) 150mm Concrete Pavement - Reinforced		m²	22.0		
U.5	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	3.4		
U.6	Remove and Replace Existing Manhole a) SD-010	CW 2130				
	i) 1200mm diameter base		vert m.	2.1		
U.7	New Manhole Inspection	CW 2145	each	1		
	Sub-Total					
v	Plessis Rd (MA40013081)					
V.1	Sewer Inspection a) 300mm	CW 2145				
	i) Post Repair		m	100.8		
V.2	Sewer Repair - Up to 3 Metres Long a) 300mm	E2				
	i) Class 3 backfill		each	1		
V.3	Sewer Repair - In Addition to First 3 Metres a) 300mm i) Class 3 backfill	E2	m	13.3		
V.4	Manhole Inspection (MH40011901) a) Investigation for Possible Abandonment	CW 2145	each	1		
V.5	Abandoning sewer MA40013151 (Plessis Rd)	CW 2130	each	1		
V.6	Abandoning MH40011901	CW 2130	each	1		
	Sub-Total					

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
w	Ravelston Ave W (MA40013067)					
W.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	99.9		
W.2	Sewer Repair - Up to 3 Metres Long a) 200mm	CW 2130				
	i) Class 3 backfill		each	1		
W.3	Sewer Repair - In Addition to First 3 Metres a) 200mm i) Class 3 backfill	CW 2130	m	0.5		
W.4	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	1		
W.5	Full Depth Partial Slab Patches a) Partial Slab Patches (24 Hour Early Open) i) 150mm Concrete Pavement - Reinforced	E7	m²	9.0		
W.6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	1.4		
	Sub-Total					
х	Ravelston Ave W (MA40013529)					
X.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	69.9		
X.2	Sewer Repair - Up to 3 Metres Long a) 200mm	CW 2130				
	i) Class 3 backfill		each	2		
X.3	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	5		
X.4	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	24.0		
X.5	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	3.7		
X.6	Existing Manhole Repairs a) Replace Frame and Cover i) AP-004 - Standard Frame ii) AP-005 - Standard Cover b) Replace Existing Risers i) Pre-cast Concrete Risers	CW 2130	each each vert m.	1 1 0.4		
	Sub-Total					

	RICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
NO.				QUANTITY		
Y	Ravelston Ave W (MA40013531)					
Y.1	Sewer Inspection	CW 2145				
	a) 200mm i) Post Repair		m	75.1		
				70.1		
Y.2	Sewer Repair - Up to 3 Metres Long a) 200mm	CW 2130 / E9				
	i) Class 3 backfill		each	1		
Y.3	Connecting Existing Sewer Service to New	CW 2130				
1.5	a) 150mm	CVV 2130	each	1		
Y.4	Full Death Dartial Clab Databas	F 7				
ř.4	Full Depth Partial Slab Patches a) Partial Slab Patches	E7				
	i) 150mm Concrete Pavement		m²	9.0		
Y.5	Construction of Asphaltic Concrete Overlays	CW 3410	Tonnes	1.4		
	Type 1A					
	Sub-Total					
z	Ravelston Ave W (MA40013555)					
Z.1	Sewer Inspection	CW 2145				
	a) 200mm			10.0		
	i) Post Repair		m	46.0		
Z.2	Sewer Repair - Up to 3 Metres Long	CW 2130				
	a) 200mm i) Class 3 backfill		each	1		
		_				
Z.3	Full Depth Partial Slab Patches a) Partial Slab Patches	E7				
	i) 150mm Concrete Pavement - Reinforced		m²	9.0		
	Sub-Total					
AA	Ravelston Ave W (MA40013675)					
AA.1	Sewer Inspection	CW 2145				
	a) 200mm					
	i) Post Repair		m	93.8		
AA.2	Sewer Repair - Up to 3 Metres Long	CW 2130				
	a) 200mm i) Class 3 backfill		each	2		
	,		Gaon	2		
AA.3	Connecting Existing Sewer Service to New a) 150mm	CW 2130	oach	2		
			each	2		
AA.4	Full Depth Partial Slab Patches	E7				
	a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced		m²	18.0		
	Sub-Total					

UNIT P	RICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
NO.				QUANTITY		
АВ	Regent Ave W (MA40012085)					
AB.1	Sewer Inspection a) 200mm	CW 2145				
	i) Post Repair		m	93.9		
AB.2	Sewer Repair - Up to 3 Metres Long a) 200mm	CW 2130				
	i) Class 3 backfill		each	2		
AB.3	Sewer Repair - In Addition to First 3 Metres a) 200mm	CW 2130				
	i) Class 3 backfill		m	1.6		
AB.4	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	3		
				-		
AB.5	Full Depth Partial Slab Patches	E7				
	a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced		m²	24.0		
AB.6	Remove and Replace Existing Manhole a) SD-010	CW 2130				
	i) 1200mm diameter base		vert m.	2.3		
AB.7	New Manhole Inspection	CW 2145	each	1		
	Sub-Total					

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
AC	Regent Ave E (MA40011850)					
AC.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	78.7		
AC.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	1		
AC.3	Sewer Repair - In Addition to First 3 Metres a) 200mm	CW 2130				
	i) Class 3 backfill		m	2.3		
AC.4	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	1		
AC.5	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	13.0		
AC.6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	2.0		
AC.7	Existing Manhole Repairs a) Patching i) Benching	E10	l.s.	1		
AC.8	Existing Manhole Repairs a) Replace Frame and Cover i) AP-005 - Standard Cover	CW 2130	each	1		
	Sub-Total					

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
AD	Regent Ave E (MA40009007)					
AD.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	44.5		
AD.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	1		
AD.3	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	1		
AD.4	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	9.0		
AD.5	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	1.4		
	Sub-Total					
AE	St. Martin Blvd (MA40009785)					
AE.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	86.3		
AE.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	1		
AE.3	Sewer Repair - In Addition to First 3 Metres a) 200mm i) Class 3 backfill	CW 2130	m	1.0		
AE.4	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	11.0		
	Sub-Total					

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
AF	Victoria Ave W (MA40011739)					
AF.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	126.2		
AF.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	1		
AF.3	Sewer Repair - In Addition to First 3 Metres a) 200mm i) Class 3 backfill	CW 2130 / E9	m	0.9		
AF.4	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	1		
AF.5	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	18.0		
AF.6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	2.8		
AF.7	Existing Manhole Repairs a) Patching	CW 2130	vert. m	0.8		
AF.8	Remove and Replace Existing Manhole a) SD-010 i) 1200mm diameter base	CW 2130	vert m.	2.0		
AF.9	New Manhole Inspection	CW 2145	each	1		
	Sub-Total					

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
AG	Virden Cres (MA40013308)					
AG.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	70.3		
AG.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	1		
AG.3	Full Depth Partial Slab Patches a) Partial Slab Patches	E7				
AG.4	i) 150mm Concrete Pavement - Reinforced Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	m² Tonnes	9.0 1.4		
	Sub-Total					
АН	Wabasha St (MA40014000)					
AH.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	102.7		
AH.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	1		
AH.3	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	9.0		
AH.4	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	1.4		
	Sub-Total					

	RICES	0050 555				
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	Whittier Ave E (MA40013979)					
AI	Sewer Inspection a) 200mm	CW 2145				
AI.1	i) Post Repair		m	64.7		
AI.2	- Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130 / E9	each	1		
AI.3	Sewer Repair - In Addition to First 3 Metres a) 200mm i) Class 3 backfill	CW 2130 / E9	m	0.5		
AI.4	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	1		
AI.5	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	10.0		
AI.6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	1.6		
AI.7	Existing Manhole Repairs a) Patching	CW 2130	vert. m	0.2		
	Sub-Total					
AJ	Whittier Ave E (MA40009542)					
AJ.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	79.9		
AJ.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	1		
AJ.3	Sewer Repair - In Addition to First 3 Metres a) 200mm	CW 2130	Cach	I		
	i) Class 3 backfill		m	0.6		
AJ.4	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	1		
AJ.5	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	8.2		
	Sub-Total					

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
AK	Winona St (MA40013685)					
AK.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	87.2		
AK.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	1		
AK.3	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	1		
AK.4	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	9.0		
AK.5	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	Tonnes	1.4		
AK.6	Existing Manhole Repairs a) Patching	CW 2130	vert. m	0.3		
	Sub-Total					
AL	Winona St (MA40013702)					
AL.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	97.1		
AL.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	1		
AL.3	Full Depth Partial Slab Patches a) Partial Slab Patches	E7				
	i) 150mm Concrete Pavement - Reinforced		m²	9.0		
AL.4	Construction of Asphaltic Concrete Overlays	CW 3410	Tonnes	1.4		
AL.5	Existing Manhole Repairs a) Patching	CW 2130	vert. m	1.0		
	Sub-Total					

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
АМ	Yale Ave W (MA40013749)					
AM.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	111.8		
AM.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	3		
AM.3	Sewer Repair - In Addition to First 3 Metres a) 200mm i) Class 3 backfill	CW 2130	m	0.2		
AM.4	Connecting Existing Sewer Service to New a) 150mm	CW 2130	each	3		
AM.5	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	30.0		
AM.6	Construction of Asphaltic Concrete Overlays	CW 3410	Tonnes	4.7		
	Sub-Total					
AN	Yale Ave E (MA40013791)					
AN.1	Sewer Inspection a) 200mm i) Post Repair	CW 2145	m	76.4		
AN.2	Sewer Repair - Up to 3 Metres Long a) 200mm i) Class 3 backfill	CW 2130	each	1		
AN.3	Sewer Repair - In Addition to First 3 Metres a) 200mm i) Class 3 backfill	CW 2130	m	1.9		
AN.4	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	1.9		
AN.5	Existing Manhole Repairs a) Patching	CW 2130	vert. m	0.6		
	Sub-Total					

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
AO	Harvard Avenue West (MA40013627)					
AO.1	Waste Water Sewers a) 250mm SDR 35 PVC i) trenchless installation Class B Type 3 bedding, Class 3 backfill	CW 2130	m	65		
AO.2	Manholes a) SD-010 i) 1200mm (MH.1)	CW 2130	vert. m	2.7		
AO.3	Sewer Services a) 150mm i) trenchless installation Class B Type 3 bedding, Class 3 backfill	CW 2130	m	116		
AO.4	Connecting to Existing Manhole a) 250mm	CW 2130	each	1		
AO.5	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres a) 150-250mm Sewer Services	CW 2130	each	4		
AO.6	Abandoning Existing Manholes	CW 2130	each	1		
AO.7	Sewer Inspection a) Waste Water Sewers i) 250mm (New Sewer)	CW 2145	m	65		
AO.8	Manhole Inspection a) New Manhole (MH.1)	CW 2145	each	1		
AO.9	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	9		
AO.10	Miscellaneous Concrete Slab Renewal a) Sidewalk (SD-228A)	CW 3235	m²	71.5		
AO.11	Concrete Curb Renewal a) Curb and Gutter	CW 3240	m	2.0		
AO.12	Connecting New Sewer Service to Existing Sewer Service a)150mm	CW 2130	each	12.0		
	Sub-Total					

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
AP	Ralph Avenue East (MA40014113)					
AP.1	Waste Water Sewers a) 250mm SDR 35 PVC i) trenchless installation Class B Type 3 bedding, Class 3 backfill	CW 2130	m	61.5		
AP.2	Manholes a) SD-010 i) 1200mm (MH.2)	CW 2130	vert. m	2.9		
AP.3	Sewer Services a) 150mm i) trenchless installation Class B Type 3 bedding, Class 3 backfill	CW 2130	m	91		
AP.4	Connecting to Existing Manhole a) 250mm (external drop manhole)	CW 2130	each	1		
AP.5	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres a) 150-250mm Sewer Services	CW 2130	each	2		
AP.6	Abandoning Existing Manholes	CW 2130	each	2		
AP.7	Sewer Inspection a) Waste Water Sewers i) 250mm (New Sewer)	CW 2145	m	61.5		
AP.8	Manhole Inspection a) New Manhole (MH.1)	CW 2145	each	1		
AP.9	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	9		
AP.10	Miscellaneous Concrete Slab Renewal a) Sidewalk (SD-228A) i) Less than 5m ²	CW 3235	m²	65.0		
AP.11	Concrete Curb Renewal a) Curb and Gutter	CW 3240	m	2.0		
AP.12	Connecting New Sewer Service to Existing Sewer Service a)150mm	CW 2130	each	10.0		
	Sub-Total					

AQ.1 V AQ.2 N AQ.3 S	DESCRIPTION Ravelston Avenue West (MA40013259) Waste Water Sewers a) 250mm SDR 35 PVC i) trenchless installation Class B Type 3 bedding, Class 3 backfill Manholes a) SD-010 i) 1200mm (MH.3) ii) 1200mm (MH.4) Sewer Services a) 150mm i) trenchless installation Class B Type 3 bedding, Class 3 backfill	SPEC. REF. CW 2130 CW 2130 CW 2130	m vert. m vert. m	APPROX. QUANTITY 111 3.9 4.7	UNIT PRICE	AMOUNT
AQ.1 V AQ.1 V AQ.2 N AQ.3 S	Waste Water Sewers a) 250mm SDR 35 PVC i) trenchless installation Class B Type 3 bedding, Class 3 backfill Manholes a) SD-010 i) 1200mm (MH.3) ii) 1200mm (MH.4) Sewer Services a) 150mm i) trenchless installation Class B Type 3 bedding, Class 3 backfill	CW 2130	vert. m	111 3.9		
AQ.1 V AQ.2 N AQ.3 S	Waste Water Sewers a) 250mm SDR 35 PVC i) trenchless installation Class B Type 3 bedding, Class 3 backfill Manholes a) SD-010 i) 1200mm (MH.3) ii) 1200mm (MH.4) Sewer Services a) 150mm i) trenchless installation Class B Type 3 bedding, Class 3 backfill	CW 2130	vert. m	3.9		
AQ.2 N AQ.3 S	a) 250mm SDR 35 PVC i) trenchless installation Class B Type 3 bedding, Class 3 backfill Manholes a) SD-010 i) 1200mm (MH.3) ii) 1200mm (MH.4) Sewer Services a) 150mm i) trenchless installation Class B Type 3 bedding, Class 3 backfill	CW 2130	vert. m	3.9		
AQ.2 M AQ.3 S	Class B Type 3 bedding, Class 3 backfill Manholes a) SD-010 i) 1200mm (MH.3) ii) 1200mm (MH.4) Sewer Services a) 150mm i) trenchless installation Class B Type 3 bedding, Class 3 backfill		vert. m	3.9		
AQ.3 S	a) SD-010 i) 1200mm (MH.3) ii) 1200mm (MH.4) Sewer Services a) 150mm i) trenchless installation Class B Type 3 bedding, Class 3 backfill					
AQ.3 (ii) 1200mm (MH.4) Sewer Services a) 150mm i) trenchless installation Class B Type 3 bedding, Class 3 backfill	CW 2130				
a	a) 150mm i) trenchless installation Class B Type 3 bedding, Class 3 backfill	CW 2130				
			m	140		
	Connecting to Existing Manhole a) 250mm	CW 2130	each	2		
5	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres a) 150-250mm Sewer Services	CW 2130	each	2		
a	Sewer Inspection a) Waste Water Sewers	CW 2145				
	i) 250mm (New Sewer) ii) 250mm (New Sewer) iii) 250mm (New Sewer)		m m m	2.6 106.1 2.3		
a	Manhole Inspection a) New Manhole (MH.1) b) New Manhole (MH.2)	CW 2145	each each	1 1		
a	Full Depth Partial Slab Patches a) Partial Slab Patches	E7		425		
	i) 150mm Concrete Pavement - Reinforced		m²	135		
	Planing of Pavement a) 0-50mm depth asphalt surface	CW 3450	m²	135		
	Miscellaneous Concrete Slab Renewal a) Sidewalk (SD-228A) i) Less than 5m ²	CW 3235	m²	65.0		
	Concrete Curb Renewal a) Curb and Gutter	CW 3240	m	2.0		
a	Existing Manhole Repairs a) Patching	E10				
	i) Pipe / MH Interface ii) Benching		l.s. I.s.	1 1		
S	Connecting New Sewer Service to Existing Sewer Service a)150mm	CW 2130	each	12.0		
	Sub-Total					

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
AR	Ravelston Avenue East (MA40009520)					
AR.1	Waste Water Sewers a) 250mm SDR 35 PVC i) trenchless installation Class B Type 3 bedding, Class 3 backfill	CW 2130	m	69.4		
AR.2	Manholes a) SD-010 i) 1200mm (MH.5)	CW 2130	vert. m	3.2		
AR.3	Sewer Services a) 150mm i) trenchless installation Class B Type 3 bedding, Class 3 backfill	CW 2130	m	103		
AR.4	Connecting to Existing Manhole a) 250mm	CW 2130	each	2		
AR.5	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres a) 150-250mm Sewer Services	CW 2130	each	2		
AR.6	Abandoning Existing Manholes	CW 2130	each	1		
AR.7	Sewer Inspection a) Waste Water Sewers i) 250mm (New Sewer) ii) 250mm (New Sewer)	CW 2145	m m	6.3 63.1		
AR.8	Manhole Inspection a) New Manhole (MH.1)	CW 2145	each	1		
AR.9	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	9		
AR.10	Miscellaneous Concrete Slab Renewal a) Sidewalk (SD-228A) i) Less than 5m ²	CW 3235	m²	52.0		
AR.11	Concrete Curb Renewal a) Curb and Gutter	CW 3240	m	2.0		
AR.12	Connecting New Sewer Service to Existing Sewer Service a)150mm	CW 2130	each	9.0		
	Sub-Total					

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
AS	Rosseau Avenue East (MA40009501)					
AS.1	Waste Water Sewers a) 250mm SDR 35 PVC i) trenchless installation Class B Type 3 bedding, Class 3 backfill	CW 2130	m	99.4		
AS.2	Manholes a) SD-010 i) 1200mm (MH.6)	CW 2130	vert. m	2.5		
AS.3	Sewer Services a) 150mm i) trenchless installation Class B Type 3 bedding, Class 3 backfill	CW 2130	m	32		
AS.4	Connecting to Existing Manhole a) 250mm	CW 2130	each	2		
AS.5	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres a) 150-250mm Sewer Services	CW 2130	each	2		
AS.6	Sewer Inspection a) Waste Water Sewers i) 250mm (New Sewer) ii) 250mm (New Sewer)	CW 2145	m m	5.5 93.9		
AS.7	Manhole Inspection a) New Manhole (MH.1) b) Ex. Manhole (MH40008661) c) Ex. Manhole (MH40008623A)	CW 2145	each each each	1 1 1		
AS.8	Full Depth Partial Slab Patches a) Partial Slab Patches i) 150mm Concrete Pavement - Reinforced	E7	m²	9		
AS.9	Miscellaneous Concrete Slab Renewal a) Sidewalk (SD-228A) i) Less than 5m ²	CW 3235	m²	19.5		
AS.10	Concrete Curb Renewal a) Curb and Gutter	CW 3240	m	2.0		
AS.11	Connecting New Sewer Service to Existing Sewer Service a)150mm	CW 2130	each	2.0		
	Sub-Total					

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
AT	Provisional Items					
AT.1	CB Lead Repair - Up to 3.0 metres Long (SD-022A)	CW 2130	each	1		
AT.2	Temporary Pavement Restoration a) 150mm Concrete Pavement b) 200mm Concrete Pavement c) Sidewalk	CW 2130	m² m² m²	15.0 15.0 15.0		
AT.3	Water services	CW 2110				
	a) 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0		
	 b) 25mm i) trenchless installation, Class B sand bedding, Class 3 backfill 		m	10.0		
AT.4	Curb Stops - Replace Existing a) 19mm	CW 2110	each	2		
AT.5	Watermain and Water Service Insulation In a trench (SD - 018) 50mm thick 75mm thick 100mm thick	CW 2110	m m m	2 2 2		
AT.6	Sewer Services a) 200mm-250mm, SDR 35 PVC i) trenchless installation Class B Type 3 bedding	CW 2130				
	Class 3 backfill ii) in a trench, Class B Type 3 bedding		m	10.0		
	Class 3 backfill		m	10.0		
AT.7	Connecting Existing Sewer Service to New Sewer a) 200mm-250mm	CW 2130	each	2		
			Eacii	2		
AT.8	Sewer Cleaning a) 200mm to 450mm	CW 2140	m	250.0		

ITEM NO.DESCRIPTIONSPEC. REF.UNITAPPROX. QUANTITYUNIT PRICEAMOUNTAT.9 a) AP-004 Standard frame for Manhole and Catch Basin b) AP-005 Standard Solid Cover (c) AP-008 Barrier Curb and Gutter Inlet Cover d) AP-009 Barrier Curb and Gutter InletCW 2130 eacheach1AT.10 b) AP-009 Barrier Curb and Gutter Inlet a) Somm b) 250mmCW 2130 eachieach1AT.11 b) 250mmConnecting New sewer Service to Existing Sewer Service a) 150mm b) 250mmCW 2130 eachieach1AT.11 b) 250mmCW 2130 eachieach1ieach1AT.11 connecting New sewer Service to Existing Sewer Service a) SD-024 b) SD-025CW 2130 eachieach1AT.11 condationReplace Existing Catch Basin a) Replace Existing RungsCW 2130 eachieach1AT.12 condationExisting Manhole Repairs a) Replace Existing Rungsieach1ieach1AT.14 SoddingGudingCW 3510m²10.0ieach1AT.14 sub-TotalSub-Totalif figures)\$ieach1ieachTOTAL BID PRICE (GST extra) (in figures)\$if figuresif figuresieach1	UNIT P	RICES					
AT.9 Replacing Standard Frames and Covers a) AP-004 Standard frame for Manhole and Catch Basin b) AP-005 Standard Solid Cover c) AP-008 Barrier Curb and Gutter Inlet Cover d) AP-009 Barrier Curb and Gutter Inlet attrice ach b) 2009 Barrier Curb and Gutter Inlet connecting New sewer Service to Existing Sewer Service a) 150mm b) 250mm each to the ach to the		DESCRIPTION	SPEC. REF.	UNIT	-	UNIT PRICE	AMOUNT
a) AP-004 Standard frame for Manhole and Catch Basin each 1 b) AP-005 Standard Solid Cover each 1 c) AP-008 Barrier Curb and Gutter Inlet Cover each 1 d) AP-009 Barrier Curb and Gutter Inlet each 1 AT.10 Connecting New sewer Service to Existing Sewer Service each 1 a) 150mm each 1 each 1 b) 250mm each 1 each 1 AT.11 Remove and Replace Existing Catch Basin CW 2130 each 1 a) SD-024 b) SD-025 each 1 each 1 AT.12 Existing Manhole Repairs each 5 1 AT.13 CI adjusting rings each 1 1 AT.14 Sodding CW 3510 m² 10.0 1 AT.14 Sodding CW 3510 m² 10.0 1 AT.14 Sodding CW 3510 m² 10.0 1 AT.14 Sodding Sub-Total \$					QUANTITY		
Catch Basin b) AP-005 Standard Solid Cover c) AP-008 Barrier Curb and Gutter Inlet Cover d) AP-009 Barrier Curb and Gutter Inleteach1 each1 each1 1AT.10Connecting New sewer Service to Existing Sewer Service a) 150mm b) 250mmeach1 each1AT.11Remove and Replace Existing Catch Basin a) SD-024 b) SD-025CW 2130 eacheach1 eachAT.12Existing Manhole Repairs a) Replace Existing RungsCW 2130 eacheach1 eachAT.13CI adjusting ringseach1 each1AT.14Sodding Sub-Total CW 3510m²10.0TOTAL BID PRICE (GST extra) (in figures)\$	AT.9		CW 2130				
b) AP-005 Standard Solid Cover c) AP-008 Barrier Curb and Gutter Inlet Cover d) AP-009 Barrier Curb and Gutter Inlet AT.10 Connecting New sewer Service to Existing Sewer Service a) 150mm b) 250mm AT.11 Remove and Replace Existing Catch Basin a) SD-024 b) SD-025 AT.12 Existing Manhole Repairs a) Replace Existing Rungs AT.13 Cl adjusting rings AT.14 Sodding AT.14 Sodding TOTAL BID PRICE (GST extra) (in figures) Each I CW 3510 Mm ² CW 3510 Mm ² Sub-Total Each I each I				each	1		
c) AP-008 Barrier Curb and Gutter Inlet Cover d) AP-009 Barrier Curb and Gutter Inlet AT.10 Connecting New sewer Service to Existing Sewer Service a) 150mm b) 250mm AT.11 Remove and Replace Existing Catch Basin a) SD-025 AT.12 Existing Manhole Repairs a) Replace Existing Rungs AT.12 Existing Manhole Repairs a) Replace Existing Rungs AT.13 CI adjusting rings AT.14 Sodding CW 3510 m ² 10.0 Sub-Total CW 3510 m ² CW 3510 m ² CW 3510 m ² CW 3510 m ²							
d) AP-009 Barrier Curb and Gutter Inleteach1AT.10Connecting New sewer Service to Existing Sewer Service a) 150mm b) 250mmeach1AT.11Remove and Replace Existing Catch Basin a) SD-025CW 2130 eacheach1AT.12Existing Manhole Repairs a) Replace Existing RungsCW 2130 eacheach1AT.12Solding sub-TotalCW 3510m²10.0AT.14Solding sub-TotalCW 3510m²10.0		,		each	1		
AT.10 Connecting New sewer Service to Existing Sewer Service a) 150mm b) 250mm AT.11 Remove and Replace Existing Catch Basin a) SD-024 b) SD-025 AT.12 Existing Manhole Repairs a) Replace Existing Rungs AT.13 Cl adjusting rings AT.14 Sodding AT.14 Sodding AT.14 Sodding AT.14 Define CGST extra) (in figures) CW 3510 m ² 10.0 CW				each	1		
Sewer Service a) 150mm b) 250mmeach a) 150mm each1 eachAT.11Remove and Replace Existing Catch Basin a) SD-024 b) SD-025CW 2130 eacheach ach1 eachAT.12Existing Manhole Repairs a) Replace Existing Rungseach each1 each1AT.13Cl adjusting ringseach each1 each1AT.14Sodding sub-TotalCW 3510 eachm² each10.0TOTAL BID PRICE (GST extra) (in figures)\$		d) AP-009 Barrier Curb and Gutter Inlet		each	1		
Sewer Service a) 150mm b) 250mmeach a) 150mm each1 eachAT.11Remove and Replace Existing Catch Basin a) SD-024 b) SD-025CW 2130 eacheach ach1 eachAT.12Existing Manhole Repairs a) Replace Existing Rungseach each1 each1AT.13Cl adjusting ringseach each1 each1AT.14Sodding sub-TotalCW 3510 eachm² each10.0TOTAL BID PRICE (GST extra) (in figures)\$	ΔT 10	Connecting New sewer Service to Existing					
a) 150mm b) 250mma) 150mmeach1AT.11Remove and Replace Existing Catch Basin a) SD-024 b) SD-025CW 2130each1AT.12Existing Manhole Repairs a) Replace Existing Rungseach5AT.13CI adjusting ringseach1AT.14SoddingCW 3510m²10.0TOTAL BID PRICE (GST extra) (in figures)\$	A1.10	0 0					
b) 250mmeach1AT.11Remove and Replace Existing Catch Basin a) SD-024 b) SD-025CW 2130 eacheach1 eachAT.12Existing Manhole Repairs a) Replace Existing Rungseach5AT.13CI adjusting ringseach1AT.14Sodding Sub-Total CW 3510m²10.0TOTAL BID PRICE (GST extra) (in figures)\$				each	1		
AT.11Remove and Replace Existing Catch Basin a) SD-024 b) SD-025CW 2130each1 1AT.12Existing Manhole Repairs a) Replace Existing Rungseach5AT.13CI adjusting ringseach1AT.14Sodding Sub-Total CW 3510m²10.0TOTAL BID PRICE (GST extra) (in figures)\$,					
a) SD-024 b) SD-025b) SD-025each1 each		-,					
b) SD-025 each 1 AT.12 Existing Manhole Repairs a) Replace Existing Rungs each 5 AT.13 CI adjusting rings each 1 AT.14 Sodding CW 3510 m² 10.0 Sub-Total State of the second	AT.11	Remove and Replace Existing Catch Basin	CW 2130				
AT.12 Existing Manhole Repairs a) Replace Existing Rungs each 5 AT.13 CI adjusting rings each 1 AT.14 Sodding CW 3510 m² 10.0 Sub-Total State of the second of the sec		a) SD-024		each	1		
a) Replace Existing Rungs each 5 AT.13 CI adjusting rings each 1 AT.14 Sodding CW 3510 m² 10.0 Sub-Total TOTAL BID PRICE (GST extra) (in figures) \$		b) SD-025		each	1		
a) Replace Existing Rungs each 5 AT.13 CI adjusting rings each 1 AT.14 Sodding CW 3510 m² 10.0 Sub-Total TOTAL BID PRICE (GST extra) (in figures) \$							
AT.13 Cl adjusting rings each 1 AT.14 Sodding CW 3510 m ² 10.0 Sub-Total Sub-Total State Sub-Total State	AT.12	Existing Manhole Repairs					
AT.14 Sodding CW 3510 m ² 10.0 TOTAL BID PRICE (GST extra) (in figures) \$		a) Replace Existing Rungs		each	5		
AT.14 Sodding CW 3510 m ² 10.0 TOTAL BID PRICE (GST extra) (in figures) \$	AT 40						
Sub-Total Image: Constrained and the second and the	AT.13	CI adjusting rings		each	1		
TOTAL BID PRICE (GST extra) (in figures)	AT.14	Sodding	CW 3510	m²	10.0		
TOTAL BID PRICE (GST extra) (in figures)							
		Sub-Total					
			8				
(in words)	TOTAL	BID PRICE (GST extra) (in figures)			\$		
	(in word	te)					

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 901-2010

2010 WASTEWATER SEWER RENEWALS AND REPAIRS - CONTRACT 16

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of ______ , 20_____ .

SIGNED AND SEALED in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)	
Per:	(Seal)
Per:	
(Name of Surety)	

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 901-2010

2010 WASTEWATER SEWER RENEWALS AND REPAIRS - CONTRACT 16

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20____.

(Name of Surety)

_____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 901-2010

2010 WASTEWATER SEWER RENEWALS AND REPAIRS - CONTRACT 16

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on April 11, 2011.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	me of bank or financial institution)			
Per:				
	(Authorized Signing Officer)			
Per:				

(Authorized Signing Officer)