FORM A: BID (See B8)

1.	Contract Title		A COMBINED SEWER OVERI VERSITY OF WINNIPEG	-LOW STORAGE
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business u	nder the above name.	
3.	Contact Person	The Bidder hereby aut	horizes the following contact ps of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		used in the Contract shall h General Conditions and D3.	ave the meanings
5.	Offer		ers to perform the Work in a Bid Price, in Canadian funds, to.	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES

(See B:9)

CONSTRUCTION OF A COMBINED SEWER OVERFLOW STORAGE FACILITY AT THE UNIVERSITY OF WINNIPEG

	PRICES					
ITEM		SPEC.		APPROX.		
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
A.	STORM RELIEF SEWERS					
A.1	Storm Relief Sewers	CW2130				
	a) 250mm SDR 35 PVC i) Trenchless Installation, Class B Type 3 Bedding, Class 3 Backfill ii) in a trench with Class B Type 3 Bedding, Class 3 Backfill		m m	5		
	b) 375mm SDR 35 PVC i) in a Trench with Class B Type 3 Bedding, Class 3 Backfill		m	7		
	c) 450mm SDR 35 PVC i) Trenchless Installation, Class B Type 3 Bedding, Class 3 Backfill ii) in a Trench with Class B Type 3 Bedding, Class 3 Backfill		m	44		
A.2	Combined Sewer Overflow Storage Pipe/Tanks	CW2130 E5	m			
	a) 1500mm RSC250 HDPE Pipe i) in a Trench with Class B Sand Bedding, Class 2 Backfill		m	223		
	b) 1500mm RSC250 HDPE Header Pipe c/w all Fittings i) in a Trench with Class B Sand Bedding, Class 2 Backfill		m	8		
A.3	Storage Pipe/Tank Air Vent Header	CW2130 E5				
	a) 200mm DR 18 PVC Header i) in a Trench with Class B Sand Bedding, Class 2 Backfill		m	8		
	b) 200mm Schedule 40 Galvanized Steel Air Vent c/w 90° and 180° Elbows and Screen		unit	1		
	c) Valve Box Assembly c/w Lockable Lid		unit	3		

Name of Bidder

FORM B: PRICES (See B:9)

CONSTRUCTION OF A COMBINED SEWER OVERFLOW STORAGE FACILITY AT THE UNIVERSITY OF WINNIPEG

	PRICES					
ITEM		SPEC.		APPROX.		
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
A.4	Manholes	CW2130 E5				
	a) SD-010 i) 1200mm diameter (MH 1 and 2) ii) 1800mm diameter (MH 5) c/w Aluminum Platform iii) 1800mm diameter (MH 3) c/w Weir Wall and S.S. Adjustable Plate		vt.m. I.s.	6 1		
A.5	New Manholes on Existing Sewers	CW2130 E5	1.3.	'		
	a) SD-010 i) 1200mm diameter (MH 6) ii) 1800mm diameter (MH 4) c/w Weir Wall and S.S. Adjustable Plate		vt.m.	3.6		
A.6	New HDPE Access Manholes c/w Concrete Transition	CW2130 E5	1.0.	, '		
	a) 1200mm (MH 7, 8, 9)		each	3		
A.7	Supply and Installation of Fabricated Sluice Gates	E5				
	a) 250mm on Round MH Wall (MH 5) c/w Electric Actuator		each	1		
	b) 375mm on Flat Weir Wall (MH 3 and MH 4)		each	2		
A.8	Supply and Installation of Circular Flap Gates	E5				
	a) 250mm on Round MH Wall (MH 6) b) 450mm on Flat Concrete Wall (MH 3)		each each	1 1		
A.9	Sewer Services	CW2130				
	a) 250mm i) Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill		m	10		
A.10	Patching Existing Manholes/Catchbasins	CW2130	vt.m.	1		
A.11	Connecting to Existing Sewer	CW2130				
	a) 375mm to 375mm PVC SRS		each	1		

Name of Bidder

FORM B: PRICES (See B:9)

CONSTRUCTION OF A COMBINED SEWER OVERFLOW STORAGE FACILITY AT THE UNIVERSITY OF WINNIPEG

UNIT	PRICES					
TEM		SPEC.		APPROX.		
IO.	DESCRIPTION	REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
۸.12	Connecting to Existing Catchbasin	CW2130				
	a) 250mm		each	2		
A.13	Abandoning Existing Sewer Services Under Pavement	CW 2130				
	a) 250mm		each	2		
A.14	Sewer Inspection (New Sewers)	CW2130 CW2145				
	a) 250-300mm b) 375-450mm		m m	15 51		
A.15	Sewer Inspection (Existing Sewers)	CW2130 CW2145				
	a) 300mm b) 375mm		m m	15 15		
A.16	Reinforced Concrete Pavement	CW2130 CW3230				
	a) Partial Slab Patches i) 150mm Pavement for Early Opening (72 hour)		m²	50		
	ii) 200mm pavement for Early Opening (24 hour)		m²	50		
	b) Slab Replacement (Lane) i) 150mm Pavement		m²	100.0		
A.17	Concrete Curb Installation	CW3240				
	a) Barrier		m	5		
A.18	Concrete Curb Renewal	CW3240				
	a) Barrier b) Curb Ramp		m m	15 3		
.19	Miscellaneous Concrete Slab Renewal	CW3235				
	a) 100mm Concrete Sidewalk		m²	30		

Name of Bidder

(in words)

FORM B: PRICES (See B:9)

CONSTRUCTION OF A COMBINED SEWER OVERFLOW STORAGE FACILITY AT THE UNIVERSITY OF WINNIPEG

	PRICES					
TEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.20	Detectable Warning Surfaces	E6				
	a) 600mm x 1200mm Cast-in-Place Armor Tile (Yellow)		each	2		
4.21	Bollards		each	8		
A.22	Miscellaneous Pavement Removal	CW3110				
	a) Concrete Pavement b) Asphalt Pavement		m² m²	25 350		
A.23	Grading of Boulevards	CW3110	m²	500		
A.24	Sub-Grade Compaction	CW3110	m²	250		
A.25	Separation Geotextile Fabric	CW3130	m²	250		
A.26	Crushed Sub-Base Material	CW3110				
	a) 50 mm - Limestone		tonne	90		
A.27	Supplying and Placing Base Course Material	CW3110	m³	15		
A.28	Construction of Asphaltic Concrete Pavement	CW3410 E5				
	a) Main Line Paving - Type IA	E9	tonne	45		
A.29	Construction of Asphaltic Concrete Overlay	CW3410	tonne			
	a) Main Line Paving - Type IA		tonne	10		
A.30	Sodding	CW 3510				
	a) Width > or = 600 mm		m²	1,500		
A.31	Electrical Work	E7	l.s.	1		

(Seal)

Template Version: C020100621 - Main C

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

(Name of Surety)

(Attorney-in-Fact)

Ву:

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 218-2011 CONSTRUCTION OF A COMBINED SEWER OVERFLOW STORAGE FACILITY AT THE UNIVERSITY OF WINNIPEG in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______, 20_____. (Name of Surety) (Seal)

(Attorney-in-Fact)

FORM G2 (R1): IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpoi Materia 185 Ki	ty of Winnipeg ate Finance Department als Management Division ng Street, Main Floor eg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 218-2011
UNIVE	CONSTRUCTION OF A COMBINED SEWER OVERFLOW STORAGE FACILITY AT THE RSITY OF WINNIPEG
Pursua	ant to the request of and for the account of our customer,
(Name o	f Bidder)
(Address	s of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	tandby Letter of Credit may be drawn on by you at any time and from time to time upon writter d for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand fo nt without inquiring whether you have a right as between yourself and our customer to make such d and without recognizing any claim of our customer or objection by the customer to payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Address	s)
and we	confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 12, 2011.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)			
Per:			
	(Authorized Signing Officer)		
Per:			
	(Authorized Signing Officer)		