

FORM A: BID
(See B7)

1. Contract Title **2011 LOCAL AND REGIONAL STREETS PROGRAM: LOGAN AVENUE – MCPHILLIPS STREET TO TRINITY STREET, PAVEMENT RECONSTRUCTION / MCPHILLIPS STREET NORTHBOUND – NOTRE DAME AVENUE TO LOGAN AVENUE, MILL AND FILL**

2. Bidder _____
Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City Province Postal Code

(Mailing address if different) _____
Facsimile Number

Street or P.O. Box

City Province Postal Code

(Choose one) The Bidder is:
 a sole proprietor
 a partnership
 a corporation
carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security
- In accordance with B10.1, the Bidder encloses bid security in the form of:
- (Choose one)
- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract
- The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work
- The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract
- The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda
- The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | No. | Dated |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
11. Time
- This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|---|--|--------------------|----------------|------------------|------------|--------|
| A LOGAN AVENUE RECONSTRUCTION AND ASSOCIATED WORKS | | | | | | |
| EARTH AND BASE WORKS | | | | | | |
| A.1 | Excavation | CW 3110-R14 | m ³ | 8,500 | | |
| A.2 | Sub-Grade Compaction | CW 3110-R14 | m ² | 8,500 | | |
| A.3 | Crushed Sub-base Material | CW 3110-R14 | | | | |
| | i) 50 mm | | tonne | 3,300 | | |
| | ii) 100 mm | | tonne | 9,500 | | |
| A.4 | Supplying and Placing Limestone Base Course Material | CW 3110-R14 | m ³ | 2,000 | | |
| A.5 | Grading of Boulevards | CW 3110-R14 | m ² | 525 | | |
| A.6 | Boulevard Excavation | CW 3110-R14 | m ³ | 230 | | |
| A.7 | Removal of Existing Concrete Bases | CW 3110-R14 | | | | |
| | i) 600 mm Diameter or Less | | each | 2 | | |
| A.8 | Separation Geotextile Fabric | CW 3130-R3 | m ² | 8,500 | | |
| A.9 | Supply and Install Geogrid | CW 3135-R1 | m ² | 1,000 | | |
| A.10 | Removal of Existing Street Car Track Bedding | E20. | m ³ | 1,650 | | |
| A.11 | Fill Material | CW 3170-R3 | | | | |
| | i) Supplying and Placing Imported Material | | m ³ | 110 | | |
| ROADWORKS - RENEWALS | | | | | | |
| A.12 | Pavement Removal | CW 3110-R14 & E14. | | | | |
| | i) Concrete Pavement | | m ² | 8,500 | | |
| | ii) Asphalt Pavement | | m ² | 500 | | |
| A.13 | Slab Replacement - Early Opening (72 hour) | CW 3230-R6 | | | | |

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|------------|----------------|------------------|------------|--------|
| | ROADWORKS - RENEWALS (Cont'd.) | | | | | |
| | i) 230 mm Concrete Pavement (Plain-Dowelled) | | m ² | 100 | | |
| A.14 | Partial Slab Patches - Early Opening (72 hour) | CW 3230-R6 | | | | |
| | i) 230 mm Concrete Pavement (Type A) | | m ² | 10 | | |
| | ii) 230 mm Concrete Pavement (Type C) | | m ² | 15 | | |
| | iii) 230 mm Concrete Pavement (Type D) | | m ² | 200 | | |
| A.15 | Drilled Dowels | CW 3230-R6 | | | | |
| | i) 19.1 mm Diameter | | each | 100 | | |
| | ii) 28.6 mm Diameter | | each | 60 | | |
| A.16 | Drilled Tie Bars | CW 3230-R6 | | | | |
| | i) 20 M Deformed Tie Bar | | each | 700 | | |
| A.17 | Miscellaneous Concrete Slab Removal | CW 3235-R8 | | | | |
| | i) Monolithic Median Slab | | m ² | 250 | | |
| | ii) 100 mm Sidewalk | | m ² | 2,300 | | |
| | iii) Bullnose | | m ² | 10 | | |
| | iv) Monolithic Curb and Sidewalk | | m ² | 25 | | |
| A.18 | Miscellaneous Concrete Slab Installation | CW 3235-R8 | | | | |
| | i) Monolithic Median Slab | SD-226A | m ² | 180 | | |
| | ii) Bullnose | SD-227C | m ² | 10 | | |
| | iii) Monolithic Curb and Sidewalk | SD-228B | m ² | 490 | | |
| A.19 | Miscellaneous Concrete Slab Renewal | CW 3235-R8 | | | | |
| | i) Monolithic Curb and Sidewalk | SD-228B | m ² | 100 | | |
| A.20 | Adjustment of Precast Sidewalk Blocks | CW 3235-R8 | m ² | 20 | | |
| A.21 | Supply of Precast Sidewalk Blocks | CW 3235-R8 | m ² | 10 | | |

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------|----------------|------------------|------------|--------|
| | ROADWORKS - RENEWALS (Cont'd.) | | | | | |
| A.22 | Removal of Precast Sidewalk Blocks | CW 3235-R8 | m ² | 10 | | |
| A.23 | Concrete Curb Removal | CW 3240-R8 | | | | |
| | i) Barrier (Separate) | | m | 550 | | |
| | ii) Curb Ramp | | m | 10 | | |
| A.24 | Concrete Curb Installation | CW 3240-R8 | | | | |
| | i) Barrier (180 mm ht, Separate) | SD-203A | m | 30 | | |
| | ii) Curb Ramp (10-15 mm ht, Monolithic) | SD-229A,B,C | m | 40 | | |
| A.25 | Concrete Curb Renewal | CW 3240-R8 | | | | |
| | i) Barrier (150 mm ht, Separate) | SD-203A | | | | |
| | a) 3 m to 30 m | | m | 30 | | |
| | ii) Curb Ramp (10-15 mm ht, Monolithic) | SD-229C,D | m | 10 | | |
| A.26 | Construction of Asphaltic Concrete Overlay | CW 3410-R8 | | | | |
| | i) Main Line Paving | | | | | |
| | a) Type IA | | tonne | 520 | | |
| | ii) Tie-ins and Approaches | | | | | |
| | a) Type IA | | tonne | 120 | | |
| A.27 | Planing of Pavement | CW 3450-R5 | | | | |
| | i) 0 - 50 mm Depth (Asphalt) | | m ² | 5,500 | | |
| A.28 | Detectable Warning Surface Tiles | E13. | | | | |
| | i) 610 mm X 1220 mm | | each | 30 | | |

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------|----------------|------------------|------------|--------|
| | ROADWORK - NEW CONSTRUCTION | | | | | |
| A.29 | Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians | CW 3310-R14 | | | | |
| | i) Construction of 230 mm Concrete Pavement (Reinforced) | | m ² | 250 | | |
| | ii) Construction of 230 mm Concrete Pavement (Plain-Dowelled) Slip Form Paving | | m ² | 4,500 | | |
| | iii) Construction of 230 mm Concrete Pavement (Plain-Dowelled) | | m ² | 2,700 | | |
| | iv) Construction of 200 mm Concrete Pavement (Reinforced) | | m ² | 250 | | |
| | v) Construction of 200 mm Concrete Pavement (Plain-Dowelled) | | m ² | 200 | | |
| | vi) Construction of Monolithic Concrete Median Slabs | SD-226A | m ² | 250 | | |
| | vii) Construction of Concrete Safety Medians | SD-226B | m ² | 120 | | |
| | viii) Construction of Monolithic Curb and Sidewalk | SD-228B | m ² | 2,500 | | |
| | ix) Construction of Monolithic Concrete Bull-noses | SD-227C | m ² | 10 | | |
| A.30 | Concrete Pavements for Early Opening | CW 3310-R14 | | | | |
| | i) Construction of 230 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled) | | m ² | 400 | | |
| | ii) Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced) | | m ² | 100 | | |
| | iii) Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled) | | m ² | 200 | | |
| A.31 | Concrete Curbs, Curb and Gutter, and Splash Strips | CW 3310-R14 | | | | |
| | i) Construction of Barrier Curb (180 mm ht, Separate) | SD-203A | m | 10 | | |
| | ii) Construction of Curb Ramp (10-15 mm ht, Monolithic) | SD-229C | m | 100 | | |
| A.32 | Supply and Installation of Dowel Assemblies | CW 3310-R14 | m | 2,000 | | |
| A.33 | 100 mm Concrete Sidewalk | CW 3325-R3 | m ² | 40 | | |

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------|----------------|------------------|------------|--------|
| | ROADWORK - NEW CONSTRUCTION (Cont'd) | | | | | |
| A.34 | Construction of Asphaltic Concrete Pavements | CW 3410-R8 | | | | |
| | i) Main Line Paving | | | | | |
| | a) Type IA | | tonne | 900 | | |
| | ii) Tie-ins and Approaches | | | | | |
| | a) Type IA | | tonne | 150 | | |
| A.35 | Construction of Asphalt Patches | CW 3410-R8 | m ² | 250 | | |
| | JOINT AND CRACK SEALING | | | | | |
| A.36 | Reflective Crack Maintenance | CW 3250-R7 | m | 1,000 | | |
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| A.37 | Catch Basin | CW 2130-R12 | | | | |
| | i) SD-024 | | | | | |
| | a) 1200 mm deep | | each | 9 | | |
| | b) 1800 mm deep | | each | 4 | | |
| A.38 | Catch Pit | CW 2130-R12 | | | | |
| | i) SD-023 | | each | 1 | | |
| A.39 | Remove and Replace Existing Catch Pit | CW 2130-R12 | | | | |
| | i) SD-023 | | each | 1 | | |
| A.40 | Sewer Service | CW 2130-R12 | | | | |
| | i) 250 mm, PVC LDS | | | | | |
| | a) In a Trench, Class B Type 3 Bedding, Class 3 Backfill | | m | 100 | | |
| | b) In a Trench, Class B Type 3 Bedding, Class 1 Backfill | | m | 15 | | |
| | c) Trenchless Installation, Class B Type 3 Bedding, Class 3 Backfill | | m | 15 | | |
| A.41 | Drainage Connection Pipe | CW 2130-R12 | m | 5 | | |

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------|--------|------------------|------------|--------|
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd) | | | | | |
| A.42 | Sewer Service Risers | CW 2130-R12 | | | | |
| | i) 250 mm | | | | | |
| | a) SD-015 | | vert m | 30 | | |
| A.43 | Replacing Existing Manhole and Catch Basin Frames & Covers | CW 2130-R12 | | | | |
| | i) AP-004 - Standard Frame for Manhole and Catch Basin | | each | 11 | | |
| | ii) AP-005 - Standard Solid Cover for Standard Frame | | each | 10 | | |
| | iii) AP-006 - Standard Grated Cover for Standard Frame | | each | 1 | | |
| A.44 | Connecting to Existing Catch Basin | CW 2130-R12 | | | | |
| | i) 250 mm Drainage Connection Pipe | | each | 1 | | |
| A.45 | Connecting to Existing Sewer | CW 2130-R12 | | | | |
| | i) 250 mm (PVC) Connecting Pipe | | | | | |
| | a) Connecting to 375 mm (Clay) Sewer | | each | 12 | | |
| | b) Connecting to 750 mm | | each | 1 | | |
| A.46 | Connecting New Sewer Service to Existing Sewer Service | CW 2130-R12 | | | | |
| | i) 250 mm | | each | 1 | | |
| A.47 | Removal of Existing Catch Basins | CW 2130-R12 | each | 16 | | |
| A.48 | Removal of Existing Catch Pit | CW 2130-R12 | each | 5 | | |
| A.49 | Installation of Subdrains | CW 3120-R4 | m | 400 | | |
| A.50 | Sewer Inspection | CW 3145-R3 | | | | |
| | i) 375 mm Clay Combined Sewer | | m | 400 | | |

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|----------------|----------------|------------------|------------|--------|
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd) | | | | | |
| | ii) 750 mm Concrete Combined Sewer | | m | 150 | | |
| A.51 | Abandoning Existing Sewer Services Under Pavement | CW 2130-R11 | each | 20 | | |
| | ADJUSTMENTS | | | | | |
| A.52 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 17 | | |
| A.53 | Replacing Existing Risers | CW 2130-R12 | | | | |
| | i) Pre-cast Concrete Risers | | vert. m | 4 | | |
| A.54 | Lifter Rings | CW 3210-R7 | | | | |
| | i) 51 mm | | each | 14 | | |
| A.55 | Adjustment of Valve Boxes | CW 3210-R7 | each | 20 | | |
| A.56 | Valve Box Extensions | CW 3210-R7 | each | 1 | | |
| A.57 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 5 | | |
| A.58 | Adjustment of Traffic Signal Service Box Frames | CW 3210-R7 | each | 2 | | |
| | LANDSCAPING | | | | | |
| A.59 | Salt Tolerant Grass Seeding | E12. | m ² | 400 | | |
| | MISCELLANEOUS | | | | | |
| A.60 | Insulation in Subdrain Trenches and Catchbasin Excavations | E18. | m ² | 150 | | |
| A.61 | Asphalt Patching of Full-Depth Concrete Repairs | E21. | tonne | 50 | | |
| A.62 | Removal and Salvage of Banner Poles | E22. | each | 4 | | |
| A.63 | Adjustment of Sprinkler Heads | E23. | each | 10 | | |
| A.64 | Tree Removal | CW 3010 & E24. | each | 5 | | |
| A.65 | Relocation of Parking Fence | E25. | lin.m | 35 | | |

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|------------|--------|------------------|------------|--------|
| | MISCELLANEOUS (Cont'd) | | | | | |
| A.66 | CP Protection Works | E26. | each | 15 | | |
| A.67 | Exposing Existing Underground Utilities | E28. | l. sum | 1 | | |
| A | LOGAN AVENUE RECONSTRUCTION AND ASSOCIATED WORKS | | | | Sub-Total | |

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|--|---|------------|----------------|------------------|------------|--------|
| B McPHILLIPS STREET NORTHBOUND - NOTRE DAME AVENUE / LOGAN AVENUE | | | | | | |
| ROADWORKS - RENEWALS | | | | | | |
| B.1 | Slab Replacement - Early Opening (24 hour) | CW 3230-R6 | | | | |
| | i) 200 mm Concrete Pavement (Reinforced) | | m ² | 240 | | |
| B.2 | Partial Slab Patches - Early Opening (24 hour) | CW 3230-R6 | | | | |
| | i) 200 mm Concrete Pavement (Type A) | | m ² | 20 | | |
| | ii) 200 mm Concrete Pavement (Type B) | | m ² | 250 | | |
| | iii) 200 mm Concrete Pavement (Type C) | | m ² | 15 | | |
| | iv) 200 mm Concrete Pavement (Type D) | | m ² | 20 | | |
| B.3 | Drilled Dowels | CW 3230-R6 | | | | |
| | i) 19.1 mm Diameter | | each | 520 | | |
| B.4 | Drilled Tie Bars | CW 3230-R6 | | | | |
| | i) 20 M Deformed Tie Bar | | each | 810 | | |
| B.5 | Miscellaneous Concrete Slab Renewal | CW 3235-R8 | | | | |
| | i) 100 mm Sidewalk | SD-228A | | | | |
| | a) Less than 5 sq.m. | | m ² | 20 | | |
| | b) 5 sq.m. to 20 sq.m. | | m ² | 230 | | |
| | c) Greater than 20 sq.m. | | m ² | 350 | | |
| B.6 | Concrete Curb Renewal | CW 3240-R8 | | | | |
| | i) Barrier (150 mm ht, Separate) | SD-203A | | | | |
| | a) Less than 3 m | | m | 20 | | |
| | b) 3 m to 30 m | | m | 270 | | |
| | ii) Curb Ramp (10-15 mm ht, Monolithic) | SD-229C,D | m | 70 | | |

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------|----------------|------------------|------------|--------|
| | ROADWORKS - RENEWALS (Cont'd.) | | | | | |
| B.7 | Construction of Asphaltic Concrete Overlay | CW 3410-R8 | | | | |
| | i) Main Line Paving | | | | | |
| | a) Type IA | | tonne | 1,600 | | |
| | ii) Tie-ins and Approaches | | | | | |
| | a) Type IA | | tonne | 120 | | |
| B.8 | Planing of Pavement | CW 3450-R5 | | | | |
| | i) 0 - 50 mm Depth (Asphalt) | | | | | |
| | | | m ² | 8,500 | | |
| | ii) 50 - 100 mm Depth (Asphalt) | | | | | |
| | | | m ² | 1,000 | | |
| | JOINT AND CRACK SEALING | | | | | |
| B.9 | Longitudinal Joint & Crack Filling (> 25 mm in width) | CW 3250-R7 | m | 150 | | |
| B.10 | Reflective Crack Maintenance | CW 3250-R7 | m | 2,000 | | |
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| B.11 | Catch Pit | CW 2130-R12 | | | | |
| | i) SD-023 | | | | | |
| | | | each | 7 | | |
| B.12 | Remove and Replace Existing Catch Basin | CW 2130-R12 | | | | |
| | i) SD-024 | | | | | |
| | | | each | 2 | | |
| B.13 | Remove and Replace Existing Catch Pit | CW 2130-R12 | | | | |
| | i) SD-023 | | | | | |
| | | | each | 2 | | |
| B.14 | Sewer Service | CW 2130-R12 | | | | |
| | i) 250 mm, PVC LDS | | | | | |
| | a) In a Trench, Class B Type 3 Bedding, Class 3 Backfill | | m | 10 | | |

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|---|--|-------------|---------|------------------|------------|--------|
| ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd) | | | | | | |
| B.15 | Drainage Connection Pipe | CW 2130-R12 | m | 15 | | |
| B.16 | Replacing Existing Manhole and Catch Basin Frames & Covers | CW 2130-R12 | | | | |
| | i) AP-004 - Standard Frame for Manhole and Catch Basin | | each | 10 | | |
| | ii) AP-005 - Standard Solid Cover for Standard Frame | | each | 5 | | |
| | iii) AP-006 - Standard Grated Cover for Standard Frame | | each | 5 | | |
| | iv) AP-008 - Barrier Curb and Gutter Inlet Frame and Box | | each | 2 | | |
| | v) AP-009 - Barrier Curb and Gutter Inlet Cover | | each | 2 | | |
| B.17 | Connecting to Existing Catch Basin | CW 2130-R12 | | | | |
| | i) 250 mm Drainage Connection Pipe | | each | 7 | | |
| B.18 | Connecting New Sewer Service to Existing Sewer Service | CW 2130-R12 | | | | |
| | i) 250 mm | | each | 2 | | |
| B.19 | Removal of Existing Catch Pit | CW 2130-R12 | each | 2 | | |
| B.20 | Relocation of Existing Catch Pit | CW 2130-R12 | each | 1 | | |
| ADJUSTMENTS | | | | | | |
| B.21 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 10 | | |
| B.22 | Replacing Existing Risers | CW 2130-R12 | | | | |
| | i) Pre-cast Concrete Risers | | vert. m | 1 | | |
| B.23 | Lifter Rings | CW 3210-R7 | | | | |
| | i) 38 mm | | each | 3 | | |
| | ii) 51 mm | | each | 2 | | |
| | iii) 64 mm | | each | 2 | | |
| | iv) 76 mm | | each | 2 | | |

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|------------|----------------|------------------|------------|--------|
| | ADJUSTMENTS (Cont'd) | | | | | |
| B.24 | Adjustment of Valve Boxes | CW 3210-R7 | each | 10 | | |
| B.25 | Valve Box Extensions | CW 3210-R7 | each | 2 | | |
| B.26 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 5 | | |
| B.27 | Supply of Curb Inlet Box Covers | CW 3210-R7 | each | 2 | | |
| B.28 | Supply of Curb Inlet Frames | CW 3210-R7 | each | 2 | | |
| B.29 | Adjustment of Curb Inlet with New Inlet Box | CW 3210-R7 | each | 10 | | |
| | LANDSCAPING | | | | | |
| B.30 | Salt Tolerant Grass Seeding | E12. | m ² | 200 | | |
| B | McPILLIPS STREET NORTHBOUND - NOTRE DAME AVENUE / LOGAN AVENUE | | | | Sub-Total | |

FORM B (R1): PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|---|--|------------|------|------------------|------------|--------|
| SUMMARY | | | | | | |
| A | LOGAN AVENUE RECONSTRUCTION AND ASSOCIATED WORKS | | | | Sub-Total | |
| B | McPHILLIPS STREET NORTHBOUND - NOTRE DAME AVENUE / LOGAN AVENUE | | | | Sub-Total | |
| TOTAL BID PRICE (GST extra) (in figures) _____ | | | | | | |
| (in words) _____ | | | | | | |
| _____ | | | | | | |

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 360-2011

2011 LOCAL AND REGIONAL STREETS PROGRAM: LOGAN AVENUE – MCPHILLIPS STREET TO TRINITY STREET, PAVEMENT RECONSTRUCTION / MCPHILLIPS STREET NORTHBOUND – NOTRE DAME AVENUE TO LOGAN AVENUE, MILL AND FILL

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND
(Page 2 of 2)
(See B10)

AGREEMENT TO BOND
(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 360-2011

2011 LOCAL AND REGIONAL STREETS PROGRAM: LOGAN AVENUE – MCPHILLIPS STREET TO TRINITY STREET, PAVEMENT RECONSTRUCTION / MCPHILLIPS STREET NORTHBOUND – NOTRE DAME AVENUE TO LOGAN AVENUE, MILL AND FILL

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 360-2011

**2011 LOCAL AND REGIONAL STREETS PROGRAM: LOGAN AVENUE – MCPHILLIPS
STREET TO TRINITY STREET, PAVEMENT RECONSTRUCTION / MCPHILLIPS STREET
NORTHBOUND – NOTRE DAME AVENUE TO LOGAN AVENUE, MILL AND FILL**

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 9, 2011

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)