

FORM A: BID
(See B7)

1. Contract Title **2011 LOCAL AND REGIONAL STREETS PROGRAM: LOGAN AVENUE – MCPHILLIPS STREET TO TRINITY STREET, PAVEMENT RECONSTRUCTION / MCPHILLIPS STREET NORTHBOUND – NOTRE DAME AVENUE TO LOGAN AVENUE, MILL AND FILL**

2. Bidder _____
Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City Province Postal Code

(Mailing address if different) _____
Facsimile Number

Street or P.O. Box

City Province Postal Code

(Choose one) The Bidder is:
 a sole proprietor
 a partnership
 a corporation
carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security
- In accordance with B10.1, the Bidder encloses bid security in the form of:
- (Choose one)
- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract
- The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work
- The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract
- The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda
- The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | No. | Dated |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
11. Time
- This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B (R2): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A LOGAN AVENUE RECONSTRUCTION AND ASSOCIATED WORKS						
EARTH AND BASE WORKS						
A.1	Excavation	CW 3110-R14	m ³	8,500		
A.2	Sub-Grade Compaction	CW 3110-R14	m ²	8,500		
A.3	Crushed Sub-base Material	CW 3110-R14				
	i) 50 mm		tonne	3,300		
	ii) 100 mm		tonne	9,500		
A.4	Supplying and Placing Limestone Base Course Material	CW 3110-R14	m ³	2,000		
A.5	Grading of Boulevards	CW 3110-R14	m ²	525		
A.6	Boulevard Excavation	CW 3110-R14	m ³	230		
A.7	Removal of Existing Concrete Bases	CW 3110-R14				
	i) 600 mm Diameter or Less		each	2		
A.8	Separation Geotextile Fabric	CW 3130-R3	m ²	8,500		
A.9	Supply and Install Geogrid	CW 3135-R1	m ²	1,000		
A.10	Removal of Existing Street Car Track Bedding	E20.	m ³	1,650		
A.11	Fill Material	CW 3170-R3				
	i) Supplying and Placing Imported Material		m ³	110		
ROADWORKS - RENEWALS						
A.12	Pavement Removal	CW 3110-R14 & E14.				
	i) Concrete Pavement		m ²	8,500		
	ii) Asphalt Pavement		m ²	500		
A.13	Slab Replacement - Early Opening (72 hour)	CW 3230-R6				

FORM B (R2): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - RENEWALS (Cont'd.)					
	i) 230 mm Concrete Pavement (Plain-Dowelled)		m ²	100		
A.14	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R6				
	i) 230 mm Concrete Pavement (Type A)		m ²	10		
	ii) 230 mm Concrete Pavement (Type C)		m ²	15		
	iii) 230 mm Concrete Pavement (Type D)		m ²	200		
A.15	Drilled Dowels	CW 3230-R6				
	i) 19.1 mm Diameter		each	100		
	ii) 28.6 mm Diameter		each	60		
A.16	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	700		
A.17	Miscellaneous Concrete Slab Removal	CW 3235-R8				
	i) Monolithic Median Slab		m ²	250		
	ii) 100 mm Sidewalk		m ²	2,300		
	iii) Bullnose		m ²	10		
	iv) Monolithic Curb and Sidewalk		m ²	25		
A.18	Miscellaneous Concrete Slab Installation	CW 3235-R8				
	i) Monolithic Median Slab	SD-226A	m ²	180		
	ii) Bullnose	SD-227C	m ²	10		
	iii) Monolithic Curb and Sidewalk	SD-228B	m ²	490		
A.19	Miscellaneous Concrete Slab Renewal	CW 3235-R8				
	i) Monolithic Curb and Sidewalk	SD-228B	m ²	100		
A.20	Adjustment of Precast Sidewalk Blocks	CW 3235-R8	m ²	20		
A.21	Supply of Precast Sidewalk Blocks	CW 3235-R8	m ²	10		

FORM B (R2): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - RENEWALS (Cont'd.)					
A.22	Removal of Precast Sidewalk Blocks	CW 3235-R8	m ²	10		
A.23	Concrete Curb Removal	CW 3240-R8				
	i) Barrier (Separate)		m	550		
	ii) Curb Ramp		m	10		
A.24	Concrete Curb Installation	CW 3240-R8				
	i) Barrier (180 mm ht, Separate)	SD-203A	m	30		
	ii) Curb Ramp (10-15 mm ht, Monolithic)	SD-229A,B,C	m	40		
A.25	Concrete Curb Renewal	CW 3240-R8				
	i) Barrier (150 mm ht, Separate)	SD-203A				
	a) 3 m to 30 m		m	30		
	ii) Curb Ramp (10-15 mm ht, Monolithic)	SD-229C,D	m	10		
A.26	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
	i) Main Line Paving					
	a) Type IA		tonne	520		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	120		
A.27	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	5,500		
A.28	Detectable Warning Surface Tiles	E13.				
	i) 610 mm X 1220 mm		each	30		

FORM B (R2): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - NEW CONSTRUCTION					
A.29	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
	i) Construction of 230 mm Concrete Pavement (Reinforced)		m ²	250		
	ii) Construction of 230 mm Concrete Pavement (Plain-Dowelled) Slip Form Paving		m ²	4,500		
	iii) Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m ²	2,700		
	iv) Construction of 200 mm Concrete Pavement (Reinforced)		m ²	250		
	v) Construction of 200 mm Concrete Pavement (Plain-Dowelled)		m ²	200		
	vi) Construction of Monolithic Concrete Median Slabs	SD-226A	m ²	250		
	vii) Construction of Concrete Safety Medians	SD-226B	m ²	120		
	viii) Construction of Monolithic Curb and Sidewalk	SD-228B	m ²	2,500		
	ix) Construction of Monolithic Concrete Bull-noses	SD-227C	m ²	10		
A.30	Concrete Pavements for Early Opening	CW 3310-R14				
	i) Construction of 230 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled)		m ²	400		
	ii) Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced)		m ²	100		
	iii) Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled)		m ²	200		
A.31	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
	i) Construction of Barrier Curb (180 mm ht, Separate)	SD-203A	m	10		
	ii) Construction of Curb Ramp (10-15 mm ht, Monolithic)	SD-229C	m	100		
A.32	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	2,000		
A.33	100 mm Concrete Sidewalk	CW 3325-R3	m ²	40		

FORM B (R2): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ROADWORK - NEW CONSTRUCTION (Cont'd)						
A.34	Construction of Asphaltic Concrete Pavements	CW 3410-R8				
	i) Main Line Paving					
	a) Type IA		tonne	900		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	150		
A.35	Construction of Asphalt Patches	CW 3410-R8	m ²	250		
JOINT AND CRACK SEALING						
A.36	Reflective Crack Maintenance	CW 3250-R7	m	1,000		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.37	Catch Basin	CW 2130-R12				
	i) SD-024					
	a) 1200 mm deep		each	9		
	b) 1800 mm deep		each	4		
A.38	Catch Pit	CW 2130-R12				
	i) SD-023		each	1		
A.39	Remove and Replace Existing Catch Pit	CW 2130-R12				
	i) SD-023		each	1		
A.40	Sewer Service	CW 2130-R12				
	i) 250 mm, PVC LDS					
	a) In a Trench, Class B Type 3 Bedding, Class 3 Backfill		m	100		
	b) In a Trench, Class B Type 3 Bedding, Class 1 Backfill		m	15		
	c) Trenchless Installation, Class B Type 3 Bedding, Class 3 Backfill		m	15		
A.41	Drainage Connection Pipe	CW 2130-R12	m	5		

FORM B (R2): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd)					
A.42	Sewer Service Risers	CW 2130-R12				
	i) 250 mm					
	a) SD-015		vert m	30		
A.43	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	11		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	10		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	1		
A.44	Connecting to Existing Catch Basin	CW 2130-R12				
	i) 250 mm Drainage Connection Pipe		each	1		
A.45	Connecting to Existing Sewer	CW 2130-R12				
	i) 250 mm (PVC) Connecting Pipe					
	a) Connecting to 375 mm (Clay) Sewer		each	12		
	b) Connecting to 750 mm		each	1		
A.46	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
	i) 250 mm		each	1		
A.47	Removal of Existing Catch Basins	CW 2130-R12	each	16		
A.48	Removal of Existing Catch Pit	CW 2130-R12	each	5		
A.49	Installation of Subdrains	CW 3120-R4	m	400		
A.50	Sewer Inspection	CW 3145-R3				
	i) 375 mm Clay Combined Sewer		m	400		

FORM B (R2): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd)					
	ii) 750 mm Concrete Combined Sewer		m	150		
A.51	Abandoning Existing Sewer Services Under Pavement	CW 2130-R11	each	20		
	ADJUSTMENTS					
A.52	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	17		
A.53	Replacing Existing Risers	CW 2130-R12				
	i) Pre-cast Concrete Risers		vert. m	4		
A.54	Lifter Rings	CW 3210-R7				
	i) 51 mm		each	14		
A.55	Adjustment of Valve Boxes	CW 3210-R7	each	20		
A.56	Valve Box Extensions	CW 3210-R7	each	1		
A.57	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
A.58	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	2		
	LANDSCAPING					
A.59	Salt Tolerant Grass Seeding	E12.	m ²	400		
	MISCELLANEOUS					
A.60	Insulation in Subdrain Trenches and Catchbasin Excavations	E18.	m ²	150		
A.61	Asphalt Patching of Full-Depth Concrete Repairs	E21.	tonne	50		
A.62	Removal and Salvage of Banner Poles	E22.	each	4		
A.63	Adjustment of Sprinkler Heads	E23.	each	10		
A.64	Tree Removal	CW 3010 & E24.	each	5		

FORM B (R2): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	MISCELLANEOUS (Cont'd.)					
A.65	Relocation of Parking Fence	E25.	lin.m	35		
A.66	Exposing Existing Underground Utilities	E28.	l. sum	1		
A	LOGAN AVENUE RECONSTRUCTION AND ASSOCIATED WORKS				Sub-Total	

FORM B (R2): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B McPHILLIPS STREET NORTHBOUND - NOTRE DAME AVENUE / LOGAN AVENUE						
ROADWORKS - RENEWALS						
B.1	Slab Replacement - Early Opening (24 hour)	CW 3230-R6				
	i) 200 mm Concrete Pavement (Reinforced)		m ²	240		
B.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
	i) 200 mm Concrete Pavement (Type A)		m ²	20		
	ii) 200 mm Concrete Pavement (Type B)		m ²	250		
	iii) 200 mm Concrete Pavement (Type C)		m ²	15		
	iv) 200 mm Concrete Pavement (Type D)		m ²	20		
B.3	Drilled Dowels	CW 3230-R6				
	i) 19.1 mm Diameter		each	520		
B.4	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	810		
B.5	Miscellaneous Concrete Slab Renewal	CW 3235-R8				
	i) 100 mm Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	20		
	b) 5 sq.m. to 20 sq.m.		m ²	230		
	c) Greater than 20 sq.m.		m ²	350		
B.6	Concrete Curb Renewal	CW 3240-R8				
	i) Barrier (150 mm ht, Separate)	SD-203A				
	a) Less than 3 m		m	20		
	b) 3 m to 30 m		m	270		
	ii) Curb Ramp (10-15 mm ht, Monolithic)	SD-229C,D	m	70		

FORM B (R2): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - RENEWALS (Cont'd.)					
B.7	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
	i) Main Line Paving					
	a) Type IA		tonne	1,600		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	120		
B.8	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	8,500		
	ii) 50 - 100 mm Depth (Asphalt)		m ²	1,000		
	JOINT AND CRACK SEALING					
B.9	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	150		
B.10	Reflective Crack Maintenance	CW 3250-R7	m	2,000		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.11	Catch Pit	CW 2130-R12				
	i) SD-023		each	7		
B.12	Remove and Replace Existing Catch Basin	CW 2130-R12				
	i) SD-024		each	2		
B.13	Remove and Replace Existing Catch Pit	CW 2130-R12				
	i) SD-023		each	2		
B.14	Sewer Service	CW 2130-R12				
	i) 250 mm, PVC LDS					
	a) In a Trench, Class B Type 3 Bedding, Class 3 Backfill		m	10		

FORM B (R2): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd)					
B.15	Drainage Connection Pipe	CW 2130-R12	m	15		
B.16	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	10		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	5		
	iii) AP-006 - Standard Grated Cover for Standard Frame		each	5		
	iv) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
	v) AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
B.17	Connecting to Existing Catch Basin	CW 2130-R12				
	i) 250 mm Drainage Connection Pipe		each	7		
B.18	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
	i) 250 mm		each	2		
B.19	Removal of Existing Catch Pit	CW 2130-R12	each	2		
B.20	Relocation of Existing Catch Pit	CW 2130-R12	each	1		
	ADJUSTMENTS					
B.21	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	10		
B.22	Replacing Existing Risers	CW 2130-R12				
	i) Pre-cast Concrete Risers		vert. m	1		
B.23	Lifter Rings	CW 3210-R7				
	i) 38 mm		each	3		
	ii) 51 mm		each	2		
	iii) 64 mm		each	2		
	iv) 76 mm		each	2		

FORM B (R2): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS (Cont'd)					
B.24	Adjustment of Valve Boxes	CW 3210-R7	each	10		
B.25	Valve Box Extensions	CW 3210-R7	each	2		
B.26	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
B.27	Supply of Curb Inlet Box Covers	CW 3210-R7	each	2		
B.28	Supply of Curb Inlet Frames	CW 3210-R7	each	2		
B.29	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R7	each	10		
	LANDSCAPING					
B.30	Salt Tolerant Grass Seeding	E12.	m ²	200		
B	McPILLIPS STREET NORTHBOUND - NOTRE DAME AVENUE / LOGAN AVENUE				Sub-Total	

FORM B (R2): PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	LOGAN AVENUE RECONSTRUCTION AND ASSOCIATED WORKS				Sub-Total	
B	McPHILLIPS STREET NORTHBOUND - NOTRE DAME AVENUE / LOGAN AVENUE				Sub-Total	
TOTAL BID PRICE (GST extra) (in figures) _____						
(in words) _____						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 360-2011

2011 LOCAL AND REGIONAL STREETS PROGRAM: LOGAN AVENUE – MCPHILLIPS STREET TO TRINITY STREET, PAVEMENT RECONSTRUCTION / MCPHILLIPS STREET NORTHBOUND – NOTRE DAME AVENUE TO LOGAN AVENUE, MILL AND FILL

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND
(Page 2 of 2)
(See B10)

AGREEMENT TO BOND
(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 360-2011

2011 LOCAL AND REGIONAL STREETS PROGRAM: LOGAN AVENUE – MCPHILLIPS STREET TO TRINITY STREET, PAVEMENT RECONSTRUCTION / MCPHILLIPS STREET NORTHBOUND – NOTRE DAME AVENUE TO LOGAN AVENUE, MILL AND FILL

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 360-2011

**2011 LOCAL AND REGIONAL STREETS PROGRAM: LOGAN AVENUE – MCPHILLIPS
STREET TO TRINITY STREET, PAVEMENT RECONSTRUCTION / MCPHILLIPS STREET
NORTHBOUND – NOTRE DAME AVENUE TO LOGAN AVENUE, MILL AND FILL**

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 9, 2011

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)