

FORM A: BID
(See B8)

1. Contract Title 2012 WATERMAIN RENEWALS CONTRACT 1

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

GST Registration Number (if applicable)

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No. _____ Dated _____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B(R1): PRICES
 (SEE B9)

2012 WATERMAIN RENEWALS CONTRACT 1

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	Fermor Avenue					
A. 1	Watermain Renewal	CW 2110				
a)	300mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		m	2.0		
b)	250mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		m	35.0		
ii)	trenchless installation, Class B sand bedding, Class 3 backfill		m	45.0		
iii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	40.0		
c)	150mm					
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	2.0		
A. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	1		
A. 3	New Hydrant Assembly on Existing Watermain (Connection by Tapping Sleeve and Valve)	E14				
a)	SD-007		each	1		
A. 4	Watermain Valve	CW 2110				
a)	250mm		each	1		
A. 5	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	250mm - 11 1/4°		each	2		
ii)	250mm - 22 1/2°		each	2		
b)	Reducers					
i)	300mm - 250mm		each	1		
A. 6	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	250mm		each	1		
ii)	300mm		each	1		
A. 7	Partial Slab Patches	E6				
a)	200mm reinforced concrete pavement for early opening (24 hours)		m ²	15.0		

 Name of Bidder

FORM B(R1): PRICES
 (SEE B9)

2012 WATERMAIN RENEWALS CONTRACT 1

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. 8	Miscellaneous Concrete Slab Renewal	E7				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m ²		m ²	20.0		
A. 9	Concrete Curb Renewal	E8				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	10.0		
b)	Ramp curb					
i)	Less than 3 m		m	3.0		
A. 10	Construction of Asphaltic Concrete Patches Type 1A	CW 3410				
			m ²	15.0		
A	Subtotal Section A - Fermor Avenue					
B	Pulberry Street					
B. 1	Watermain Renewal	E15				
a)	250mm					
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	15.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	205.0		
B. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	1		
B. 3	Watermain Valve	CW 2110				
a)	250mm		each	1		
b)	200mm		each	3		
B. 4	Fittings	CW 2110				
a)	Tees					
i)	200mm X 200mm X 200mm		each	1		
b)	Bends (SD-004)					
i)	250mm - 45°		each	2		
c)	Bends (SD-005)					
i)	200mm - 45°		each	4		
d)	Crosses					
i)	200mm x 200mm X 200mm X 200mm		each	1		
e)	Reducers					
i)	250mm - 200mm		each	1		
B. 5	Corporation Stops	CW 2110				
a)	19mm		each	1		

 Name of Bidder

FORM B(R1): PRICES
 (SEE B9)

2012 WATERMAIN RENEWALS CONTRACT 1

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. 6	Watermain and Water Service Insulation	CW 2110				
a)	In a trench (SD - 018)					
i)	75mm thick		m	5.0		
B. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	250mm		each	1		
ii)	200mm		each	4		
b)	Perpendicular connection					
i)	200mm		each	1		
B. 8	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	1		
B. 9	Continuity Bonding	CW 2110	each	1		
B	Subtotal Section B - Pulberry Street					
C	Section Provencher Boulevard					
C. 1	Watermain Renewal	CW 2110				
a)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	433.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	6.0		
c)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	61.0		
d)	100mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	2.0		
C. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	5		
b)	SD-007		each	1		
C. 3	Watermain Valve	CW 2110				
a)	250mm		each	5		
b)	150mm		each	2		

 Name of Bidder

FORM B(R1): PRICES
 (SEE B9)

2012 WATERMAIN RENEWALS CONTRACT 1

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 4	Fittings	CW 2110				
a)	Tees					
i)	250mm x 250mm x150 mm		each	3		
b)	Bends (SD-004)					
i)	250mm - 22 1/2°		each	2		
ii)	200mm - 22 1/2°		each	2		
iii)	150mm - 45°		each	4		
c)	Reducers					
i)	250mm - 200mm		each	1		
ii)	150mm - 100mm		each	1		
C. 5	Water Services	CW 2110				
a)	38mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	2.0		
b)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	7.0		
c)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
C. 6	Corporation Stops	CW 2110				
a)	50mm		each	1		
b)	38mm		each	2		
c)	25mm		each	6		
d)	19mm		each	14		
C. 7	Curb Stops	CW 2110				
a)	38mm		each	1		
b)	25mm		each	1		
c)	19mm		each	1		
C. 8	Curb Stop Boxes	CW 2110				
a)	38mm		each	1		
b)	25mm		each	1		
c)	19mm		each	1		

 Name of Bidder

FORM B(R1): PRICES
 (SEE B9)

2012 WATERMAIN RENEWALS CONTRACT 1

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	250mm		each	1		
ii)	200mm		each	1		
iii)	150mm		each	2		
iv)	100mm		each	1		
C. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	50mm		each	1		
b)	38mm		each	2		
c)	25mm		each	6		
d)	19mm		each	14		
C. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	2		
b)	On Water Services		each	15		
C. 12	Continuity Bonding	CW 2110	each	8		
C. 13	Remove and Replace Existing Catch Basin	CW 2130				
a)	SD-025		each	1		
C. 14	Partial Slab Patches	E6				
a)	200mm reinforced concrete pavement		m ²	150.0		
b)	200mm reinforced concrete pavement for early opening (24 hours)		m ²	70.0		
C. 15	Miscellaneous Concrete Slab Renewal	E7				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m ²		m ²	65.0		
C. 16	Concrete Curb Renewal	E8				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	80.0		
b)	Ramp curb					
i)	Less than 3 m		m	20.0		
C. 17	Planing	CW 3450				
a)	Planing 0- 50 mm depth					
i)	Asphaltic Concrete		m ²	455.0		

 Name of Bidder

FORM B(R1): PRICES
 (SEE B9)

2012 WATERMAIN RENEWALS CONTRACT 1

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 18	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	m ²	30.0		
C. 19	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	79.0		
C. 20	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m ²	170.0		
C	Subtotal Section C - Section Provencher Boulevard					
D	Tache Avenue - 138m South of de la Cathedrale to Masson					
D. 1	Watermain Renewal	CW 2110				
a)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	270.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	20.0		
D. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	3		
D. 3	Watermain Valve	CW 2110				
a)	300mm		each	3		
b)	200mm		each	2		
D. 4	Fittings	CW 2110				
a)	Tees					
i)	300mm x 300mm x 200 mm		each	2		
b)	Bends (SD-004)					
i)	300mm - 22 1/2°		each	4		
ii)	300mm - 11 1/4°		each	1		
iii)	200mm - 45°		each	4		
iv)	200mm - 11 1/4°		each	1		
D. 5	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	300mm		each	2		
ii)	200mm		each	2		
D. 6	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	1		

 Name of Bidder

FORM B(R1): PRICES
 (SEE B9)

2012 WATERMAIN RENEWALS CONTRACT 1

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D. 7	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement		m ²	35.0		
b)	200mm reinforced concrete pavement		m ²	120.0		
c)	200mm reinforced concrete pavement for early opening (24 hours)		m ²	15.0		
D. 8	Miscellaneous Concrete Slab Renewal	E7				
a)	100mm Sidewalk (SD-228A)					
i)	Less than 5 m ²		m ²	110.0		
b)	150mm Reinforced Sidewalk		m ²	5.0		
D. 9	Concrete Curb Renewal	E8				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	70.0		
b)	Ramp curb					
i)	Less than 3 m		m	10.0		
D. 10	Concrete Retaining Wall - Maximum 300 mm Height	E16				
			m	5.0		
D. 11	Planing	CW 3450				
a)	Planing 0- 50 mm depth					
i)	Asphaltic Concrete		m ²	480.0		
D. 12	Construction of Asphaltic Concrete Patches Type 1A	CW 3410				
			m ²	70.0		
D. 13	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410				
			tonne	70.0		
<u>D</u>	Subtotal Section D - Tache Avenue - 138m South of de la Cathedrale to Masson					

 Name of Bidder

FORM B(R1): PRICES
 (SEE B9)

2012 WATERMAIN RENEWALS CONTRACT 1

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	Tache Avenue - Dumoulin to La Verendrye					
E. 1	Watermain Renewal	E15				
a)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	5.0		
b)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	210.0		
c)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	15.0		
E. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	3		
E. 3	Watermain Valve	CW 2110				
a)	300mm		each	1		
b)	250mm		each	2		
c)	150mm		each	2		
E. 4	Fittings	CW 2110				
a)	Tees					
i)	300mm x 300mm x 300 mm		each	1		
ii)	250mm x 250mm x 150 mm		each	2		
b)	Bends (SD-004)					
i)	300mm - 45°		each	2		
ii)	150mm - 45°		each	4		
c)	Bends (SD-005)					
i)	150mm - 45°		each	2		
d)	Reducers					
i)	300mm - 250mm		each	1		
ii)	250mm - 150mm		each	1		
E. 5	Corporation Stops	CW 2110				
a)	50mm		each	1		
b)	25mm		each	2		
c)	19mm		each	2		

FORM B(R1): PRICES
 (SEE B9)

2012 WATERMAIN RENEWALS CONTRACT 1

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E. 6	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	300mm		each	2		
ii)	150mm		each	3		
E. 7	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	50mm		each	1		
b)	25mm		each	2		
c)	19mm		each	2		
E. 8	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	2		
b)	On Water Services		each	5		
E. 9	Remove and Replace Existing Catch Basin	CW 2130				
a)	SD-024		each	1		
E. 10	Remove and Replace Existing Catch Pit	CW 2130				
a)	SD-023		each	1		
E. 11	Drainage Connection Pipe	CW 2130				
a)	250mm		m	5.0		
E	Subtotal Section E - Tache Avenue - Dumoulin to La Verendrye					
E	Section Tache Avenue at Thomas Berry Street (Closed)					
F. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		m	40.0		
F. 2	Watermain Valve	CW 2110				
a)	150mm		each	2		
F. 3	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm - 90°		each	3		
b)	Bends (SD-005)					
i)	150mm - 11 1/4°		each	1		
ii)	150mm - 22 1/2°		each	1		

 Name of Bidder

FORM B(R1): PRICES
 (SEE B9)

2012 WATERMAIN RENEWALS CONTRACT 1

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F. 4	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	1		
F. 5	Connecting to Existing Watermains With Tapping Sleeve and Valve	E13				
a)	150mm off 200mm		each	1		
F. 6	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	1		
F. 7	Disinfection of Existing Watermains	E17	lump sum	1.0		
F. 8	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement for early opening (24 hours)		m ²	5.0		
b)	200mm reinforced concrete pavement for early opening (24 hours)		m ²	25.0		
F. 9	Miscellaneous Concrete Slab Renewal	E7				
a)	Sidewalk (SD-228A)					
i)	Less than 5 m ²		m ²	10.0		
F. 10	Concrete Curb Renewal	E8				
a)	Barrier curb (SD-204)					
i)	Less than 3 m		m	5.0		
b)	Ramp curb					
i)	Less than 3 m		m	5.0		
F. 11	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	m ²	25.0		
F	Subtotal Section F - Section Tache Avenue at Thomas Berry Street (Closed)					
G	Provisional Items					
G. 1	Granular Backfill Material	CW 2030	m ³	40.0		
G. 2	Cement Stabilized Fill	CW 2030	m ³	20.0		
G. 3	Maintaining Curb Stop Excavations	CW 2110	each / day	5		
G. 4	Sodding	CW 3510	m ²	50.0		
G. 5	Adjustment of Precast Sidewalk Blocks	CW 3235	m ²	5.0		

 Name of Bidder

FORM B(R1): PRICES
 (SEE B9)

2012 WATERMAIN RENEWALS CONTRACT 1

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G. 6	Fittings	CW 2110				
a)	Bends (SD-005)					
i)	300mm - 45°		each	2		
ii)	200mm - 45°		each	2		
iii)	150mm - 45°		each	2		
G. 7	Corporation Stops	CW 2110				
a)	38mm		each	3		
G. 8	Water Services	CW 2110				
a)	50mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
b)	38mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	30.0		
G. 9	Curb Stops	CW 2110				
a)	50mm		each	1		
b)	19mm		each	1		
G. 10	Curb Stop Boxes	CW 2110				
a)	50mm		each	1		
b)	19mm		each	1		
G. 11	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	38mm		each	3		
G. 12	Regrading of Existing Sewer Service - Up to 1.5 metres Long	CW 2110				
a)	100mm		each	3		
b)	150mm		each	3		
G. 13	Watermains Installed with Oil and Gas Resistant Gaskets - Surcharge	E10	m	70.0		
G. 14	Temporary Surface Restorations	E11	m ²	25.0		
G. 15	Disposal of Hydrocarbon Contaminated Soil	E12	m ³	65.0		
G	Subtotal Section G - Provisional Items					
TOTAL BID PRICE (GST extra) (in figures)				\$		
(in words) _____						

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 135-2012 Addendum 1

2012 WATERMAIN RENEWALS CONTRACT 1

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 135-2012 Addendum 1

2012 WATERMAIN RENEWALS CONTRACT 1

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2(R1): IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B11)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 135-2012 Addendum 1
2012 WATERMAIN RENEWALS CONTRACT 1

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2(R1): IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 5, 2012

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)