



15-2012 ADDENDUM 1

Design, Construction and Commissioning of the North East Winnipeg Water Play Park Phase 1 Spray Pad and Associated Mechanical and Electrical Works

ISSUED: June 8, 2012
BY: Jackie Wilkie
TELEPHONE NO. (204) 956-0396

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Template Version: A20120228

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART B – BIDDING PROCEDURES

- Revise: B12.2(a) to read: Site context drawings including location and configuration of the spray pad in association with the site works as designed, indication of site services, and any modifications, relocations, and connections that are required or will be considered beneficial.
- Revise: B12.2(b) i) to read: The overall quality of the design including integration with the surrounding park and amenities for Phase 1;

PART D – SUPPLEMENTAL CONDITIONS

- Add: D2.2(e) Building for recirculating system.
- Revise: D15.3 to read: The City intends to award this Contract by July 13, 2012.
- Revise: D17.1 (a) to read: Design of Splash Pad and Mechanical and Electrical System complete by July 16, 2012
- Revise: D17.1 (b) to read: Permitting application in place by July 20, 2012;
- Revise: D17.1 (c) to read: Construction start by August 13, 2012.
- Revise: D20.1 (a) to read: Design of Splash Pad and Mechanical and Electrical System Options complete by July 16, 2012 - five hundred dollars (\$500.00);
- Revise: D20.1 (b) to read: Permitting application in place by July 20, 2012 - five hundred dollars (\$500.00);
- Revise: D20.1 (c) to read: Construction start by August 13, 2012 - five hundred dollars (\$500.00);

PART E – SPECIFICATIONS

- Revise: E24.6 to read: Waste Receptacles and expanded wire baskets as supplied by:
- Aaron Lennon @ 986-5505
Supervisor of Central Repair/Manufacturing Facility
City of Winnipeg
Fleet Management Agency Division
Public Works Department
215 Tecumseh St
Winnipeg, MB R3E 3S4
- Revise: E24.7 to read: Picnic Tables – Accessible Tache Style multi-coloured Tables as supplied by:
- Carl Woloshyn @ 986-3835 and Brian Mayer @ 470-7747
Centralized Park Services
City of Winnipeg
825 Tache Ave.
Winnipeg MB R2H 2C1
- Colours for picnic tables to be blue, and green.
- Revise: E24.8 to read: Recycled Plastic Benches – 1.83m length Tache Style wood benches with back and armrests as supplied by:
- Aaron Lennon @ 986-5505
Supervisor of Central Repair/Manufacturing Facility
City of Winnipeg
Fleet Management Agency Division
Public Works Department
215 Tecumseh St
Winnipeg, MB R3E 3S4
- Colours for benches to be red, blue, and green
- Revise: E36.3 to read: The design for the building is to be complementary to the design of the spray park and is to be a three season facility with sufficient winter heating and insulation to protect piping and equipment from freezing.
- Add: E36.4.1 Drywall will not be an acceptable wall or ceiling material.
- Add: E36.4.2 Ventilation of the building is required.
- Add: E36.4.3 All pits to have grating for walking surface over pit.
- Add: E36.4.4 All access points to pits and tanks to meet City of Winnipeg and Health and Safety requirements for confined access.