

**FORM A: BID**  
(See B7)

1. Contract Title 2012 REGIONAL STREETS MILL AND FILL PROGRAM – ST. ANNE’S ROAD N/B, LAGIMODIERE BOULEVARD S/B, MCPHILLIPS STREET S/B, ST. MARY’S ROAD

2. Bidder \_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City Province Postal Code

(Mailing address if different) \_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

\_\_\_\_\_  
Street or P.O. Box

(Choose one) \_\_\_\_\_  
City Province Postal Code

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person Title

\_\_\_\_\_  
Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D2.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.		Dated	
_____		_____	_____
_____		_____	_____
_____		_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>A</b>	<b><u>LAGIMODIERE BOULEVARD - S/B REENDERS DRIVE TO CONCORDIA OVERPASS</u></b>					
	<b>EARTH AND BASE WORKS</b>					
A.1	Excavation	CW 3110-R15	m <sup>3</sup>	150		
A.2	Sub-Grade Compaction	CW 3110-R15	m <sup>2</sup>	200		
A.3	Crushed Sub-base Material	CW 3110-R15				
A.4	50 mm - Limestone		tonne	175		
A.5	Supplying and Placing Base Course Material	CW 3110-R15	m <sup>3</sup>	170		
A.6	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	200		
	<b>ROADWORKS - RENEWALS</b>					
A.7	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type A)		m <sup>2</sup>	55		
ii)	200 mm Concrete Pavement (Type B)		m <sup>2</sup>	250		
iii)	200 mm Concrete Pavement (Type C)		m <sup>2</sup>	50		
iv)	200 mm Concrete Pavement (Type D)		m <sup>2</sup>	75		
A.8	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	575		
A.9	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	850		
A.10	Concrete Curb Removal	CW 3240-R9				
i)	Barrier (Separate)			120		
A.11	Concrete Curb Renewal	CW 3240-R9				
i)	Barrier (125 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	8		
b)	3 m to 30 m		m	5		
A.12	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA (65mm avg. thickness)		tonne	3445		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	130		
A.13	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m <sup>2</sup>	13700		
ii)	50 - 100 mm Depth (Asphalt)		m <sup>2</sup>	2000		
A.14	Partial Depth Planing of Existing Joints	E11	m <sup>2</sup>	45		
A.15	Asphalt Patching of Partial Depth Joints	E11	m <sup>2</sup>	25		

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>ROADWORKS-NEW CONSTRUCTION</b>						
A.16	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
i)	Construction of 230mm Concrete Pavement for Early Opening - 24 hour (Plain Dowelled)		m <sup>2</sup>	125		
A.17	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (125mm reveal ht, Separate)	SD-205	m	120		
<b>JOINT AND CRACK SEALING</b>						
A.18	Reflective Crack Maintenance	CW 3250-R7	m	4150		
<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>						
A.19	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	2		
A.20	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
A.21	Drainage Connection Pipe	CW 2130-R12	m	8		
A.22	Replacing Standard Frames & Covers	CW 2130-R12				
i)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
ii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
iii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
iv)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
<b>ADJUSTMENTS</b>						
A.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
A.24	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
A.25	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	2		
A.26	Adjustment of Valve Boxes	CW 3210-R7	each	1		
A.27	Valve Box Extensions	CW 3210-R7	each	1		
A.28	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R7	each	1		
A.29	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	1		
<b>LANDSCAPING</b>						
A.30	Salt Tolerant Grass Seeding	E12	m <sup>2</sup>	1120		
<b>MISCELLANEOUS</b>						
A.31	Grouted Stone Rip Rap	CW 3615-R2	m <sup>2</sup>	25		
<b>A</b>	<b><u>LAGIMODIERE BOULEVARD - S/B REENDERS DRIVE TO CONCORDIA OVERPASS</u></b>				Subtotal	

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>B</b>	<b><u>ST MARY'S ROAD - EUGENIE STREET TO TACHE STREET</u></b>					
	<b>ROADWORKS - RENEWALS</b>					
B.1	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type A)		m <sup>2</sup>	25		
ii)	200 mm Concrete Pavement (Type B)		m <sup>2</sup>	70		
iii)	200 mm Concrete Pavement (Type C)		m <sup>2</sup>	30		
iv)	200 mm Concrete Pavement (Type D)		m <sup>2</sup>	30		
B.2	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	275		
B.3	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	325		
B.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	6		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	10		
c)	Greater than 20 sq.m.		m <sup>2</sup>	20		
ii)	Bullnose	SD-227C	m <sup>2</sup>	5		
B.5	Concrete Curb Renewal	CW 3240-R9				
i)	Barrier (125 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	6		
b)	3 m to 30 m		m	15		
B.6	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA (65 mm avg. thickness)		tonne	1200		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	125		
B.7	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m <sup>2</sup>	6000		
ii)	50 - 100 mm Depth (Asphalt)		m <sup>2</sup>	500		

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>JOINT AND CRACK SEALING</b>					
B.8	Reflective Crack Maintenance	CW 3250-R7	m	1900		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
B.9	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	1		
B.10	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
B.11	Drainage Connection Pipe	CW 2130-R12	m	5		
B.12	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
iii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
iv)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
	<b>ADJUSTMENTS</b>					
B.13	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
B.14	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
B.15	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1		
ii)	51 mm		each	2		
B.16	Adjustment of Valve Boxes	CW 3210-R7	each	2		
B.17	Valve Box Extensions	CW 3210-R7	each	1		
B.18	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R7	each	1		
B.19	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	1		
	<b>LANDSCAPING</b>					
B.20	Salt Tolerant Grass Seeding	E12	m <sup>2</sup>	100		
<b>B</b>	<b><u>ST MARY'S ROAD - EUGENIE STREET TO TACHE STREET</u></b>				Subtotal	

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>C</b>	<b><u>McPHILLIPS STEET - S/B NOTRE DAME AVENUE TO LOGAN AVENUE</u></b>					
	<b>EARTH AND BASE WORKS</b>					
C.1	Excavation	CW 3110-R15	m <sup>3</sup>	115		
C.2	Sub-Grade Compaction	CW 3110-R15	m <sup>2</sup>	115		
C.3	Crushed Sub-base Material	CW 3110-R15				
i)	50 mm - Limestone		tonne	300		
C.4	Supplying and Placing Base Course Material	CW 3110-R15	m <sup>3</sup>	15		
C.5	Removal of Existing Concrete Bases	CW 3110-R15				
i)	600 mm Diameter or Less		each	1		
C.6	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	115		
	<b>ROADWORKS - REMOVALS/RENEWALS</b>					
C.7	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type A)		m <sup>2</sup>	30		
ii)	200 mm Concrete Pavement (Type B)		m <sup>2</sup>	85		
iii)	200 mm Concrete Pavement (Type C)		m <sup>2</sup>	50		
iv)	200 mm Concrete Pavement (Type D)		m <sup>2</sup>	50		
C.8	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	300		
C.9	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	350		
C.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	10		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	50		
c)	Greater than 20 sq.m.		m <sup>2</sup>	50		
ii)	Bullnose	SD-227C	m <sup>2</sup>	5		
C.11	Concrete Curb Removal	CW 3240-R9				
i)	Barrier (Separate)		m	115		
ii)	Curb Ramp		m	5		
C.12	Concrete Curb Renewal	CW 3240-R9				
i)	Barrier (125 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	50		
b)	3 m to 30 m		m	200		
ii)	Curb Ramp (10-15mm reveal ht, Integral)	SD-229C,D	m	15		



**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.13	Detectable Warning Surface Tiles	E13				
i)	610 mm X 1220 mm		each	5		
C.14	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA (65mm avg. thickness)		tonne	2250		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	100		
C.15	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m <sup>2</sup>	7775		
ii)	50 - 100 mm Depth (Asphalt)		m <sup>2</sup>	3000		
C.16	Partial Depth Planing of Existing Joints	E11	m <sup>2</sup>	45		
C.17	Asphalt Patching of Partial Depth Joints	E11	m <sup>2</sup>	45		
<b>ROADWORKS-NEW CONSTRUCTION</b>						
C.18	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
i)	Construction of Monolithic Concrete Median Slabs	SD-226A	m <sup>2</sup>	22		
ii)	Construction of Concrete Safety Medians	SD-226B	m <sup>2</sup>	25		
iii)	Construction of 200mm Concrete Pavement for Early Opening - 24 hour (Reinforced)		m <sup>2</sup>	115		
iv)	Bullnose	SD-227C	m <sup>2</sup>	5		
<b>JOINT AND CRACK SEALING</b>						
C.19	Reflective Crack Maintenance	CW 3250-R7	m	3200		
<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>						
C.20	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	3		
C.21	Catch Pit	CW 2130-R12				
i)	SD-023		each	4		
C.22	Drainage Connection Pipe	CW 2130-R12	m	15		
C.23	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
ii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	4		
iii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	3		
iv)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
<b>ADJUSTMENTS</b>						
C.24	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
C.25	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.26	Lifter Rings	CW 3210-R7				
i)	38 mm		each	5		
ii)	51 mm		each	5		
C.27	Adjustment of Valve Boxes	CW 3210-R7	each	6		
C.28	Valve Box Extensions	CW 3210-R7	each	2		
C.29	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R7	each	1		
C.30	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	1		
	<b>LANDSCAPING</b>					
C.31	Salt Tolerant Grass Seeding	E12	m <sup>2</sup>	100		
<b>C</b>	<b><u>McPHILLIPS STEET - S/B NOTRE DAME AVENUE TO LOGAN AVENUE</u></b>				Subtotal	

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>D</b>	<b><u>ST ANNE'S ROAD-N/B FERNWOOD AVENUE TO FERMOR AVENUE</u></b>					
	<b>ROADWORKS - RENEWALS</b>					
D.1	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type A)		m <sup>2</sup>	30		
ii)	200 mm Concrete Pavement (Type B)		m <sup>2</sup>	75		
iii)	200 mm Concrete Pavement (Type C)		m <sup>2</sup>	40		
iv)	200 mm Concrete Pavement (Type D)		m <sup>2</sup>	50		
D.2	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	200		
D.3	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	250		
D.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	20		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	20		
c)	Greater than 20 sq.m.		m <sup>2</sup>	50		
ii)	Bullnose	SD-227C	m <sup>2</sup>	5		
D.5	Concrete Curb Renewal	CW 3240-R9				
i)	Barrier (125 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	25		
b)	3 m to 30 m		m	50		
ii)	Curb Ramp (10-15mm reveal ht, Integral)	SD-229C,D	m	15		
D.6	Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	50		
D.7	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA (65mm avg. thickness)		tonne	1150		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	55		
D.8	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m <sup>2</sup>	5025		
ii)	50 - 100 mm Depth (Asphalt)		m <sup>2</sup>	450		

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>JOINT AND CRACK SEALING</b>					
D.9	Reflective Crack Maintenance	CW 3250-R7	m	1650		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
D.10	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	1		
D.11	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
D.12	Drainage Connection Pipe	CW 2130-R12	m	5		
D.13	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
ii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
iii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
iv)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	<b>ADJUSTMENTS</b>					
D.14	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
D.15	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
D.16	Lifter Rings	CW 3210-R7				
i)	38 mm		each	3		
ii)	51 mm		each	3		
D.17	Adjustment of Valve Boxes	CW 3210-R7	each	5		
D.18	Valve Box Extensions	CW 3210-R7	each	2		
D.19	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R7	each	1		
D.20	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	1		
	<b>LANDSCAPING</b>					
D.21	Salt Tolerant Grass Seeding	E12	m <sup>2</sup>	100		
<b>D</b>	<b><u>ST ANNE'S ROAD-N/B FERNWOOD AVENUE TO FERMOR AVENUE</u></b>				Subtotal	

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>SUMMARY</b>						
<b>A</b>	<b><u>LAGIMODIERE BOULEVARD - S/B REENDERS DRIVE TO CONCORDIA OVERPASS</u></b>				Subtotal	
<b>B</b>	<b><u>ST MARY'S ROAD - EUGENIE STREET TO TACHE STREET</u></b>				Subtotal	
<b>C</b>	<b><u>McPHILLIPS STEET - S/B NOTRE DAME AVENUE TO LOGAN AVENUE</u></b>				Subtotal	
<b>D</b>	<b><u>ST ANNE'S ROAD-N/B FERNWOOD AVENUE TO FERMOR AVENUE</u></b>				Subtotal	
<b>TOTAL BID PRICE (GST EXTRA)</b> (in figures) _____						
(in words) _____						

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B10)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 180-2012

2012 REGIONAL STREETS MILL AND FILL PROGRAM – ST. ANNE’S ROAD N/B, LAGIMODIERE BOULEVARD S/B, MCPHILLIPS STREET S/B, ST. MARY’S ROAD

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**  
(Page 2 of 2)  
(See B10)

**AGREEMENT TO BOND**  
(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

**BID OPPORTUNITY NO. 180-2012**

**2012 REGIONAL STREETS MILL AND FILL PROGRAM – ST. ANNE'S ROAD N/B, LAGIMODIERE BOULEVARD S/B, MCPHILLIPS STREET S/B, ST. MARY'S ROAD**

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B10)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Division  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 180-2012

2012 REGIONAL STREETS MILL AND FILL PROGRAM – ST. ANNE’S ROAD N/B,  
LAGIMODIERE BOULEVARD S/B, MCPHILLIPS STREET S/B, ST. MARY’S ROAD

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding  
in the aggregate

\_\_\_\_\_  
Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.



**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 4, 2012

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)