



628-2012 ADDENDUM 1

SHOREHILL DRIVE PARK SPACE DEVELOPMENT

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: September 24, 2012
BY: Ian Taylor
TELEPHONE NO. (204) 927-3444 ext.256

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 9 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

- Add: E4.4 to read: The Contractor's operation shall be limited to a 3 ton single axle truck as the maximum allowable vehicle size to enter the Site.
- Revise: E18.1.2 9 (e) to read: Existing structure to be removed to approximate extents indicated on drawing L1.
- Add: E22.3.7 to read: Excavation within tree protection fencing shall be limited to a mini track loader or equipment approved by Contract Administrator in accordance with B5. Any oak tree roots revealed during excavation shall be root pruned by a certified licensed arborist.

DRAWING L-1

- Revise: Note 7 to read Existing structure to be removed to approximate extents indicated on drawing L1.
- Add: Note 12 to read: Excavation within tree protection fencing shall be limited to a mini track loader or equipment approved by Contract Administrator in accordance with B5. Any oak tree roots revealed during excavation shall be root pruned by a certified licensed arborist.