

**FORM A: BID**  
(See B7)

1. Contract Title 2012 Recreational Walkways and Bike Pathway Renewals

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

(Mailing address if different)

\_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

\_\_\_\_\_  
Street or P.O. Box

(Choose one)

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D2.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

| No.   |  | Dated |       |
|-------|--|-------|-------|
| _____ |  | _____ | _____ |
| _____ |  | _____ | _____ |
| _____ |  | _____ | _____ |

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM     | DESCRIPTION                                | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|-------------|----------------|------------------|------------|--------|
| <b>A</b> | <b><u>PAUFELD PARK</u></b>                 |             |                |                  |            |        |
|          | <b>EARTH AND BASE WORKS</b>                |             |                |                  |            |        |
| A.1      | Excavation                                 | CW 3110-R16 | m <sup>3</sup> | 290              |            |        |
| A.2      | Sub-Grade Compaction                       | CW 3110-R16 | m <sup>2</sup> | 970              |            |        |
| A.3      | Crushed Sub-base Material                  | CW 3110-R16 |                |                  |            |        |
| i)       | 50 mm - Limestone                          |             | tonne          | 320              |            |        |
| A.4      | Supplying and Placing Base Course Material | CW 3110-R16 |                |                  |            |        |
| i)       | Limestone                                  |             | m <sup>3</sup> | 48               |            |        |
| A.5      | Grading of Boulevards                      | CW 3110-R16 | m <sup>2</sup> | 50               |            |        |
| A.6      | Separation Geotextile Fabric               | CW 3130-R4  | m <sup>2</sup> | 970              |            |        |
|          | <b>ROADWORK - REMOVALS/RENEWALS</b>        |             |                |                  |            |        |
| A.7      | Pavement Removal                           | CW 3110-R16 |                |                  |            |        |
| i)       | Asphalt Pavement                           |             | m <sup>2</sup> | 970              |            |        |
| A.8      | Construction of Asphaltic Concrete Overlay | CW 3410-R9  |                |                  |            |        |
| i)       | Main Line Paving                           |             |                |                  |            |        |
| a)       | Type IA                                    |             | tonne          | 190              |            |        |
|          | <b>LANDSCAPING</b>                         |             |                |                  |            |        |
| A.9      | Sodding                                    | CW 3510-R9  |                |                  |            |        |
| i)       | width > 600mm                              |             | m <sup>2</sup> | 775              |            |        |
|          | <b>MISCELLANEOUS</b>                       |             |                |                  |            |        |
| A.10     | Salvage Existing Bollards                  | E8          | each           | 1                |            |        |
| A.11     | Supply of Bollards                         | E9          | each           | 1                |            |        |
| A.12     | Installation of Bollards                   | E10         | each           | 1                |            |        |
| <b>A</b> | <b><u>PAUFELD PARK</u></b>                 |             |                |                  | Subtotal   |        |

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM     | DESCRIPTION  | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|-------------|----------------|------------------|------------|--------|
| <b>B</b> | <b><u>SIDDALL/WERRELL PARK</u></b>                         |             |                |                  |            |        |
|          | <b>EARTH AND BASE WORKS</b>                                |             |                |                  |            |        |
| B.1      | Excavation   | CW 3110-R16 | m <sup>3</sup> | 165              |            |        |
| B.2      | Sub-Grade Compaction                                       | CW 3110-R16 | m <sup>2</sup> | 555              |            |        |
| B.3      | Crushed Sub-base Material                                  | CW 3110-R16 |                |                  |            |        |
| i)       | 50 mm - Crushed Concrete                                   |             | tonne          | 185              |            |        |
| B.4      | Supplying and Placing Base Course Material                 | CW 3110-R16 |                |                  |            |        |
| i)       | Limestone  |             | m <sup>3</sup> | 28               |            |        |
| B.5      | Grading of Boulevards                                      | CW 3110-R16 | m <sup>2</sup> | 50               |            |        |
| B.6      | Separation Geotextile Fabric                               | CW 3130-R4  | m <sup>2</sup> | 555              |            |        |
|          | <b>ROADWORK - REMOVALS/RENEWALS</b>                        |             |                |                  |            |        |
| B.7      | Pavement Removal   | CW 3110-R16 |                |                  |            |        |
| i)       | Concrete Pavement  |             | m <sup>2</sup> | 85               |            |        |
| ii)      | Asphalt Pavement   |             | m <sup>2</sup> | 555              |            |        |
| B.8      | Miscellaneous Concrete Slab Renewal                        | CW 3235-R9  |                |                  |            |        |
| i)       | 100 mm Sidewalk  | SD-228A     |                |                  |            |        |
| a)       | 5 sq.m. to 20 sq.m.  |             | m <sup>2</sup> | 4                |            |        |
| b)       | Greater than 20 sq.m.                                      |             | m <sup>2</sup> | 50               |            |        |
| B.9      | Construction of Asphaltic Concrete Overlay                 | CW 3410-R9  |                |                  |            |        |
| i)       | Main Line Paving   |             |                |                  |            |        |
| a)       | Type IA  |             | tonne          | 110              |            |        |
|          | <b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>           |             |                |                  |            |        |
| B.10     | Replacing Existing Manhole and Catch Basin Frames & Covers | CW 2130-R12 |                |                  |            |        |
| i)       | AP-004 - Standard Frame for Manhole and Catch Basin        |             | each           | 1                |            |        |
| ii)      | AP-005 - Standard Solid Cover for Standard Frame           |             | each           | 1                |            |        |
|          | <b>ADJUSTMENTS</b>   |             |                |                  |            |        |
| B.11     | Adjustment of Catch Basins / Manholes Frames               | CW 3210-R7  | each           | 1                |            |        |
|          | <b>LANDSCAPING</b>   |             |                |                  |            |        |
| B.12     | Sodding  | CW 3510-R9  |                |                  |            |        |
| i)       | width > 600mm  |             | m <sup>2</sup> | 445              |            |        |
| <b>B</b> | <b><u>SIDDALL/WERRELL PARK</u></b>                         |             |                |                  | Subtotal   |        |

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM     | DESCRIPTION                                | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|-------------|----------------|------------------|------------|--------|
| <b>C</b> | <b><u>NIAKWA TRAIL PATH</u></b>            |             |                |                  |            |        |
|          | <b>EARTH AND BASE WORKS</b>                |             |                |                  |            |        |
| C.1      | Excavation                                 | CW 3110-R16 | m <sup>3</sup> | 225              |            |        |
| C.2      | Sub-Grade Compaction                       | CW 3110-R16 | m <sup>2</sup> | 750              |            |        |
| C.3      | Crushed Sub-base Material                  | CW 3110-R16 |                |                  |            |        |
| i)       | 50 mm - Limestone                          |             | tonne          | 125              |            |        |
| ii)      | 50 mm - Crushed Concrete                   |             | tonne          | 125              |            |        |
| C.4      | Supplying and Placing Base Course Material | CW 3110-R16 |                |                  |            |        |
| i)       | Crushed Concrete                           |             | m <sup>3</sup> | 37               |            |        |
| C.5      | Grading of Boulevards                      | CW 3110-R16 | m <sup>2</sup> | 50               |            |        |
| C.6      | Separation Geotextile Fabric               | CW 3130-R4  | m <sup>2</sup> | 750              |            |        |
|          | <b>ROADWORK - REMOVALS/RENEWALS</b>        |             |                |                  |            |        |
| C.7      | Pavement Removal                           | CW 3110-R16 |                |                  |            |        |
| i)       | Asphalt Pavement                           |             | m <sup>2</sup> | 690              |            |        |
| C.8      | Construction of Asphaltic Concrete Overlay | CW 3410-R9  |                |                  |            |        |
| i)       | Main Line Paving                           |             |                |                  |            |        |
| a)       | Type IA                                    |             | tonne          | 145              |            |        |
|          | <b>LANDSCAPING</b>                         |             |                |                  |            |        |
| C.9      | Sodding                                    | CW 3510-R9  |                |                  |            |        |
| i)       | width > 600mm                              |             | m <sup>2</sup> | 600              |            |        |
| <b>C</b> | <b><u>NIAKWA TRAIL PATH</u></b>            |             |                |                  | Subtotal   |        |

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM     | DESCRIPTION                                | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|-------------|----------------|------------------|------------|--------|
| <b>D</b> | <b><u>BURROWS/KING EDWARD PARK</u></b>     |             |                |                  |            |        |
|          | <b>EARTH AND BASE WORKS</b>                |             |                |                  |            |        |
| D.1      | Excavation                                 | CW 3110-R16 | m <sup>3</sup> | 435              |            |        |
| D.2      | Sub-Grade Compaction                       | CW 3110-R16 | m <sup>2</sup> | 1455             |            |        |
| D.3      | Crushed Sub-base Material                  | CW 3110-R16 |                |                  |            |        |
| i)       | 50 mm - Limestone                          |             | tonne          | 480              |            |        |
| D.4      | Supplying and Placing Base Course Material | CW 3110-R16 |                |                  |            |        |
| i)       | Limestone                                  |             | m <sup>3</sup> | 75               |            |        |
| D.5      | Grading of Boulevards                      | CW 3110-R16 | m <sup>2</sup> | 50               |            |        |
| D.6      | Separation Geotextile Fabric               | CW 3130-R4  | m <sup>2</sup> | 1450             |            |        |
|          | <b>ROADWORK - REMOVALS/RENEWALS</b>        |             |                |                  |            |        |
| D.7      | Pavement Removal                           | CW 3110-R16 |                |                  |            |        |
| i)       | Concrete Pavement                          |             | m <sup>2</sup> | 90               |            |        |
| ii)      | Asphalt Pavement                           |             | m <sup>2</sup> | 1365             |            |        |
| D.8      | Miscellaneous Concrete Slab Renewal        | CW 3235-R9  |                |                  |            |        |
| i)       | 100 mm Sidewalk                            | SD-228A     |                |                  |            |        |
| a)       | Greater than 20 sq.m.                      |             | m <sup>2</sup> | 180              |            |        |
| D.9      | Construction of Asphaltic Concrete Overlay | CW 3410-R9  |                |                  |            |        |
| i)       | Main Line Paving                           |             |                |                  |            |        |
| a)       | Type IA                                    |             | tonne          | 265              |            |        |
|          | <b>LANDSCAPING</b>                         |             |                |                  |            |        |
| D.10     | Sodding                                    | CW 3510-R9  |                |                  |            |        |
| i)       | width > 600mm                              |             | m <sup>2</sup> | 1210             |            |        |
|          | <b>MISCELLANEOUS</b>                       |             |                |                  |            |        |
| D.11     | Salvage Existing Bollards                  | E8          | each           | 1                |            |        |
| D.12     | Supply of Bollards                         | E9          | each           | 1                |            |        |
| D.13     | Installation of Bollards                   | E10         | each           | 1                |            |        |
| <b>D</b> | <b><u>BURROWS/KING EDWARD PARK</u></b>     |             |                |                  | Subtotal   |        |

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM     | DESCRIPTION  | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|-------------|----------------|------------------|------------|--------|
| <b>E</b> | <b><u>PANDORA AVE. WEST PATH</u></b>                   |             |                |                  |            |        |
|          | <b>EARTH AND BASE WORKS</b>                            |             |                |                  |            |        |
| E.1      | Excavation   | CW 3110-R16 | m <sup>3</sup> | 125              |            |        |
| E.2      | Sub-Grade Compaction                                   | CW 3110-R16 | m <sup>2</sup> | 410              |            |        |
| E.3      | Crushed Sub-base Material                              | CW 3110-R16 |                |                  |            |        |
| i)       | 50 mm - Limestone                                      |             | tonne          | 135              |            |        |
| E.4      | Supply and Place Asphalt Cuttings Base Course Material | CW 3110-R16 | m <sup>3</sup> | 20               |            |        |
| E.5      | Grading of Boulevards                                  | CW 3110-R16 | m <sup>2</sup> | 50               |            |        |
| E.6      | Separation Geotextile Fabric                           | CW 3130-R4  | m <sup>2</sup> | 330              |            |        |
|          | <b>ROADWORK - REMOVALS/RENEWALS</b>                    |             |                |                  |            |        |
| E.7      | Pavement Removal                                       | CW 3110-R16 |                |                  |            |        |
| i)       | Concrete Pavement                                      |             | m <sup>2</sup> | 15               |            |        |
| ii)      | Asphalt Pavement                                       |             | m <sup>2</sup> | 250              |            |        |
| E.8      | Miscellaneous Concrete Slab Renewal                    | CW 3235-R9  |                |                  |            |        |
| i)       | 100 mm Sidewalk  | SD-228A     |                |                  |            |        |
| a)       | 5 sq.m. to 20 sq.m.                                    |             | m <sup>2</sup> | 15               |            |        |
| E.9      | Construction of Asphaltic Concrete Overlay             | CW 3410-R9  |                |                  |            |        |
| i)       | Main Line Paving                                       |             |                |                  |            |        |
| a)       | Type IA  |             | tonne          | 80               |            |        |
|          | <b>LANDSCAPING</b>                                     |             |                |                  |            |        |
| E.10     | Sodding  | CW 3510-R9  |                |                  |            |        |
| i)       | width > 600mm  |             | m <sup>2</sup> | 330              |            |        |
| <b>E</b> | <b><u>PANDORA AVE. WEST PATH</u></b>                   |             |                |                  | Subtotal   |        |



**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM     | DESCRIPTION                                | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|-------------|----------------|------------------|------------|--------|
| <b>F</b> | <b><u>TAYLOR AVE (BOREBANK-BROCK)</u></b>  |             |                |                  |            |        |
|          | <b>EARTH AND BASE WORKS</b>                |             |                |                  |            |        |
| F.1      | Excavation                                 | CW 3110-R16 | m <sup>3</sup> | 210              |            |        |
| F.2      | Sub-Grade Compaction                       | CW 3110-R16 | m <sup>2</sup> | 700              |            |        |
| F.3      | Crushed Sub-base Material                  | CW 3110-R16 |                |                  |            |        |
| i)       | 50 mm - Limestone                          |             | tonne          | 230              |            |        |
| F.4      | Supplying and Placing Base Course Material | CW 3110-R16 |                |                  |            |        |
| i)       | Crushed Concrete                           |             | m <sup>3</sup> | 35               |            |        |
| F.5      | Grading of Boulevards                      | CW 3110-R16 | m <sup>2</sup> | 50               |            |        |
| F.6      | Separation Geotextile Fabric               | CW 3130-R4  | m <sup>2</sup> | 700              |            |        |
|          | <b>ROADWORK - REMOVALS/RENEWALS</b>        |             |                |                  |            |        |
| F.7      | Pavement Removal                           | CW 3110-R16 |                |                  |            |        |
| i)       | Asphalt Pavement                           |             | m <sup>2</sup> | 700              |            |        |
| F.8      | Construction of Asphaltic Concrete Overlay | CW 3410-R9  |                |                  |            |        |
| i)       | Main Line Paving                           |             |                |                  |            |        |
| a)       | Type IA                                    |             | tonne          | 135              |            |        |
|          | <b>LANDSCAPING</b>                         |             |                |                  |            |        |
| F.9      | Sodding                                    | CW 3510-R9  |                |                  |            |        |
| i)       | width > 600mm                              |             | m <sup>2</sup> | 580              |            |        |
| <b>F</b> | <b><u>TAYLOR AVE (BOREBANK-BROCK)</u></b>  |             |                |                  | Subtotal   |        |

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM     | DESCRIPTION  | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|-------------|----------------|------------------|------------|--------|
| <b>G</b> | <b><u>TAYLOR AVE (1400/1420 TAYLOR-WAVERLEY)</u></b> |             |                |                  |            |        |
|          | <b>EARTH AND BASE WORKS</b>                          |             |                |                  |            |        |
| G.1      | Excavation   | CW 3110-R16 | m <sup>3</sup> | 225              |            |        |
| G.2      | Sub-Grade Compaction                                 | CW 3110-R16 | m <sup>2</sup> | 760              |            |        |
| G.3      | Crushed Sub-base Material                            | CW 3110-R16 |                |                  |            |        |
| i)       | 50 mm - Crushed Concrete                             |             | tonne          | 250              |            |        |
| G.4      | Supplying and Placing Base Course Material           | CW 3110-R16 |                |                  |            |        |
| i)       | Crushed Concrete                                     |             | m <sup>3</sup> | 38               |            |        |
| G.5      | Grading of Boulevards                                | CW 3110-R16 | m <sup>2</sup> | 50               |            |        |
| G.6      | Separation Geotextile Fabric                         | CW 3130-R4  | m <sup>2</sup> | 760              |            |        |
|          | <b>ROADWORK - REMOVALS/RENEWALS</b>                  |             |                |                  |            |        |
| G.7      | Pavement Removal                                     | CW 3110-R16 |                |                  |            |        |
| i)       | Asphalt Pavement                                     |             | m <sup>2</sup> | 760              |            |        |
| G.8      | Construction of Asphaltic Concrete Overlay           | CW 3410-R9  |                |                  |            |        |
| i)       | Main Line Paving                                     |             |                |                  |            |        |
| a)       | Type IA  |             | tonne          | 150              |            |        |
|          | <b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>     |             |                |                  |            |        |
| G.9      | Corrugated Steel Pipe - Supply                       | CW 3610-R3  |                |                  |            |        |
| i)       | (300mm, 1.6mm)                                       |             | m              | 1                |            |        |
| G.10     | Corrugated Steel Pipe - Install                      | CW 3610-R3  |                |                  |            |        |
| i)       | (300mm, 1.6mm)                                       |             | m              | 1                |            |        |
|          | <b>LANDSCAPING</b>                                   |             |                |                  |            |        |
| G.11     | Sodding  | CW 3510-R9  |                |                  |            |        |
| i)       | width > 600mm  |             | m <sup>2</sup> | 630              |            |        |
| <b>G</b> | <b><u>TAYLOR AVE (1400/1420 TAYLOR-WAVERLEY)</u></b> |             |                |                  | Subtotal   |        |

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM     | DESCRIPTION                                      | SPEC. REF.  | UNIT           | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|-------------|----------------|------------------|------------|--------|
| <b>H</b> | <b><u>GLEN MEADOW PATH</u></b>                   |             |                |                  |            |        |
|          | <b>EARTH AND BASE WORKS</b>                      |             |                |                  |            |        |
| H.1      | Excavation                                       | CW 3110-R16 | m <sup>3</sup> | 230              |            |        |
| H.2      | Sub-Grade Compaction                             | CW 3110-R16 | m <sup>2</sup> | 770              |            |        |
| H.3      | Crushed Sub-base Material                        | CW 3110-R16 |                |                  |            |        |
| i)       | 50 mm - Limestone                                |             | tonne          | 170              |            |        |
| ii)      | 50 mm - Crushed Concrete                         |             | tonne          | 85               |            |        |
| H.4      | Supplying and Placing Base Course Material       | CW 3110-R16 |                |                  |            |        |
| i)       | Limestone  |             | m <sup>3</sup> | 20               |            |        |
| ii)      | Crushed Concrete                                 |             | m <sup>3</sup> | 20               |            |        |
| H.5      | Grading of Boulevards                            | CW 3110-R16 | m <sup>2</sup> | 50               |            |        |
| H.6      | Separation Geotextile Fabric                     | CW 3130-R4  | m <sup>2</sup> | 1540             |            |        |
|          | <b>ROADWORK - REMOVALS/RENEWALS</b>              |             |                |                  |            |        |
| H.7      | Pavement Removal                                 | CW 3110-R16 |                |                  |            |        |
| i)       | Asphalt Pavement                                 |             | m <sup>2</sup> | 770              |            |        |
| H.8      | Construction of Asphaltic Concrete Overlay       | CW 3410-R9  |                |                  |            |        |
| i)       | Main Line Paving                                 |             |                |                  |            |        |
| a)       | Type IA  |             | tonne          | 150              |            |        |
|          | <b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b> |             |                |                  |            |        |
| H.9      | Corrugated Steel Pipe - Supply                   | CW 3610-R3  |                |                  |            |        |
| i)       | (300mm,1.6mm)                                    |             | m              | 1                |            |        |
| H.10     | Corrugated Steel Pipe - Install                  | CW 3610-R3  |                |                  |            |        |
| i)       | (300mm, 1.6mm)                                   |             | m              | 1                |            |        |
|          | <b>LANDSCAPING</b>                               |             |                |                  |            |        |
| H.11     | Sodding  | CW 3510-R9  |                |                  |            |        |
| i)       | width > 600mm                                    |             | m <sup>2</sup> | 670              |            |        |
|          | <b>MISCELLANEOUS</b>                             |             |                |                  |            |        |
| H.13     | Salvage Existing Bollards                        | E8          | each           | 1                |            |        |
| H.14     | Supply of Bollards                               | E9          | each           | 1                |            |        |
| H.15     | Installation of Bollards                         | E10         | each           | 1                |            |        |
| <b>H</b> | <b><u>GLEN MEADOW PATH</u></b>                   |             |                |                  | Subtotal   |        |

**FORM B(R1): PRICES**  
 (SEE B9)

UNIT PRICES

| ITEM                               | DESCRIPTION   | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE   | AMOUNT |
|------------------------------------|---|------------|------|------------------|--------------|--------|
| <b>SUMMARY</b>                     |   |            |      |                  |              |        |
| <b>A</b>                           | <b><u>PAUFELD PARK</u></b>                            |            |      |                  | Subtotal     |        |
| <b>B</b>                           | <b><u>SIDDALL/WERRELL PARK</u></b>                    |            |      |                  | Subtotal     |        |
| <b>C</b>                           | <b><u>NIAKWA TRAIL PATH</u></b>                       |            |      |                  | Subtotal     |        |
| <b>D</b>                           | <b><u>BURROWS/KING EDWARD PARK</u></b>                |            |      |                  | Subtotal     |        |
| <b>E</b>                           | <b><u>PANDORA AVE. WEST PATH</u></b>                  |            |      |                  | Subtotal     |        |
| <b>F</b>                           | <b><u>TAYLOR AVE. (BOREBANK-BROCK)</u></b>            |            |      |                  | Subtotal     |        |
| <b>G</b>                           | <b><u>TAYLOR AVE. (1400/1420 TAYLOR-WAVERLEY)</u></b> |            |      |                  | Subtotal     |        |
| <b>H</b>                           | <b><u>GLEN MEADOW PATH</u></b>                        |            |      |                  | Subtotal     |        |
| <b>TOTAL BID PRICE (GST EXTRA)</b> |   |            |      |                  |              |        |
|                                    |   |            |      |                  | (in figures) | _____  |
| (in words)                         |   |            |      |                  |              |        |
|                                    |   |            |      |                  |              |        |

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B10)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 700-2012

2012 Recreational Walkways and Bike Pathway Renewals

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B10)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 700-2012

2012 Recreational Walkways and Bike Pathway Renewals

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B10)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Division  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 700-2012

2012 Recreational Walkways and Bike Pathway Renewals

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_\_\_\_\_ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on November 27, 2012.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)