



## 745-2012 ADDENDUM 6

### RIVERGATE OUTFALL GATE CHAMBER CONSTRUCTION AND UPGRADES

#### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY**

ISSUED: October 26, 2012  
BY: Edmund Ho, P.Eng.  
TELEPHONE NO. (204) 943-3178

**THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS**

Template Version: A20070419

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.**

---

#### **PART A – BID SUBMISSION**

Replace: 745-2012 Bid Submission with 745-2012 Addendum 6 - Bid Submission. The following is a summary of changes incorporated in the replacement Bid Submission:

Form B(R2): Add Item A.5.

#### **PART B – BIDDING PROCEDURES**

Revise: B2.1 to read: The Submission Deadline is now 12:00 noon Winnipeg time, October 31, 2012.

#### **PART D – SUPPLEMENTAL CONDITIONS**

Replace D17.1 with: If the Contractor fails to achieve Substantial Performance or Total Performance in accordance with the Contract by the days fixed herein for same, the Contractor shall pay the City the following amounts per Calendar Day for each and every Calendar Day following the days fixed herein for same during which such failure continues:

- (a) Substantial Performance – one thousand dollars (\$1,000.00);
- (b) Total Performance – five hundred dollars (\$500.00);

Replace D17.2 with: The amounts specified for liquidated damages in D17.1 are based on a genuine pre-estimate of the City's damages in the event that the Contractor does not achieve Substantial or Total Performance by the days fixed herein for same.

Replace: Form I with the attached Form. The following is a summary of changes incorporated in the replacement forms:

Form I(R1): New Item No. 10 is added and should read: Tree Removal.

Page numbering on some forms may be changed as a result.

#### **PART E – SPECIFICATIONS**

Replace E6.3 with: No separate measure or payment will be made for protection of trees.

- Replace E12.3(b)(x) with: The Contractor shall be responsible for testing the groundwater from the excavation to applicable guidelines prior to discharge into the river. If the groundwater test results are deemed to be unsuitable for discharge into the river, the Contractor shall be responsible for disposing of the groundwater meeting applicable all Provincial regulations, or disposing the groundwater into the nearest appropriate sanitary sewer.
- Add E12.3(b)(xi): If brackish groundwater is encountered in the depressurization wells or excavation, the contractor shall provide means of disposal of the water meeting all Provincial regulations. The Contractor shall investigate all methods of disposal of brackish water that do not involve removing it off-site, and pursue the least costly option that meets all Provincial regulations. Should there be no option but to truck the groundwater off-site, this trucking shall be measured and paid for on a Time and Materials basis and shall not be included as a Bid Item. The Contractor shall keep daily records of man-hours and materials to dispose of groundwater by trucking and provide these records to the Engineer at the end of each work day.
- Add E24 Tree Removal
- E24.1 Further to CW 3010, this specification shall cover the felling of trees and removal of stumps, limbs, roots, and tree debris as directed by the Engineer.
- E24.2 Tree removal will be measured on a unit basis for each tree removed and paid for at the Contract Unit Price for "Tree Removal". The number of units to be paid for will be the total number trees removed and disposed of off-site in accordance with CW 3010 and this specification, accepted and measured by the Contract Administrator.

## **DRAWINGS**

Add: 745-2012 \_Drawing\_Addendum\_6-Historical\_Drawing\_WW-1-262.pdf