



822-2012 ADDENDUM 3

REHABILITATION OF MILLENIUM LIBRARY PARKADE 251 DONALD STREET

ISSUED: December 3, 2012
BY: Iain Currie
TELEPHONE NO. (204) 986-3874

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20120228

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 7 of Form A: Bid may render your Bid non-responsive.

PART A – BID SUBMISSION

Replace: 822-2012 Bid Submission with 822-2012 Addendum 3 - Bid Submission. The following is a summary of changes incorporated in the replacement Bid Submission:

- Form B(R1): Add Items No. 5 P1 Level Topping Repairs Below Islands, renumber items accordingly.
- Revise Item 10 & 11 to reference Specification 22 42 01.
- Revise Items 19 & 20 to reference Specification only, not section 1.3.10.
- Revise Item 16 to carry cash allowance of \$36,000.

Page numbering on some forms may be changed as a result.

PART B – BIDDING PROCEDURES

Revise: B14.4 to read: . B14.4 Further to B14.1(c), the Total Bid Price shall be the sum of the quantities multiplied by the unit prices for each item shown on Form B: Prices adjusted, if necessary, as follows:

- (a) if the lowest evaluated responsive Bid submitted by a responsible and qualified Bidder is within the budgetary provision for the Work, no adjustment will be made to the Total Bid Price; or
- (b) if the lowest evaluated responsive Bid submitted by a responsible and qualified Bidder exceeds the budgetary provision for the Work, the Total Bid Prices of all responsive Bids submitted by responsible and qualified Bidders will be adjusted by progressively deducting item(s) 25, 24 and 23 in the order listed, until a Total Bid Price within the budgetary provision is achieved.

PART E – SPECIFICATIONS

Revise: Section 03 30 00 clause 2.1 to read:

- .1 Concrete for Level P2 Slab on Grade: to conform to CAN3-A23.1, exposure Class: C-4, unless modified herein. Use type 10 cement to give minimum compressive strength of 25 MPa in 28

days with 20mm nominal aggregate size and 5.5%+1.5% entrained air.

- .1 Polypropylene fiber: 2.27 Kgs/m of MAC 100 Plus Macro Synthetic fibre.
- .2 Approved equal in accordance with Section B6.

Revise: Section 03 30 00 clause 3.2.4.6 to read:

- .6 Provide float finish unless otherwise indicated.

Revise: Section 03 70 00 clause 1.4.1 to read:

- .1 Hidden conduit damaged during the execution of the work shall be repaired at the City's expense on a time and materials basis provided reasonable care is taken to avoid such damage.

Revise: Section 07 10 70 clause 2.2.3 to read:

- .3 Conipur II Deck Coating System as manufactured by BASF.
 - .1 Base coat in accordance with manufacturers thickness.
 - .2 Wear coarse installed in a minimum of three applications to a total dry mil thickness of 40 mils (excluding aggregate).

Add: Section 03 70 00 clause 2.6

2.6 POLYMER MODIFIED MORTAR

- .1 Sika 122 as manufactured by Sika Canada Inc.
- .2 Approved equal in accordance with Section B6.

Add: Section 03 70 00 clause 3.10

3.10 LOCALIZED SLAB REPAIRS BELOW CONCRETE ISLANDS

- .1 Remove concrete as directed by Contract Administrator.
- .2 No larger than 7kg class chipping hammers shall be used for removal of concrete to a maximum depth of 25mm. Concrete shall not be removed beyond this limit except where authorized by the Contract Administrators.
- .3 Sawcutting perimeter of deteriorated areas.
- .4 Abrasive blast cleaning of concrete surface.
- .5 Preparation of concrete surfaces and install bonding agent.
- .6 Placing, finishing and curing of polymer modified mortar in accordance with the manufacturer's recommendations.

Add: Section 22 83 16 in its entirety

DRAWINGS

Replace: 822-2012_Drawing_S3-R3 with 822-2012_Addendum_3-Drawing_S3-R4

822-2012_Drawing_S7-R3 with 822-2012_Addendum_3-Drawing_S7-R4

822-2012_Drawing_S10-R3 with 822-2012_Addendum_3-Drawing_S10-R4