



125-2013 ADDENDUM 2

SUPPLY AND INSTALLATION OF FENCING AT 552/598 PLINGUET STREET SITE

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY

ISSUED: May 8, 2013
BY: Jessica McCombe
TELEPHONE NO. (204) 986-8376

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Template Version: A20130301

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART B – BIDDING PROCEDURES

Revise: B2.1 to read: The Submission Deadline is 4:00 p.m. Winnipeg time, May 14, 2013.

PART E – SPECIFICATIONS

Revise: E5.5 to read: All 3050 mm high fencing with the exception of the inner southeast and southwest sides of the water tower shall consist of 3 strands of **12.5 gauge** barbed wire spaced 150 mm apart on a 45 degree angle towards the property line as shown in the Fence Detail on drawing D-12863.

Revise: E5.6 to read: The 3050 mm high fencing on the inner southeast and southwest sides of the water tower shall consist of 3 strands of **12.5 gauge** vertical barbed wire spaced 150 mm apart.

Revise: E7.1 (c) to read: All gates shall include pad lock protective boxes.

Revise: E7.2 (c) to read: All gates shall include pad lock protective boxes.

Revise Addendum 1: E7.1 (a) to read: Supply and install gates as shown on drawing D-2123.

Revise Addendum 1: E7.2 (a) to read: Supply and install gates as per Winnipeg's Standard Construction Specification CW 3550 – CHAIN LINK FENCING (R2).

DRAWINGS

Replace: 125-2013_Drawing_D-12861-R0 with 125-2013_Addendum_2-Drawing_D-12861-R1.