FORM A: BID (See B7)

1.	Contract Title		KAGE – GARWOOD AVENUE, L ENUE AND VARIOUS OTHER L	
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder as	it appears on Invoice (if different from ab	ove)
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Email Address of Bidder		
		Facsimile Number		
		Street or P.O. Box		
	(Choose one)	City	Province	Postal Code
		The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under	the above name.	
3.	Contact Person	The Bidder hereby authorize the Bidder for purposes of the Bidder for purpose of the Bidder for purposes of the Bidder for purpos	es the following contact person ne Bid.	to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used ascribed to them in the Ger	in the Contract shall have the eral Condition.	e meanings
5.	Offer		o perform the Work in accordar Price, in Canadian funds, set out	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:				
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)				
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)				
		a certified cheque or draft				
		and agrees that it shall be held by the City in accordance with the Contract.				
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.				
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.				
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.				
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:				
		No Dated				
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.				

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1	CITY FUNDED WORK					
Α	GARWOOD AVENUE FROM STAFFORD STREET					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R17	m³	1300		
A.2	Sub-Grade Compaction	CW 3110-R17	m²	2650		
A.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm		tonne	2000		
A.4	Supplying and Placing Base Course Material	CW 3110-R17	m³	215		
A.5	Grading of Boulevards	CW 3110-R17	m²	2600		
A.6	Separation Geotextile Fabric	CW 3130-R4	m²	2650		
	ROADWORK - REMOVALS/RENEWALS					
A.7	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m²	2215		
A.8	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	70		
A.9	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m²	10		
A.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	45		
b)	5 sq.m. to 20 sq.m.		m²	60		
c)	Greater than 20 sq.m.		m²	150		
A.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		

Name	٥f	Ridde
Hallic	OI.	Didde

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
A.12	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	21		
A.13	Detectable Warning Surface Tiles	CW 3326				
i)	610 mm X 1220 mm		each	4		
	ROADWORK - NEW CONSTRUCTION					
A.14	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	2180		
A.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	515		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	45		
iii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	35		
A.16	Supplying and Placing Joint Curing Compound	E11	m	325		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.17	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	6		
A.18	Sewer Service	CW 2130-R12				
i)	250 mm					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill with Sand		m	22		
A.19	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
L	İ			i .	ı	

Name of Bidder

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.20	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 300 mm (PVC) Combined Sewer		each	2		
b)	Connecting to 300 mm (Clay) Combined Sewer		each	2		
A.21	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	2		
A.22	Removal of Existing Catch Basins	CW 2130-R12	each	6		
A.23	Abandoning Existing Drainage Inlets	CW 2130-R12	each	2		
A.24	Abandoning Existing Sewer Service Under Pavement c/w Video Inspection					
i)	Existing Catchbasin Leads (250mm or smaller)		each	4		
A.25	Catch Basin Cleaning	CW 2140-R3	each	2		
A.26	Installation of Subdrains	CW 3120-R4	m	84		
A.27	Backfill Material	CW 2130-R12				
i)	Sand		m³	5		
	ADJUSTMENTS					
A.28	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
A.29	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.300		
A.30	Lifter Rings	CW 3210-R7				
i)	51 mm		each	4		
A.31	Adjustment of Valve Boxes	CW 3210-R7	each	1		
A.32	Valve Box Extensions	CW 3210-R7	each	1		
A.33	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		

Name of Bidder
rtaine of Blader

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.34	Curb Stop Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
A.35	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	100		
ii)	width > or = 600 mm		m²	2500		
A	GARWOOD AVENUE FROM STAFFORD	STREET TO HOU	 SE #974	4, Concrete		
	Reconstruction				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	WAVELL AVENUE FROM CASEY STREET Asphalt Reconstruction	TO OSBORNE	<u>SERVIC</u>	E ROAD,		
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R17	m³	1650		
B.2	Sub-Grade Compaction	CW 3110-R17	m²	3300		
B.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm		tonne	2300		
ii)	100 mm		tonne	1200		
B.4	Supplying and Placing Base Course Material	CW 3110-R17	m³	350		
B.5	Grading of Boulevards	CW 3110-R17	m²	3300		
B.6	Separation Geotextile Fabric	CW 3130-R4	m²	3300		
B.7	Supply and Install Geogrid	CW 3135-R1	m²	1650		
	ROADWORK - REMOVALS/RENEWALS					
B.8	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m²	3070		
B.9	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	31		
B.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а	Less than 5 sq.m.		m²	25		
b	5 sq.m. to 20 sq.m.		m²	30		
С	Greater than 20 sq.m.		m²	1050		
B.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier 150mm ht		m	20		
B.13	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205	m	18		
B.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
B.15	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	6		
B.16	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	50		
	ROADWORK - NEW CONSTRUCTION					
B.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	685		
ii)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)		m	32		
iii)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	30		
B.18	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	575		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	40		
	JOINT AND CRACK SEALING					
B.19	Reflective Crack Maintenance	CW 3250-R7	m	850		

Name	of	Bidder

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.20	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	8		
B.21	Sewer Service	CW 2130-R12				
i)	250 mm					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill with Sand		m	32		
B.22	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	6		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	6		
B.23	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 375 mm Clay Combined Sewer		each	8		
B.24	Removal of Existing Catch Basins	CW 2130-R12	each	8		
B.25	Abandoning Existing Drainage Inlets	CW 2130-R12	each	8		
B.26	Abandoning Existing Sewer Service Under Pavement c/w Video Inspection					
i)	Existing Catchbasin Leads (250mm or smaller)		each	4		
B.27	Removal of Existing Pipes	E12	m	22		
B.28	Installation of Subdrains	CW 3120-R4	m	96		
B.29	Backfill Material	CW 2130-R12				
i)	Sand		m³	5		
	ADJUSTMENTS					
B.30	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6		

Name of Bidder

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.31	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	3		
B.32	Lifter Rings	CW 3210-R7				
i)	64 mm		each	6		
B.33	Patching Existing Manholes	CW 2130-R12	vert. m	1		
B.34	Adjustment of Valve Boxes	CW 3210-R7	each	3		
B.35	Valve Box Extensions	CW 3210-R7	each	1		
B.36	Adjustment of Curb Stop Boxes	CW 3210-R7	each	42		
B.37	Curb Stop Extensions	CW 3210-R7	each	5		
	LANDSCAPING					
B.38	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	10		
ii)	width > or = 600 mm		m²	3300		
В	WAVELL AVENUE FROM CASEY STA	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	LAIDLAW BOULEVARD FROM CORYDON AVENUE, Asphalt Reconstruction					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R17	m³	2600		
C.2	Sub-Grade Compaction	CW 3110-R17	m²	5700		
C.3	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm		tonne	4200		
ii)	100 mm		tonne	2000		
C.4	Supplying and Placing Base Course Material	CW 3110-R17	m³	750		
C.5	Grading of Boulevards	CW 3110-R17	m²	6250		
C.6	Separation Geotextile Fabric	CW 3130-R4	m²	5700		
C.7	Supply and Install Geogrid	CW 3135-R1	m²	2850		
	ROADWORK - REMOVALS/RENEWALS					
C.8	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m²	6000		
ii)	Asphalt Pavement		m²	100		
C.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	25		
b)	5 sq.m. to 20 sq.m.		m²	40		
C.10	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	15		
C.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	370		
C.12	Interlocking Paving Stones	CW 3335-R1	m²	50		

Name	٥f	Ridde	_
INALLIC	OI.	Diuu	$\overline{}$

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - NEW CONSTRUCTION					
C.13	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	1250		
ii)	Construction of 150 mm Exposed Aggregate Concrete Pavement (Reinforced)	E14	m²	75		
C.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	52		
ii)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	810		
iii)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	66		
iv)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-202B	m	316		
v)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	15		
C.15	Construction of Asphaltic Concrete Pavements	CW 3410-R9				
i)	Main Line Paving					
а	Type IA		tonne	1050		
ii)	Tie-ins and Approaches					
а	Type IA		tonne	40		
	JOINT AND CRACK SEALING					
C.16	Reflective Crack Maintenance	CW 3250-R7	m	700		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.17	Catch Basin	CW 2130-R12				
i)	SD-024, 1200 mm deep		each	8		
ii)	SD-024, 1800 mm deep		each	1		


Name	٥f	Ridde	_
INALLIC	OI.	Diuu	$\overline{}$

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.18	Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
C.19	Sewer Service	CW 2130-R12				
i)	250 mm					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill with Sand		m	75		
b)	Trenchless Installation		m	20		
C.20	Drainage Connection Pipe	CW 2130-R12	m	4		
C.21	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12, E16				
i)	450 mm					
a)	Class 3 Backfill		each	4		
C.22	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12, E16				
i)	450 mm					
a)	Class 3 Backfill		m	5.5		
C.23	Sewer Inspection	CW 2145-R3, E16				
i)	250 mm Sewer Service Pipe		m	65		
ii)	450 mm		m	350		
C.24	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
C.25	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	2		

Name	of	Bidde	ei

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.26	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	3		
C.27	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 375 mm Concrete Land Drainage Sewer		each	3		
b)	Connecting to 1050 mm Concrete Land Drainage Sewer		each	1		
C.28	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	3		
C.29	Removal of Existing Catch Basins	CW 2130-R12	each	3		
C.30	Abandoning Existing Drainage Inlets	CW 2130-R12	each	5		
C.31	Catch Basin Cleaning	CW 2140-R3	each	4		
C.32	Abandoning Existing Sewer Service Under Pavement c/w Video Inspection					
i)	Existing Catchbasin Leads (250mm or smaller)		each	2		
C.33	Removal of Existing Pipes	E12	m	15		
C.34	Installation of Subdrains	CW 3120-R4	m	96		
C.35	Backfill Material	CW 2130-R12				
i)	Sand		m³	5		
	ADJUSTMENTS					
C.36	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	10		
C.37	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.300		
C.38	Replacing Existing Catch Basin Hoods	CW 2130-R12	each	1		
C.39	Lifter Rings	CW 3210-R7				

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
i)	51 mm		each	2		
C.40	Adjustment of Valve Boxes	CW 3210-R7	each	10		
C.41	Valve Box Extensions	CW 3210-R7	each	2		
C.42	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
C.43	Barrier Curb and Gutter Frame Riser and Grated Cover (38 mm)	CW 3210-R7	each	1		
C.44	Adjustment of Sprinkler Head	E13	each	20		
C.45	Replace Existing Sprinkler Pipe	E13	m	30		
	LANDSCAPING					
C.46	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	50		
ii)	width > or = 600 mm		m²	6200		
С	LAIDLAW BOULEVARD FROM CORYDOI AVENUE, Asphalt Reconstruction	Subtotal:				



UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	DARWIN STREET FROM GLENTHORNE C. Pavement Rehabilitation					
	EARTH AND BASE WORKS					
D.1	Supplying and Placing Base Course Material	CW 3110-R17	m³	10		
D.2	Grading of Boulevards	CW 3110-R17	m²	50		
	ROADWORK - REMOVALS/RENEWALS					
D.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Type A)		m²	20		
ii)	150 mm Concrete Pavement (Type B)		m²	100		
D.4	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	240		
D.5	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	6		
ii)	20 M Deformed Tie Bar		each	240		
D.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	10		
D.7	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5		
		1				

Name of Bidder

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Barrier (150 mm reveal ht, Separate)	SD-203A				
a)	Less than 3 m		m	30		
iii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	55		
iv)	Modified Lip Curb (75 mm reveal ht, Dowelled)	SD-202C	m	10		
v)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	7		
D.8	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	11		
D.9	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	200		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	65		
D.10	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	25		
	JOINT AND CRACK SEALING					
D.11	Reflective Crack Maintenance	CW 3250-R7	m	450		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.12	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	3		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	2		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
D.13	Catch Basin Cleaning	CW 2140-R3	each	4		

Name of Bidder

UNIT PRICES

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
D.14	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	7		
D.15	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.5		
D.16	Lifter Rings	CW 3210-R7				
i)	64 mm		each	5		
D.17	Replacing Existing Catch Basin Hoods	CW 2130-R12	each	4		
D.18	Patching Existing Manholes	CW 2130-R12	vert. m	1		
	LANDSCAPING					
D.19	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	10		
ii)	width > or = 600 mm		m²	50		
D	DARWIN STREET FROM GLENTHORNE Pavement Rehabilitation	Subtotal:				

Name of Bidder

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	WALES AVENUE FROM DAKOTA STREET Rehabilitation	TO ST. ANNE'S	S ROAD	, Pavement		
	EARTH AND BASE WORKS					
E.1	Supplying and Placing Base Course Material	CW 3110-R17	m³	15		
E.2	Grading of Boulevards	CW 3110-R17	m²	1200		
	ROADWORK - REMOVALS/RENEWALS					
E.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Type A)		m²	50		
ii)	150 mm Concrete Pavement (Type B)		m²	850		
iii)	150 mm Concrete Pavement (Type C)		m²	10		
iv)	150 mm Concrete Pavement (Type D)		m²	10		-
E.4	Partial Depth Planing of Existing Joints	E10	m²	10		
E.5	Asphalt Patching of Partial Depth Joints	E10	m²	10		
E.6	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	1740		
E.7	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	90		
ii)	20 M Deformed Tie Bar		each	2000		
E.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	90		
b)	5 sq.m. to 20 sq.m.		m²	275		
c)	Greater than 20 sq.m.		m²	200		
c)	Greater than 20 sq.m.		m²	200		

Name	٥f	Ridde
Hallic	OI.	Didde

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	150 mm Reinforced Sidewalk					
a	5 sq.m. to 20 sq.m.		m²	15		
E.9	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	30		
b)	3 m to 30 m		m	150		
c)	Greater than 30 m		m	40		
ii)	Barrier (150 mm reveal ht, Separate)	SD-203A				
a)	Less than 3 m		m	175		
b)	3 m to 30 m		m	5		
iii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	125		
iv)	Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	10		
v)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	90		
E.10	Detectable Warning Surface Tiles	CW 3326				
i)	610 mm X 1220 mm		each	2		
E.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	25		
E.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	25		
E.13	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	1800		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	200		

Name of Bidder

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.14	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	450		
ii)	0 - 50 mm Depth (Concrete)		m²	100		
	JOINT AND CRACK SEALING					
E.15	Reflective Crack Maintenance	CW 3250-R7	m	3000		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.16	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	1		
E.17	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
E.18	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	2		
E.19	Sewer Service	CW 2130-R12				
i)	250 mm					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill with Sand		m	35		
E.20	Drainage Connection Pipe	CW 2130-R12	m	12		
E.21	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	9		
E.22	Removal of Existing Catch Basins	CW 2130-R12	each	2		
E.23	Removal of Existing Pipes	E12	m	2		
E.24	Abandoning Existing Sewer Service Under Pavement c/w Video Inspection					
i)	Existing Catchbasin Leads (250mm or smaller)		each	1		

Nar	ne	Ωf	Rid	dhh
ıvaı	пе	OI.	DIL	มนะ

i) /	Replacing Existing Manhole and Catch Basin Frames & Covers AP-004 - Standard Frame for Manhole and Catch Basin AP-005 - Standard Solid Cover for Standard Frame AP-008 - Barrier Curb and Gutter Inlet Frame	REF. CW 2130-R12	each	QUANTITY 5	
ii)	Catch Basin AP-005 - Standard Solid Cover for Standard Frame AP-008 - Barrier Curb and Gutter Inlet Frame		each	5	
,	Frame AP-008 - Barrier Curb and Gutter Inlet Frame				
			each	5	
,	and Box		each	5	
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	5	
E.26	Catch Basin Cleaning	CW 2140-R3	each	21	
,	ADJUSTMENTS				
I I	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	20	
E.28	Replacing Existing Risers	CW 2130-R12			
i) F	Pre-cast Concrete Risers		vert. m	0.3	
E.29 I	Lifter Rings	CW 3210-R7			
i) 3	38 mm		each	3	
ii) 5	51 mm		each	15	
iii) 6	64 mm		each	1	
	Installation of City of Winnipeg provided CGI Riser	E17	each	5	
E.31	Patching Existing Manholes	CW 2130-R12	vert. m	2.0	
E.32	Adjustment of Valve Boxes	CW 3210-R7	each	3	
E.33	Valve Box Extensions	CW 3210-R7	each	1	
E.34	Adjustment of Curb Stop Boxes	CW 3210-R7	each	8	
E.35	Curb Stop Extensions	CW 3210-R7	each	1	

Name of Bidder

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
E.36	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	200		
ii)	width > or = 600 mm		m²	1000		
E	WALES AVENUE FROM DAKOTA STREET Rehabilitation	Subtotal:				

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	MOORGATE STREET FROM PORTAGE AV Pavement Rehabiliation					
	EARTH AND BASE WORKS					
1	Supplying and Placing Base Course Material	CW 3110-R17	m³	10		
2	Grading of Boulevards	CW 3110-R17	m²	400		
	ROADWORK - REMOVALS/RENEWALS					
3	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Reinforced)		m²	95		
4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Type A)		m²	10		
ii)	150 mm Concrete Pavement (Type B)		m²	110		
iii)	150 mm Concrete Pavement (Type C)		m²	15		
iv)	150 mm Concrete Pavement (Type D)		m²	100		
F.5	Partial Depth Planing of Existing Joints	E10	m²	10		
6	Asphalt Patching of Partial Depth Joints	E10	m²	10		
- .7	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	225		
F.8	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	25		
ii)	20 M Deformed Tie Bar		each	360		
ii)	20 M Deformed Tie Bar		each	360		

Name of Bidder

UNIT PRI ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.	UNIT	QUANTITY	UNIT PRICE	AWOUNT
⁻ .9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	30		
b)	5 sq.m. to 20 sq.m.		m²	35		
c)	Greater than 20 sq.m.		m²	450		
.10	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
11	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5		
b)	3 m to 30 m		m	70		
c)	Greater than 30 m		m	36		
ii)	Barrier (150 mm reveal ht, Separate)	SD-203A				
a)	Less than 3 m		m	25		
b)	3 m to 30 m		m	15		
C)	Greater than 30 m		m	40		
iii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	35		
iv)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	20		
.12	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
F.13	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	500		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	20		

Name	οf	Bidde

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.14	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	2300		
	JOINT AND CRACK SEALING					
F.15	Reflective Crack Maintenance	CW 3250-R7	m	700		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
F.16	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	4		
F.17	Sewer Service	CW 2130-R12				
i)	250 mm					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill with Sand		m	11		
b)	Trenchless Installation		m	10		
F.18	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 1930X2515mm Concrete Combined Sewer		each	4		
F.19	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	200 mm		each	1		
F.20	Removal of Existing Catch Basins	CW 2130-R12	each	1		
F.21	Relocation of Existing Catch Basins	CW 2130-R12	each	1		
F.22	Abandoning Existing Sewer Service Under Pavement c/w Video Inspection					
i)	Existing Catchbasin Leads (250mm or smaller)		each	1		
F.23	Backfill Material	CW 2130-R12				
i)	Sand		m³	5		

Name	٥f	Rid	ماما
mame	OI	DIU	ıue

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.24	Replacing Existing Manhole and Catch Basin Frames & Covers			30.2		
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	3		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	3		
F.25	Catch Basin Cleaning	CW 2140-R3	each	4		
F.26	Water Service	E15				
i)	19mm					
a)	Trenchless Installation		m	200		
F.27	Supply and Install Water Tap and Post Assembly	E15	each	1		
F.28	Meter Pit SD-241A	E15	each	1		
	ADJUSTMENTS					
F.29	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
F.30	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
F.31	Lifter Rings	CW 3210-R7				
i)	64 mm		each	2		
F.32	Adjustment of Valve Boxes	CW 3210-R7	each	2		
F.33	Adjustment of Curb Stop Boxes	CW 3210-R7	each	20		
F.34	Curb Stop Extensions	CW 3210-R7	each	5		
F.35	Replacing Existing Catch Basin Hoods	CW 2130-R12	each	4		
F.36	Patching Existing Manholes	CW 2130-R12	vert. m	1		


Name	οf	Bidde

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
F.37	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	10		
ii)	width > or = 600 mm		m²	400		
F	MOORGATE STREET FROM PORTAGE AV Pavement Rehabiliation	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 MANITOBA HYDRO FUNDED WORK (See B9.5, B15.2.1, B16.4, D2, D14.2-3, D16.4)						
G	GARWOOD AVENUE, Street Light Installati	<u>ion</u>				
G.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E19	each	6		
G.2	Installation of #4 AL C/N or 1/0 AL Triplex streetlight cable by open trench method.	E19	each	280		
G.3	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E19	each	6		
G.4	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E19	each	2		
G.5	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E19	each	1		
G.6	Connect 2/C #12 copper conductor street light cables per Standard CD310-4, CD310-9 or CD310-10.	E19	each	7		
G	GARWOOD AVENUE, Street Light Installati	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Н	WAVELL AVENUE, Street Light Installation					
H.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E19	each	7		
H.2	Installation of #4 AL C/N or 1/0 AL Triplex streetlight cable by open trench method.	E19	each	350		
H.3	Installation of cable (#4 AL C/N or 1/0 AL Triplex) by boring method.	E16.	lin.m	29.0		
H.4	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E19	each	7		
H.5	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E19	each	1		
H.6	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E19	each	1		
H.7	Connect 2/C #12 copper conductor street light cables per Standard CD310-4, CD310-9 or CD310-10.	E19	each	7		
н	WAVELL AVENUE, Street Light Installation				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ı	LAIDLAW BOULEVARD, Street Light Instal					
1.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E19	each	18		
1.2	Installation of #4 AL C/N or 1/0 AL Triplex streetlight cable by open trench method.	E19	each	873		
1.3	Installation of cable (#4 AL C/N or 1/0 AL Triplex) by boring method.	E19	each	42		
1.4	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E19	each	18		
1.5	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E19	each	5		
1.6	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E19	each	2		
1.7	Connect 2/C #12 copper conductor street light cables per Standard CD310-4, CD310-9 or CD310-10.	E19	each	18		
ı	LAIDLAW BOULEVARD, Street Light Installation				Subtotal:	



П	N	IT I	P	RI	C	FS

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART 1	CITY FUNDED WORK					
A GARWOOD AVENUE FROM STAFFORD STREET TO HOUSE #974, Concrete Reconstruction						
В	WAVELL AVENUE FROM CASEY STREET Asphalt Reconstruction	Subtotal:				
С	LAIDLAW BOULEVARD FROM CORYDON AVENUE, Asphalt Reconstruction	ATTEN	Subtotal:			
D	DARWIN STREET FROM GLENTHORNE CF Pavement Rehabilitation	DAD,	Subtotal:			
E	E WALES AVENUE FROM DAKOTA STREET TO ST. ANNE'S ROAD, Pavement Rehabilitation					
F	MOORGATE STREET FROM PORTAGE AV Pavement Rehabiliation	ENUE TO LOD	GE AVE	NUE,	Subtotal:	
				(total	price) PART 1	
PART 2 MANITOBA HYDRO FUNDED WORK (See B9.5, B15.2.1, B16.4, D2, D14.2-3, D16.4)						
G	GARWOOD AVENUE, Street Light Installati	ion			Subtotal:	
н	WAVELL AVENUE, Street Light Installation	1			Subtotal:	
I	LAIDLAW BOULEVARD, Street Light Instal	lation			Subtotal:	
(total price) PART 2						
TOTAL BID PRICE (GST extra) (in figures)						
(in words)						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT
(hereinafter called the "Principal") and
(hereinafter called the "Surety"), are held and firmly bound unto THE CITY OF WINNIPEG (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.
WHEREAS the Principal has submitted a Bid to the Obligee for
BID OPPORTUNITY NO. 289-2013
2013 LOCAL STREET PACKAGE – GARWOOD AVENUE, LAIDLAW BOULEVARD, WAVELL AVENUE AND VARIOUS OTHER LOCATIONS
as more fully set out in the Bid Opportunity.
NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per: Per:	
	(Name of Surety) By: (Attorney-in-Fact)	(Seal)

the said Obligee and furnishes the required performance security for guaranteeing the faithful performance

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 289-2013 2013 LOCAL STREET PACKAGE - GARWOOD AVENUE, LAIDLAW BOULEVARD, WAVELL AVENUE AND VARIOUS OTHER LOCATIONS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______, 20_____. (Name of Surety) (Seal)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
Corpo Mater 185 K	City of Winnipeg prate Finance Department rials Management Division (ing Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 289-2013
	2013 LOCAL STREET PACKAGE – GARWOOD AVENUE, LAIDLAW BOULEVARD, WAVELL AVENUE AND VARIOUS OTHER LOCATIONS
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
	IEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
dema Letter paym	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written nd for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	Il drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addre	ss)
and w	ve confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 16, 2013.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)		
Per:		
	(Authorized Signing Officer)	
Per:		
	(Authorized Signing Officer)	