#### FORM A: BID (See B8)

1.	Contract Title	Streets Maintenance Preservati and Concrete Pavement Preser		verlays
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder as it ap	opears on Invoice (if different from above	/e)
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Email Address of Bidder		
		Facsimile Number		
		Street or P.O. Box		
	(Choose one)	City	Province	Postal Code
		The Bidder is: a sole proprietor a partnership a corporation carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B		represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the General		meanings
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Price Prices, appended hereto.		

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

#### 12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

\_ day of \_\_\_\_\_ , 20\_\_\_ \_\_\_\_ ·

Signature of Bidder or Bidder's Authorized Official or Officials (Print here name and official capacity of individual whose signature appears above) \_\_\_\_\_ (Print here name and official capacity of individual whose signature appears above)

UNIT PRI		<b>a</b> == <i>c</i>				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	MOUNTAIN AVENUE - ARLINGTON ST TO	MCGREGOR S	<u>T</u>			
	ROADWORKS - RENEWALS					
۹.1	Slab Replacement - Early Opening (24 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Plain- Dowelled)		m²	20		
4.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Type A)		m²	5		
ii)	230 mm Concrete Pavement (Type B)		m²	5		
iii)	230 mm Concrete Pavement (Type C)		m²	5		
iv)	230 mm Concrete Pavement (Type D)		m²	8		
A.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Plain- Dowelled)		m²	100		
<b>\.</b> 4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Type A)		m²	10		
ii)	230 mm Concrete Pavement (Type B)		m²	60		
iii)	230 mm Concrete Pavement (Type D)		m²	24		
A.5	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	100		
ii)	28.6 mm Diameter		each	200		
A.6	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	80		
ii)	25 M Deformed Tie Bar		each	200		

ITEM		DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
A.7		Miscellaneous Concrete Slab Renewal	REF. CW 3235-R9		QUANTITY		
i)		100 mm Sidewalk	SD-228A				
		5 sq.m. to 20 sq.m.		m²	25		
A.8		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205,				
ć	a)	3 m to 30 m	SD-206A	m	150		
ii)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	20		
iii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	24		
A.9		Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)		Main Line Paving					
ä	a)	Туре ІА		tonne	1600		
ii)		Tie-ins and Approaches					
ä	a)	Туре ІА		tonne	80		
A.10		Planing of Pavement	CW 3450-R5				
i)		0 - 50 mm Depth (Concrete)		m²	50		
A.11		Detectable Warning Surface Tiles	CW 3326				
i)		610 mm X 1220 mm		each	8		
		JOINT AND CRACK SEALING					
A.12		Reflective Crack Maintenance	CW 3250-R7	m	1500		
		ADJUSTMENTS					
A.13		Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
A.14		Lifter Rings	CW 3210-R7				
i)		38 mm		each	4		
ii)		51 mm		each	8		
iii)		64 mm		each	4		
A.15		Adjustment of Valve Boxes	CW 3210-R7	each	3		

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.16	Valve Box Extensions	CW 3210-R7	each	5		
A.17	Installation of City of Winnipeg Provided CGI Risers	E11	each	10		
Α	MOUNTAIN AVENUE - ARLINGTON ST TO	MCGREGOR S	<u>T</u>		Subtotal:	
В	WELLINGTON CRESCENT - HUGO ST TO	STRADBROOK	AVE			
	ROADWORKS - RENEWALS					
B.1	Slab Replacement - Early Opening (24 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Plain- Dowelled)		m²	20		
B.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Type A)		m²	5		
ii)	230 mm Concrete Pavement (Type B)		m²	8		
iii)	230 mm Concrete Pavement (Type C)		m²	5		
iv)	230 mm Concrete Pavement (Type D)		m²	8		
B.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Plain- Dowelled)		m²	40		
B.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Type A)		m²	5		
ii)	230 mm Concrete Pavement (Type B)		m²	100		
iii)	230 mm Concrete Pavement (Type C)		m²	5		
iv)	230 mm Concrete Pavement (Type D)		m²	80		
B.5	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	100		
ii)	28.6 mm Diameter		each	200		

UNIT PRI	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	DESCRIPTION	REF.	UNIT	QUANTITY	UNIT PRICE	AWOUNT
B.6	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	200		
ii)	25 M Deformed Tie Bar		each	200		
3.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	20		
b)	Greater than 20 sq.m.		m²	80		
З.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m	00 200/1	m	25		
b)	3 m to 30 m		m	75		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	24		
3.9	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	20		
3.10	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Туре ІА		tonne	1000		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	60		
3.11	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		M²	150		
	JOINT AND CRACK SEALING					
3.12	Reflective Crack Maintenance	CW 3250-R7	m	750		
	ADJUSTMENTS					
3.13	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		

UNIT PR ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
B.14	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	4		
iii)	64 mm		each	2		
B.15	Adjustment of Valve Boxes	CW 3210-R7	each	1		
B.16	Valve Box Extensions	CW 3210-R7	each	2		
B.17	Installation of City of Winnipeg Provided CGI Risers	E11	each	2		
	LANDSCAPING					
B.18	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	30		
ii)	width > or = 600 mm		m²	30		
В	WELLINGTON CRESCENT - HUGO ST TO	STRADBROOK	AVE		Subtotal:	
С	SHERBROOK STREET - NOTRE DAME AV	E TO WILLIAM	<u>AVE</u>			
	ROADWORKS - RENEWALS					
C.1	Slab Replacement - Early Opening (24 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Plain- Dowelled)		m²	20		
C.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Type A)		m²	5		
ii)	230 mm Concrete Pavement (Type B)		m²	10		
iii)	230 mm Concrete Pavement (Type C)		m²	5		
iv)	230 mm Concrete Pavement (Type D)		m²	10		
C.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
	230 mm Concrete Pavement (Plain-			25		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Type A)		m²	5		
ii)	230 mm Concrete Pavement (Type B)		m²	60		
iii)	230 mm Concrete Pavement (Type D)		m²	10		
C.5	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	100		
ii)	28.6 mm Diameter		each	200		
C.6	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	150		
ii)	25 M Deformed Tie Bar		each	300		
C.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	) Less than 5 sq.m.		m²	30		
b	) 5 sq.m. to 20 sq.m.		m²	30		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	100		
C.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
a	) 3 m to 30 m	SD-206A	m	50		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	24		
C.9	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a	) Туре IA		tonne	1025		
ii)	Tie-ins and Approaches					
a	) Type IA		tonne	120		
C.10	Construction of Asphalt Patches	CW 3410-R9	m²	30		

UNIT PRI	ICES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.11	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Concrete)		m²	100		
C.12	Detectable Warning Surface Tiles	CW 3326				
i)	610 mm X 1220 mm		each	8		
	JOINT AND CRACK SEALING					
C.13	Reflective Crack Maintenance	CW 3250-R7	m	1000		
	ADJUSTMENTS					
C.14	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
C.15	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1		
ii)	51 mm		each	6		
iii)	64 mm		each	2		
C.16	Adjustment of Valve Boxes	CW 3210-R7	each	2		
C.17	Valve Box Extensions	CW 3210-R7	each	3		
C.18	Installation of City of Winnipeg Provided CGI Risers	E11	each	4		
С	SHERBROOK STREET - NOTRE DAME AV	E TO WILLIAM	AVE		Subtotal:	
D	WILKES AVENUE - FAIRMONT RD TO SHA	FTESBURY BL	.VD			
	EARTH AND BASE WORKS					
D.1	Preparation of Existing Roadway	CW 3150-R4	m²	14000		
D.2	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	3500		
	ROADWORKS - RENEWALS					
D.3	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
а	)) Type IA		tonne	5250		
ii)	Tie-ins and Approaches					

UNIT PRIC	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
a)	Туре IA		tonne	150		
D.4	Construction of Asphalt Patches	CW 3410-R9	m²	30		
D.5	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		M2	3600		
	JOINT AND CRACK SEALING					
D.6	Reflective Crack Maintenance	CW 3250-R7	m	3000		
D	WILKES AVENUE - FAIRMONT RD TO SHA	FTESBURY BL	. <u>VD</u>		Subtotal:	
Е	LAGIMODIERE BOULEVARD SB - BISHOP	GRANDIN BLV	<u>′D TO W</u>	ARDE AVE		
	EARTH AND BASE WORKS					
E.1	Supplying and Placing Base Course Material	CW 3110-R17	M3	5		
	ROADWORKS - RENEWALS					
E.2	Slab Replacement - Early Opening (24 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Plain- Dowelled)		m²	25		
E.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Type A)		m²	5		
ii)	230 mm Concrete Pavement (Type B)		m²	10		
iii)	230 mm Concrete Pavement (Type D)		m²	10		
E.4	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Plain- Dowelled)		m²	200		
E.5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Type A)		m²	5		
ii)	230 mm Concrete Pavement (Type B)		M2	110		
iii)	230 mm Concrete Pavement (Type C)		m²	10		
iv)	230 mm Concrete Pavement (Type D)		m²	24		

JNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Ξ.6	Drilled Dowels	CW 3230-R7				
i)	28.6 mm Diameter		each	450		
E.7	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	300		
ii)	25 M Deformed Tie Bar		each	325		
E.8	Partial Depth Concrete Repairs	E8	M²	25		
E.9	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	16		
E.10	Construction of Asphalt Patches	CW 3410-R9	m²	30		
E.11	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A				
a)	Less than 3 m		m	30		
ii)	Splash Strip, ( Separate, 600 mm width)	SD-223B	m	30		
E	LAGIMODIERE BOULEVARD SB - BISHOP	GRANDIN BLV	'D TO W	ARDE AVE	Subtotal:	
F	WILKES AVENUE - VICTOR LEWIS DR TO	WAVERLEY ST	-			
	ROADWORKS - RENEWALS					
F.1	Slab Replacement - Early Opening (24 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Plain- Dowelled)		M2	25		
F.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Type A)		M2	5		
ii)	230 mm Concrete Pavement (Type B)		m²	10		

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.3	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Plain- Dowelled)		m²	480		
F.4	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	230 mm Concrete Pavement (Type A)		M2	10		
ii)	230 mm Concrete Pavement (Type B)		m²	85		
iii)	230 mm Concrete Pavement (Type C)		m²	10		
iv)	230 mm Concrete Pavement (Type D)		m²	192		
F.5	Drilled Dowels	CW 3230-R7				
i)	28.6 mm Diameter		each	730		
F.6	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	430		
ii)	25 M Deformed Tie Bar		each	300		
F.7	Partial Depth Concrete Repairs	E8	m²	30		
F.8	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	25		
	ADJUSTMENTS					
F.9	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	7		
F.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Separate)	SD-203A				
a)	Less than 3 m		m	120		
ii)	Splash Strip, ( Separate, 600 mm width)	SD-223B	m	70		
F	WILKES AVENUE - VICTOR LEWIS DR TO	WAVERLEY ST	<u></u>		Subtotal:	

UNIT PRICES

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	SUMMARY					
Α	MOUNTAIN AVENUE - ARLINGTON ST TO MCGREGOR ST			Subtotal:		
В	WELLINGTON CRESCENT - HUGO ST TO STRADBROOK AVE			Subtotal:		
С	SHERBROOK STREET - NOTRE DAME AVE TO WILLIAM AVE			Subtotal:		
D	WILKES AVENUE - FAIRMONT RD TO SHA	FTESBURY BL	<u>.VD</u>		Subtotal:	
E	LAGIMODIERE BOULEVARD SB - BISHOP	GRANDIN BLV	<u>'D TO W</u>	ARDE AVE	Subtotal:	
F	WILKES AVENUE - VICTOR LEWIS DR TO	WAVERLEY ST	-		Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						
(in words)						

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 384-2013 Addendum 1

Streets Maintenance Preservation Program 2013 – Asphalt Overlays and Concrete Pavement Preservations

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of: (Witness as to Principal if no seal)	(Name of Principal) Per: Per:	
	(Name of Surety) By:	(Seal)

\_\_\_ of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ , for

BID OPPORTUNITY NO. 384-2013 Addendum 1

Streets Maintenance Preservation Program 2013 – Asphalt Overlays and Concrete Pavement Preservations

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

(Name of Surety)

By:

(Seal)

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

#### RE: BID SECURITY – BID OPPORTUNITY NO. 384-2013 Addendum 1

Streets Maintenance Preservation Program 2013 – Asphalt Overlays and Concrete Pavement Preservations

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 21, 2013

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)			
Per:			
	(Authorized Signing Officer)		
Per:			

(Authorized Signing Officer)