FORM A: BID (See B8)

1.	Contract Title	2013 REGIONAL STREET MILL AND FILL PROGRAM – ST. ANNE'S ROAD S/B, LAGIMODIERE BOULEVARD N/B, AND ST. MARY'S ROAD
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
	(Mailing address if different)	Email Address of Bidder
		Facsimile Number
		Street or P.O. Box
	(Choose one)	City Province Postal Code
		The Bidder is:
		a sole proprietor
		a partnership
		a corporation
		Carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		And agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed th
	•	•

_____ Day of _____, 20____.

Signature of Bidder or Bidder's Authorized Official or Officials
(Print here name and official capacity of individual whose signature appears above
(Drint have name and official conscilutof individual where signature appears show

(Print here name and official capacity of individual whose signature appears above)

UNIT PR		(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	ST ANNE'S ROAD, SOUTHBOUND - FERM	OR AVENUE TO	LAVAL	<u>EE ROAD</u>		
	ROADWORKS - RENEWALS					
A.1	Slab Replacement - Early Opening (24 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Reinforced)		m²	60		
A.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type A)		m²	10		
ii)	200 mm Concrete Pavement (Type B)		m²	500		
iii)	200 mm Concrete Pavement (Type C)		m²	10		
iv)	200 mm Concrete Pavement (Type D)		m²	10		
A.3	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	950		
A.4	Drilled Tie Bars	CW 3230-R7				
i)	15 M Deformed Tie Bar		each	25		
ii)	20 M Deformed Tie Bar		each	1125		
A.5	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Monolithic Median Slab	SD-226A	m²	20		
ii)	100 mm Sidewalk	SD-228A				
a) Less than 5 sq.m.		m²	150		
t) 5 sq.m. to 20 sq.m.		m²	200		
0	;) Greater than 20 sq.m.		m²	250		
iii)	Bullnose	SD-227C	m²	2		
		l				

UNIT PI		DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
			REF.		QUANTITY		
4.6		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m		m	60		
	b)	3 m to 30 m		m	100		
	c)	Greater than 30 m		m	200		
ii)		Barrier (150 mm reveal ht, Separate)	SD-203A				
	a)	Less than 3 m		m	50		
iii)		Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	625		
iv)		Splash Strip (150 mm reveal ht, Monolithic Modified Barrier Curb, 750 mm width)	SD-223A	m	20		
v)		Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	30		
4.7		Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)		Main Line Paving					
	a)	Туре ІА		tonne	2400		
ii)		Tie-ins and Approaches					
	a)	Туре ІА		tonne	200		
4.8		Planing of Pavement	CW 3450-R5				
i)		0 - 50 mm Depth (Asphalt)		m²	8300		
ii)		50 - 100 mm Depth (Asphalt)		m²	7000		
		JOINT AND CRACK SEALING					
A.9		Reflective Crack Maintenance	CW 3250-R7	m	6000		

		00770				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND					
	UNDERGROUND WORKS					
A.10	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	2		
A.11	Sewer Service	CW 2130-R12				
i)	250 mm					
a)	In a Trench, Class 3 Type B bedding with sand		m	5		
A.12	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	2		
4.13	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	2		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
V)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
	ADJUSTMENTS					
A.14	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.3		
A.15	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
A.16	Lifter Rings	CW 3210-R7				
i)	38 mm		each	15		
ii)	51 mm		each	15		
iii)	64 mm		each	4		
A.17	Adjustment of Valve Boxes	CW 3210-R7	each	6		
A.18	Valve Box Extensions	CW 3210-R7	each	1		

		(366 69)				
UNIT PRIC	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
A.19	Replacing Existing Catch Basin Hoods	CW 2130-R12	each	2		
A.20	Patching Existing Manholes	CW 2130-R12	vert.m	1.0		
-				-		
A.21	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
7.21	Adjustment of Curb Stop Boxes	GW 5210-107	each	1		
4 00	Quel Otan Fatanciana			4		
A.22	Curb Stop Extensions	CW 3210-R7	each	.1		
A.23	Salt Tolerant Grass Seeding	E9	m²	2000		
		1				
Α	ST ANNE'S ROAD, SOUTHBOUND - FERM	Subtotal:				

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	approx. Quantity	UNIT PRICE	AMOUNT
В	LAGIMODIERE BOULEVARD, NORTHBOUI CONCORDIA AVENUE BRIDGE	ND - REENDER	<u>S DRIVE</u>	<u>TO</u>		
	EARTH AND BASE WORKS					
B.1	Sub-Grade Compaction	CW 3110-R17	m²	15		
B.2	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm		tonne	25		
B.3	Supplying and Placing Base Course Material	CW 3110-R17	m³	10		
B.4	Separation Geotextile Fabric	CW 3130-R4	m²	15		
B.5	Preparation of Existing Roadway	CW 3150-R4	m²	6000		
B.6	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	350		
	ROADWORKS - RENEWALS					
B.7	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m²	100		
B.8	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7 E10				
i)	200 mm Concrete Pavement (Type A)		m²	10		
ii)	200 mm Concrete Pavement (Type B)		m²	200		
B.9	Drilled Dowels	CW 3230-R7 E10				
i)	19.1 mm Diameter		each	435		
B.10	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	475		

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.11	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Median Slab		m²	20		
ii)	100 mm Sidewalk		m²	20		
iii)	Bullnose		m²	2		
B.12	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Median Slab	SD-227A	m²	20		
ii)	100 mm Sidewalk	SD-228A	m²	10		
iii)	Bullnose	SD-227C	m²	2		
B.13	Concrete Curb Removal	CW 3240-R10				
i)	Barrier		m	50		
ii)	Curb Ramp		m	18		
B.14	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205	m	55		
iii)	Barrier (150 mm reveal ht, Integral)	SD-204	m	10		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	6		
B.15	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a	Less than 3 m		m	10		
ii)	Barrier (150 mm reveal ht, Separate)	SD-203A				
a	Less than 3 m		m	10		

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.16	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Туре ІА		tonne	2000		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	50		
B.17	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	6900		
ii)	50 - 100 mm Depth (Asphalt)		m²	5000		
	ROADWORK - NEW CONSTRUCTION					
B.18	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced)		m²	15		
	JOINT AND CRACK SEALING					
B.19	Reflective Crack Maintenance	CW 3250-R7	m	5200		
	LANDSCAPING					
B.20	Salt Tolerant Grass Seeding	E9	m²	5000		
В	LAGIMODIERE BOULEVARD, NORTHBOUI CONCORDIA AVENUE BRIDGE	ND - REENDER	S DRIVE	<u>TO</u>	Subtotal:	

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	ST MARY'S ROAD - CONISTON STREET TO	D LYNDALE DR	IVE			
	ROADWORKS - RENEWALS					
C.1	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type A)		m²	10		
ii)	200 mm Concrete Pavement (Type B)		m²	30		
iii)	200 mm Concrete Pavement (Type D)		m²	10		
C.2	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	80		
C.3	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	90		
C.4	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Median Slab	SD-226A	m²	175		
ii)	Bullnose	SD-227C	m²	2		
C.5	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Monolithic Median Slab	SD-226A	m²	10		
ii)	100 mm Sidewalk	SD-228A				
а) Less than 5 sq.m.		m²	20		
iii)	Bullnose	SD-227C	m²	2		
iv)	Monolithic Curb and Sidewalk	SD-228B	m²	5		

UNIT PRIC	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY	UNIT PRICE	
C.6	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Туре ІА		tonne	700		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	50		
C.7	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	2125		
ii)	50 - 100 mm Depth (Asphalt)		m²	2000		
iii)	0 - 50 mm Depth (Concrete)		m²	10		
	JOINT AND CRACK SEALING					
C.8	Reflective Crack Maintenance	CW 3250-R7	m	2500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.9	Catch Basin	CW 2130-R12				
i)	SD-024, 1200 mm deep		each	1		
C.10	Sewer Service	CW 2130-R12				
i)	250 mm					
a)	In a Trench, Class 3 Type B bedding with sand		m	2		
C.11	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	1		
C.12	Abandoning Existing Drainage Inlets	CW 2130-R12	each	1		
C.13	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	2		

UNIT PRICES						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
C.14	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
C.15	Lifter Rings	CW 3210-R7				
i)	38 mm		each	5		
ii)	51 mm		each	5		
iii)	64 mm		each	5		
C.16	Adjustment of Valve Boxes	CW 3210-R7	each	6		
C.17	Valve Box Extensions	CW 3210-R7	each	1		
с	ST MARY'S ROAD - CONISTON STREET TO LYNDALE DRIVE					

		(SEE D9)				
UNIT PRIC						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	ST ANNE'S ROAD, SOUTHBOUND - FERMO					
		Subtotal:				
в	B					
	CONCORDIA AVENUE BRIDGE	Subtotal:				
С	ST MARY'S ROAD - CONISTON STREET TO		9IVF			
•					Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						
(in words)						
(in thereby						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

Bid Opportunity 497-2013

2013 REGIONAL STREET MILL AND FILL PROGRAM – ST. ANNE'S ROAD S/B, LAGIMODIERE BOULEVARD N/B, AND ST. MARY'S ROAD

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	
	(Name of Surety) By:	(Seal)

Template Version: C420130321 - RW

of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

Bid Opportunity 497-2013

2013 REGIONAL STREET MILL AND FILL PROGRAM – ST. ANNE'S ROAD S/B, LAGIMODIERE BOULEVARD N/B, AND ST. MARY'S ROAD

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this day of , 20 .

(Name of Surety)

(Attorney-in-Fact) By: (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – Bid Opportunity 497-2013

2013 REGIONAL STREET MILL AND FILL PROGRAM – ST. ANNE'S ROAD S/B, LAGIMODIERE BOULEVARD N/B, AND ST. MARY'S ROAD

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 3, 2013

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)