FORM A: BID (See B8)

1.	Contract Title	FERRY ROAD RIVERBEN NO. 2	ID COMBINED SEWER RELIE	EF CONTRACT
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidder	as it appears on Invoice (if different fro	m above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if app	licable)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business unde	r the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	izes the following contact pers the Bid.	son to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms use ascribed to them in the Ge	d in the Contract shall have neral Conditions.	e the meanings

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Seventy Five (75) Calendar Days following the Submission Deadline.

12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder's Aut	f Bidder or thorized Official of	r Officials		
(Print here nan	ne and official capacity	y of individual who	se signature appears	above)

(Print here name and official capacity of individual whose signature appears above)

FORM B (R1): PRICES (See B9) FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 2

	RECORDERION	0050 000		APPROX.		
ΓEΜ	DESCRIPTION	SPEC. REF.	UNIT	QUANITTY	UNIT PRICE	AMOUNT
Α	King Edward Street - Portage Avenue to	Silver Avenue				
. .1	Land Drainage Sewers	CW 2130-R12				
a)	375mm - PVC SDR 35	& SP E4				
i)	trenchless installation, Class B Type 3		m	90		
	bedding, Class 3 backfill					
	450mm C76 - CL IV					
i)	trenchless installation, Class B Type 3		m	100		
,	bedding, Class 3 backfill					
,	525mm C76 - CL III			75		
1)	trenchless installation, Class B Type 3		m	75		
(ام	bedding, Class 3 backfill 525mm C76 - CL IV					
			m	130		
1)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	130		
e)	600mm C76 - CL IV					
,	trenchless installation, Class B Type 3		m	240		
	bedding, Class 3 backfill			210		
	750mm C76 - CL III					
,	trenchless installation, Class B Type 3		m	100		
,	bedding, Class 3 backfill					
-						
		CW 2130-R12				
	a) SD-010			10		
	1200mm diameter base 1500mm diameter base		vt.m vt.m	13 15		
""			vt.111	15		
.3	Remove and Replace Existing Catch	CW 2130-R12				
-	Basin / Catch Pit (AP-008 Frame and AP-					
	009 Cover)					
a)	SD-024 1800mm deep		each	21		
.4	Abandon Existing Catch Basin / Catch Pit	CW 2130-R12	each	6		
		0112100-1(12	Cacin	0		
۸.5	Catch Basin Lead	CW 2130-R12				
a)	250mm SDR 35	& SP E4				
i)	trenchless installation, Class B sand		m	135		
	bedding, Class 3 backfill					
c	Cotob Basin Load Disor	CW/ 2120 D12				
6 а)	Catch Basin Lead Riser SD-015	CW 2130-R12				
,			vt.m	20		
i)	20011111		vt.111	20		
.7	Connecting to Existing Sewer	CW 2130-R12				
a)	250mm		each	5		
,						
.8	Abandoning Existing Catch Basin Lead	CW 2130-R12				
	Under Pavement			_		
a)	250mm and Smaller	1	each	25		

				APPROX.		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
A.9	Plugging Existing Sewers and Sewer	CW 2130-R12	each	6		
	Services Smaller Than 300mm					
A.10	Sewer Inspection	CW 2145-R3				
a)	375mm		m	90		
	450mm		m	100		
c)	525mm		m	205		
d)	600mm		m	240		
e)	750mm		m	100		
A.11	Concrete Pipe - Three Edge Bearing Test	CW 2130-R12				
a)	450mm C76-IV		each	1		
b)	525mm C76-III		each	1		
c)	600mm C76-III		each	1		
d)	750mm C76-III		each	1		
<u> </u>						
Α	King Edward Street - Portage Avenue to	<u>Silver Avenue</u>		SUB	FOTAL	

В	Queen Street - Portage Avenue to Silver	Avenue			
B.1	Land Drainage Sewers	CW 2130-R12			
a)	450mm C76 - CL IV	& SP E4			
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	30	
b)	525mm C76 - CL III				
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	140	
c)	525mm C76 - CL IV				
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	350	
d)	600mm C76 - CL III				
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	220	
e)	750mm C76 - CL III				
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	20	
B.2	Manhole	CW 2130-R12			
a)	a) SD-010				
i)	1200mm diameter base		vt.m	18	
ii)	1500mm diameter base		vt.m	11	
В.З	Remove and Replace Existing Catch Basin / Catch Pit (AP-008 Frame and AP-	CW 2130-R12			
	009 Cover)				
a)	SD-024 1800mm deep		each	19	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.4	Abandon Existing Catch Basin / Catch Pit	CW 2130-R12	each	9		
B.5 a) i)	Catch Basin Lead 250mm SDR 35 trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130-R12 & SP E4	m	135		
B.6	Abandoning Existing Catch Basin Lead Under Pavement	CW 2130-R12	each	18		
B.7	Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW 2130-R12	each	9		
B.8	Sewer Inspection	CW 2145-R3				
a)	450mm		m	30		
b)	525mm		m	490		
c)	600mm		m	220		
d)	750mm		m	20		
B.9 a)	Concrete Pipe - Three Edge Bearing Test 450mm C76-III	CW 2130-R12	each	1		
В	Queen Street - Portage Avenue to Silve	r Avenue		SUB	ΓΟΤΑL	

с	Kensington Street - 70 m North of Ness	Avenue to Silve	er Aver	nue	
C.1	Land Drainage Sewers	CW 2130-R12			
a)	375mm - PVC SDR 35	& SP E4			
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	125	
b)	450mm C76 - CL IV				
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	85	
c)	525mm C76 - CL IV				
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	120	
C.2	Manhole	CW 2130-R12			
a)	a) SD-010				
i)	1200mm diameter base		vt.m	9	

	Nices			APPROX.		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
C.3	Remove and Replace Existing Catch	CW 2130-R12				
	Basin / Catch Pit (AP-008 Frame and AP-					
a)	009 Cover) SD-024 1800mm deep		each	6		
u)			Cuon	U		
C.4	Abandon Existing Catch Basin / Catch Pit	CW 2130-R12	each	3		
C.5	Catch Basin Lead	CW 2130-R12				
'	250mm SDR 35	& SP E4				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	35		
	bedding, Class 5 backini					
C.6	Connecting to Existing Sewer	CW 2130-R12				
	200mm		each	1		
C.7	Abandoning Existing Catch Basin Lead	CW 2130-R12				
	Under Pavement					
a)	250mm and Smaller		each	10		
C.8	Sewer Inspection	CW 2145-R3				
a)	375mm		m	125		
b)	450mm		m	85		
c)	525mm		m	220		
C.9	Concrete Pipe - Three Edge Bearing Test	CW 2130-R12				
a)	525mm C76-IV		each	1		
~,						
С	Kensington Street - 70 m North of Ness	Ave to Silver A	ve	SUB	ΓΟΤΑL	

D	Provisional Items				
D.1	Exploration of Existing Services	SP E10	hour	24	
D.2	Catch Pit	CW 2130-R12			
a)	SD-023	& SP E16	each	5	
D.3	Catch Basin Lead Riser	CW 2130-R12			
a)	SD-015				
i)	300mm		vt.m	5	
D.4	Connecting to Existing Catch Basin	CW 2130-R12			
a)	250mm	& SP E16	each	25	

				APPROX.		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
D.5	Abandoning Existing Sewers With Cement Stabilized Flowable Fill	CW 2130-R12				
a)	300mm and larger		m³	10		
u)				10		
D.6	Regrading of Existing Sewer Service	CW 2130-R12				
a)	100 to 150 mm					
i)	1 3		each	55		
ii)	Longer than 1.5 m long		m	300		
D.7	Manhole Lifter Rings (AP-007)	CW 3210-R7				
a)	38mm		each	10		
b)	51mm		each	10		
D.8	Replacing Standard Frames and Covers AP-004 Frame	CW 2130-R12	aaab	10		
a) b)	AP-004 Frame AP-005 Solid Cover		each each	10 10		
0)			Caon	10		
D.9	Replacing Existing Manhole or Catch	CW 2130-R12	each	10		
	Basin Rungs	& SP E16				
D 40	Dealerian Evistina Ostak Deais Handa			-		
D.10	Replacing Existing Catch Basin Hoods	CW 2130-R12 & SP E16	each	5		
D.11	Patching Existing Manhole or Catch Basin	CW 2130-R12	each	5		
D.12	Foundation, Bedding and Backfill	CW 2030-R7		400		
a)	Cement Stabilized Backfill Material	& SP E8	m³	190		
D.13	Partial Slab Patches	CW 3230-R7				
a)	150mm Reinforced Concrete Pavement	& SP E8	m²	100		
b)	200mm Reinforced Concrete Pavement		m²	25		
c)	150mm Sacrificial Concrete Pavement		m²	50		
D.14	Concrete Curb Installation	CW 3240-R10				
a)	Barrier Curb (SD-204)	011 3240-1(10	m	50		
b)	Ramp Curb (SD-229B)		m	10		
D.15	Detectable Warning Surface Tiles	CW 3326				
a)	300mm x 300mm tiles		each	12		
D.16	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
a)	100mm Sidewalk (SD-228A)	010 0200-119	m²	25		
ω,						
D.17	Construction of Asphaltic Concrete	CW 3410-R9				
a)	Main Line Paving Type 1A		tonne	40		

				APPROX.		
	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
D.18	Construction of Asphalt Patches	CW 3410-R9	m²	50		
D.19 a)	Asphaltic Concrete Planing Planing 0-50mm depth	CW 3450-R5	m²	450		
D.20	Supplying and Placing Base Course	CW 3110-R17				
a)	Limestone		m³	25		
D.21	Regrading Existing	CW 3330-R5				
a)	Interlocking Paving Stone Installations		m²	15		
b)	Sidewalk Blocks		m²	15		
D.22	Sodding	CW 3510-R9	M²	100		
D	Provisional Items			SUB	FOTAL	

Summary

Part A King Edward Street - Portage Avenue to Silver Street Part B Queen Street - Portage Avenue to Silver Avenue Part C Kensington Street - 70 m North of Ness Ave to Silver Ave Part D Provisional Items	e
TOTAL BID PRICE (GST extra) (in figures)	
(in words)	

The City of Winnipeg Bid Opportunity No. 990-2013 Addendum 1

Template Version: C120130321- C BCivil

Bid Submission Page 10 of 13

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 990-2013 Addendum 1

FERRY ROAD RIVERBEND COMBINED SEWER RELIEF CONTRACT NO. 2

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

 ,	~~~

SIGNED AND SEALED in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)	
Per:	_ (Seal)
Per:	_
(Name of Surety)	
By:(Attorney-in-Fact)	_ (Seal)
(Allothey-In-Fact)	

Template Version: C120130321- C BCivil

Bid Submission Page 11 of 13

___ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____ , 20_____ for

BID OPPORTUNITY NO. 990-2013 Addendum 1

FERRY ROAD RIVERBEND COMBINED SEWER RELIEF CONTRACT NO. 2

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Seventy Five (75) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this ______ day of ______, 20_____,

By:

(Name of Surety)

_____ (Seal)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 990-2013 Addendum 1

FERRY ROAD RIVERBEND COMBINED SEWER RELIEF CONTRACT NO. 2

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on March 3,2014

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)		
Per:	(Autorized Circles Officer)	
	(Authorized Signing Officer)	
Per:		
	(Authorized Signing Officer)	

igning