



210-2014 ADDENDUM 2

Polo Park Infrastructure Improvements – St. Matthews Avenue, St. James Street, King Edward Street East and Ellice Avenue Reconstructions, Watermain Renewals and Associated Works

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY

ISSUED: April 25, 2014
BY: Wayne Jaworski
TELEPHONE NO. (204) 977-8370

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Template Version: A20131129

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART E - SPECIFICATIONS

Revise: E36.4.6 (a) to read: Each granular rib shall be covered with a 0.5m thick layer of clay soil following completion of the granular work. The soil capping shall be constructed as Class 4 backfill in accordance with CW 2030, placed and compacted in one lift to minimum 90% Standard Proctor Maximum Dry Density. Installation of soil capping may be completed for all ribs as a separate operation following the construction of granular ribs.