Template Version: C420131129 - RW

FORM A: BID (See B8)

1.	Contract Title	2014 Local Street Renewal Program: Wellington Crescent, South Dr and Various other Locations	ive
2.	Bidder	Name of Bidder	
		Usual Business Name of Bidder as it appears on Invoice (if different from above)	
		Street	
		City Province Postal	Code
	(Mailing address if different)	Email Address of Bidder	
		Facsimile Number	
		Street or P.O. Box	
	(Choose one)	City Province Postal	Code
		The Bidder is:	
		a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the above name.	
3.	Contact Person	The Bidder hereby authorizes the following contact person to reprethe Bidder for purposes of the Bid.	ent
		Contact Person Title	
		Telephone Number Facsimile Number	
4.	Definitions	All capitalized terms used in the Contract shall have the mear ascribed to them in the General Conditions and D2.	nings
5.	Offer	The Bidder hereby offers to perform the Work in accordance with Contract for the Total Bid Price, in Canadian funds, set out on For Prices, appended hereto.	

Template Ve	ersion: C420131129 - RW	
6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

Template Version: C420131129 - RW

12. Signatur	res
--------------	-----

	day ofature of Bidder or er's Authorized Official or Officials	
Signature of Bidder or Bidder's Authorized Off	icial or Officials	
(Print here name and official	capacity of individual w	rhose signature appears a

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1	1: CITY FUNDED WORK					
Α	Mulvey Avenue Reconstruction - From Cockbu	ırn St N to Arbu	thnot Si	<u>t</u>		
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R18	m³	900		
A.2	Sub-Grade Compaction	CW 3110-R18	m²	1450		
A.3	Crushed Sub-base Material	CW 3110-R18				
i)	50 mm		tonne	1100		
A.4	Supplying and Placing Base Course Material	CW 3110-R18	m³	125		
A.5	Grading of Boulevards	CW 3110-R18	m²	1500		
A.6	Separation Geotextile Fabric	CW 3130-R4	m²	1450		
A.7	Supply and Install Geogrid	CW 3135-R1	m²	360		
	ROADWORKS - REMOVALS/RENEWALS					
A.8	Pavement Removal	CW 3110-R18				
i)	Concrete Pavement		m²	1300		
A.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	50		
A.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	40		
b)	5 sq.m. to 20 sq.m.		m²	40		
c)	Greater than 20 sq.m.		m²	60		
A.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
A.12	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
A.13	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
	ROADWORKS - NEW CONSTRUCTION					
A.14	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R15				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	1300		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R15				
i)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	320		
ii)	Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	30		
iii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	15		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.16	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	4		
A.17	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	10		
A.18	Removal of Existing Catch Basins	CW 2130-R12	each	4		
A.19	Installation of Subdrains	CW 3120-R4	m	48		
	ADJUSTMENTS					
A.20	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.4		
	LANDSCAPING					
A.21	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	150		
ii)	width > or = 600 mm		m²	1350		
	MISCELLANEOUS					
A.22	Supplying and Placing Joint Curing Compound	E11	m	300		
Α	Mulvey Avenue Reconstruction - From Cockbu	ırn St N to Arbu	thnot St	<u>t</u>	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Oak Street Reconstruction - From Grant Avenu	e to Fleet Aven	<u>ue</u>			
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R18	m³	1800		
B.2	Sub-Grade Compaction	CW 3110-R18	m²	3350		
B.3	Crushed Sub-base Material	CW 3110-R18				
i)	50 mm		tonne	2500		
B.4	Supplying and Placing Base Course Material	CW 3110-R18	m³	290		
B.5	Grading of Boulevards	CW 3110-R18	m²	3500		
B.6	Separation Geotextile Fabric	CW 3130-R4	m²	3350		
B.7	Supply and Install Geogrid	CW 3135-R1	m²	850		
	ROADWORKS - REMOVALS/RENEWALS					
B.8	Pavement Removal	CW 3110-R18				
i)	Concrete Pavement		m²	3000		
B.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	125		
B.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	40		
b)	5 sq.m. to 20 sq.m.		m²	60		
c)	Greater than 20 sq.m.		m²	180		
B.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
B.12	Detectable Warning Surface Tiles	CW 3326-R1				
i)	610 mm X 1220 mm		each	12		
,				. –		
B.13	ROADWORKS - NEW CONSTRUCTION Concrete Pavements, Median Slabs, Bull-noses,	CW 3310-R15				
D. 10	and Safety Medians	OW 3310-K13				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	3000		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R15				
i)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	750		
ii)	Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	40		
iii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	55		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.15	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	6		
B.16	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	10		
B.17	Removal of Existing Catch Basins	CW 2130-R12	each	6		
B.18	Installation of Subdrains	CW 3120-R4	m	75		
	ADJUSTMENTS					
B.19	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
B.20	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.5		
ii)	Brick Risers		vert. m	0.5		
B.21	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
B.22	Curb Stop Extensions	CW 3210-R7	each	2		
	LANDSCAPING					
B.23	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	250		
ii)	width > or = 600 mm		m²	3250		
В	Oak Street Reconstruction - From Grant Avenue	ue to Fleet Aven	ue		Subtotal:	

outh Drive Reconstruction - From Holly Avenu					
outil Drive Reconstruction - From Hony Avent	ue to Crescent	<u>Drive</u>			
ARTH AND BASE WORKS					
ccavation	CW 3110-R18	m³	2500		
ub-Grade Compaction	CW 3110-R18	m²	4900		
rushed Sub-base Material	CW 3110-R18				
) mm		tonne	3750		
upplying and Placing Base Course Material	CW 3110-R18	m³	450		
rading of Boulevards	CW 3110-R18	m²	2000		
itch Grading	CW 3110-R18	m²	1500		
tch Excavation	CW 3110-R18	m³	450		
eparation Geotextile Fabric	CW 3130-R4	m²	4900		
upply and Install Geogrid	CW 3135-R1	m²	1200		
OADWORKS - REMOVALS/RENEWALS					
avement Removal	CW 3110-R18				
oncrete Pavement		m²	550		
sphalt Pavement		m²	3700		
rilled Tie Bars	CW 3230-R8				
) M Deformed Tie Bar		each	30		
iscellaneous Concrete Slab Renewal	CW 3235-R9				
00 mm Sidewalk	SD-228A				
ess than 5 sq.m.		m²	10		
emoval of Precast Sidewalk Blocks	CW 3235-R9	m²	30		
OADWORKS - NEW CONSTRUCTION					
oncrete Pavements, Median Slabs, Bull-noses, d Safety Medians	CW 3310-R15				
onstruction of 150 mm Concrete Pavement teinforced)		m²	4100		
on the control of the	ading of Boulevards ch Grading ch Excavation paration Geotextile Fabric pply and Install Geogrid ADWORKS - REMOVALS/RENEWALS rement Removal ncrete Pavement chalt Pavement led Tie Bars M Deformed Tie Bar cellaneous Concrete Slab Renewal mm Sidewalk s than 5 sq.m. moval of Precast Sidewalk Blocks ADWORKS - NEW CONSTRUCTION ncrete Pavements, Median Slabs, Bull-noses, I Safety Medians nstruction of 150 mm Concrete Pavement	ading of Boulevards CW 3110-R18 CW 3110-R18 CW 3110-R18 CW 3110-R18 CW 3130-R4 CW 3130-R4 CW 3135-R1 CW 3110-R18 CW 3235-R9 CW 3230-R8 CW 3230-R8 CW 3235-R9 CW 3235-R9	adding of Boulevards CW 3110-R18 m² CW 3110-R18 m² CW 3110-R18 m³ CW 3110-R18 m³ CW 3130-R4 m² could a separation Geotextile Fabric co	chiding of Boulevards CW 3110-R18 CW 3110-R18 CW 3110-R18 CW 3110-R18 CW 3110-R18 CW 3110-R18 CW 3130-R4 CW 3130-R4 M2 4900 ADWORKS - REMOVALS/RENEWALS ADWORKS - REMOVALS/RENEWALS CW 3110-R18 CW 3135-R1 M2 1200 ADWORKS - REMOVALS/RENEWALS ADWORKS - REMOVALS/RENEWALS CW 3110-R18 CW 3110-R18 M2 550 M2 3700 CW 3230-R8 MDeformed Tie Bar Cellaneous Concrete Slab Renewal CW 3230-R8 CW 3235-R9 MDeformed Tie Bar Cellaneous Concrete Slab Renewal CW 3235-R9 ADWORKS - NEW CONSTRUCTION CON 3235-R9 M2 ADWORKS - NEW CONSTRUCTION CON 32310-R15 CW 3310-R15 CW 3310-R15	CW 3110-R18 m² 2000 ch Grading

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R15				
i)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	750		
ii)	Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	200		
iii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	25		
iv)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	10		
C.16	100 mm Concrete Sidewalk	CW 3325-R5	m²	100		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.17	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	6		
ii)	SD-025		each	1		
C.18	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	Trenchless Installation, Class B Sand Bedding, Class 3 Backfill		m	55		
C.19	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
C.20	Connecting to Existing Manhole	CW 2130-R12				
i)	300 mm Catch Basin Lead		each	1		
C.21	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a	Connecting to 375 mm Sewer		each	2		
b	Connecting to 450 mm Sewer		each	2		
C.22	Removal of Existing Catch Basins	CW 2130-R12	each	4		
C.23	Installation of Subdrains	CW 3120-R4	m	72		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.24	Corrugated Steel Pipe Culvert - Supply	CW 3610-R4				
i)	(300 mm, 2.0 mm gauge, Galvanized)		m	15		
C.25	Corrugated Steel Pipe Culvert - Install	CW 3610-R4				
i)	(300 mm, 2.0 mm gauge, Galvanized)		m	15		
C.26	Removal of Existing Culverts	CW 3610-R5	m	15		
C.27	Land Drainage Sewer	CW 2130-R12				
i)	300 mm					
a)	Trenchless Installation, Class B Sand Bedding, Class 3 Backfill		m	26.7		
C.28	Manhole	CW 2130-R12				
i)	SD-010					
a)	1200 mm Diameter Base		vert. m	2.5		
	ADJUSTMENTS					
C.29	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6		
C.30	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.5		
ii)	Brick Risers		vert. m	0.5		
C.31	Adjustment of Valve Boxes	CW 3210-R7	each	1		
	LANDSCAPING					
C.32	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	200		
ii)	width > or = 600 mm		m²	3300		
	MISCELLANEOUS					
C.33	Grouted Stone Riprap	CW 3615-R3	m³	3		
С	South Drive Reconstruction - From Holly Aven	ue to Crescent	<u>Drive</u>		Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	Walker Avenue Reconstruction - From Daly St	S to Cockburn	St S			
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R18	m³	2100		
D.2	Sub-Grade Compaction	CW 3110-R18	m²	3200		
D.3	Crushed Sub-base Material	CW 3110-R18				
i)	50 mm		tonne	3050		
D.4	Supplying and Placing Base Course Material	CW 3110-R18	m³	275		
D.5	Grading of Boulevards	CW 3110-R18	m²	3300		
D.6	Separation Geotextile Fabric	CW 3130-R4	m²	3200		
D.7	Supply and Install Geogrid	CW 3135-R1	m²	800		
	ROADWORKS - REMOVALS/RENEWALS					
D.8	Pavement Removal	CW 3110-R18				
i)	Concrete Pavement		m²	2700		
D.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	40		
b)	5 sq.m. to 20 sq.m.		m²	180		
C)	Greater than 20 sq.m.		m²	120		
D.10	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	15		
D.11	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
D.12	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
D.13	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
	ROADWORKS - NEW CONSTRUCTION					
D.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R15				
i)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	660		
ii)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	35		
iii)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	30		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.15	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	310		
D.16	Construction of Asphaltic Concrete Base Course	CW 3410-R10	tonne	460		
D.10	(Type III)	OW 0410 1010	tornic	400		
	JOINT AND CRACK SEALING					
D.17	Reflective Crack Maintenance	CW 3250-R7	m	250		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.18	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	6		
D.19	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	10		
D.20	Removal of Existing Catch Basins	CW 2130-R12	each	8		
D.21	Installation of Subdrains	CW 3120-R4	m	72		
	ADJUSTMENTS					
D.22	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6		
D.23	Replacing Existing Risers	CW 2130-R12				
		CW 2130-K12		0.5		
,	Pre-cast Concrete Risers		vert. m	0.5		
ii)	Brick Risers		vert. m	0.5		
	LANDSCAPING					
D.24	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	300		
ii)	width > or = 600 mm		m²	3000		
D	Walker Avenue Reconstruction - From Daly St	S to Cockburn	St S		Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	Wellington Crescent Rehabilitation					
	EARTH AND BASE WORKS					
E.1	Supplying and Placing Base Course Material	CW 3110-R18	m³	40		
E.2	Grading of Boulevards	CW 3110-R18	m²	4000		
	ROADWORKS - RENEWALS					
E.3	Pavement Removal	CW 3110-R18				
i)	Asphalt Pavement		m²	250		
E.4	Slab Replacement	CW 3230-R8				
i)	200 mm Concrete Pavement (Plain-Dowelled)		m²	1200		
ii)	150 mm Concrete Pavement (Plain-Dowelled, stamped concrete)	E12	m²	35		
E.5	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	65		
ii)	200 mm Concrete Pavement (Type B)		m²	500		
iii)	200 mm Concrete Pavement (Type C)		m²	50		
iv)	200 mm Concrete Pavement (Type D)		m²	50		
E.6	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Plain-Dowelled)		m²	150		
E.7	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R87				
i)	200 mm Concrete Pavement (Type A)		m²	10		
ii)	200 mm Concrete Pavement (Type B)		m²	100		
iii)	200 mm Concrete Pavement (Type D)		m²	30		
E.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	1400		
E.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	2100		
E.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Bullnose	SD-227C	m²	5		

ITEM	RIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.11		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (100 mm reveal ht, Dowelled)	SD-205, SD-206A				
6	a)	Less than 3 m		m	50		
ł	b)	3 m to 30 m		m	630		
(c)	Greater than 30 m		m	400		
ii)		Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	50		
≣.12		Supply and Installation of Dowel Assemblies	CW 3310-R15	m	200		
.13		Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	30		
E.14		Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)		Main Line Paving					
ć	a)	Type IA		tonne	1650		
ii)		Tie-ins and Approaches					
ć	a)	Type IA		tonne	500		
.15		Planing of Pavement	CW 3450-R5				
i)		0 - 50 mm Depth (Asphalt)		m²	50		
ii)		0 - 50 mm Depth (Concrete)		m²	250		
		JOINT AND CRACK SEALING					
E.16		Reflective Crack Maintenance	CW 3250-R7	m	1000		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
.17		Catch Basin	CW 2130-R12				
i)		SD-024, 1800 mm deep		each	1		
E.18		Catch Pit	CW 2130-R12				
i)		SD-023		each	3		
E.19		Sewer Service	CW 2130-R12				
i)		250 mm, PVC					
á		Trenchless Installation, Class B Sand Bedding, Class 3 Backfill		m	25		
E.20		Sewer Service Risers	CW 2130-R12				
i)		250 mm					
á	a)	SD-015		vert m	2		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.21	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	2		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
E.22	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 300 mm (Type PVC) Sewer		each	1		
	ADJUSTMENTS					
E.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	18		
E.24	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.5		
ii)	Brick Risers		vert. m	0.5		
E.25	Lifter Rings	CW 3210-R7				
i)	38 mm		each	3		
ii)	51 mm		each	3		
iii)	64 mm		each	3		
iv)	76 mm		each	3		
E.26	Adjustment of Valve Boxes	CW 3210-R7	each	2		
E.27	Valve Box Extensions	CW 3210-R7	each	2		
	LANDSCAPING					
E.28	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	250		
ii)	width > or = 600 mm		m²	3750		
E	Wellington Crescent Rehabilitation				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2	2: Manitoba Hydro Funded Work (See B9.5, B15.2.1, B16.4, D2, D14	4.2-3, D15.4	1)			
F	Oak Street - Grant Avenue to Fleet Avenue					
	NEW STREETLIGHT INSTALLATION					
F.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances	E13	each	6		
F.2	Installation of #4 AL C/N or 1/0 AL Triplex streetlight cable by open trench method.	E13	lin.m	670		
F.3	Installation of cable (#4 AL C/N or 1/0 AL Triplex) by boring method.	E13	lin.m	80		
F.4	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E13	each	6		
F.5	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E13	each	1		
F.6	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E13	each	1		
F.7	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E13	each	12		
F.8	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E13	lin.m	775		
F.9	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E13	lin.m	775		
F.10	Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E13	each	4		
F	Oak Street - Grant Avenue to Fleet Avenue		<u> </u>	<u>I</u>	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	Mulvey Drive - Aruthnot Street to Cockburn Street	et South				
G.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances	E13	each	3		
G.2	Installation of #4 AL C/N or 1/0 AL Triplex streetlight cable by open trench method.	E13	lin.m	175		
G.3	Installation of cable (#4 AL C/N or 1/0 AL Triplex) by boring method.	E13	lin.m	46		
G.4	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E13	each	3		
G.5	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E13	each	1		
G.6	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E13	each	1		
G.7	Installation and connection of externally-mounted relay per Standards CD 315-12 and CD 315-13.	E13	each	1		
G.8	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E13	each	6		
G.9	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E13	lin.m	250		
G.10	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E13	lin.m	250		
G.11	Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E13	each	2		
G	Mulvey Drive - Aruthnot Street to Cockburn Stre	et South		l	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Н	Walker Avenue - Cockburn Street South to Daly	Street South				
H.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances	E13	each	6		
H.2	Installation of #4 AL C/N or 1/0 AL Triplex streetlight cable by open trench method.	E13	lin.m	350		
H.3	Installation of cable (#4 AL C/N or 1/0 AL Triplex) by boring method.	E13	lin.m	25		
H.4	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E13	each	6		
H.5	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E13	each	1		
H.6	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E13	each	1		
H.7	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E13	each	12		
H.8	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E13	lin.m	375		
H.9	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E13	lin.m	375		
H.10	Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E13	each	1		
Н	Walker Avenue - Cockburn Street South to Daly	/ Street South	<u> </u>		Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
1	South Drive - Crescent Drive to Holly Avenue					
l.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances	E13	each	9		
1.2	Installation of #4 AL C/N or 1/0 AL Triplex streetlight cable by open trench method.	E13	lin.m	370		
1.3	Installation of cable (#4 AL C/N or 1/0 AL Triplex) by boring method.	E13	lin.m	65		
l.4	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E13	each	9		
1.5	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E13	each	3		
1.6	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E13	each	18		
1.7	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E13	lin.m	450		
1.8	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E13	lin.m	450		
1.9	Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E13	each	3		
I.10	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E13	lin.m	250		
l.11	Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E13	each	2		
ı	South Drive - Crescent Drive to Holly Avenue			ı	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
	SUMMARY							
PART 1	: CITY FUNDED WORK							
Α	Mulvey Avenue Reconstruction - From Cockbui	rn St N to Arbu	thnot St		Subtotal:			
В	Oak Street Reconstruction - From Grant Avenue	e to Fleet Aven	ue_		Subtotal:			
С	South Drive Reconstruction - From Holly Avenu	e to Crescent	<u>Drive</u>		Subtotal:			
D	Walker Avenue Reconstruction - From Daly St S	to Cockburn	St S		Subtotal:			
E	Wellington Crescent Rehabilitation				Subtotal:			
				(total	price) PART 1			
PART 2	2: Manitoba Hydro Funded Work (See B9.5, B15.2.1, B16.4, D2, D14	1.2-3, D15.4)					
F	Oak Street - Grant Avenue to Fleet Avenue				Subtotal:			
G	Mulvey Drive - Aruthnot Street to Cockburn Street	eet South			Subtotal:			
Н	Walker Avenue - Cockburn Street South to Daly	Street South			Subtotal:			
ı	South Drive - Crescent Drive to Holly Avenue				Subtotal:			
				(total	price) PART 2	-		
ΓΟΤΑL BI	D PRICE (GST extra)		(in fig	ures)				

(Seal)

Template Version: C420131129 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per described, for the payment of which sum t	and firmly bound unto THE CITY OF WINNIPEG reent (10%) of the Total Bid Price set out in the Bid Principal and Surety bind themselves, their heir intly and severally, firmly by these presents.	d hereinafter
WHEREAS the Principal has submitted a E	Bid to the Obligee for	
BID OPPORTUNITY NO. 31-2014		
2014 Local Street Renewal Program: Welli	ngton Crescent, South Drive and Various other Loca	ations
as more fully set out in the Bid Opportunity		
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a 0 deperformance security for guaranteeing the faithfuld, but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal) Per:	(Seal)
(Witness as to Principal if no seal)	Per:	(Godi)
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 31-2014 2014 Local Street Renewal Program: Wellington Crescent, South Drive and Various other Locations in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

	
(Date)	
The C	ity of Winnipeg
	orate Finance Department
	ials Management Division
	ing Street, Main Floor
	peg MB R3B 1J1
VVIIIII	peg MB 13B 131
RE:	BID SECURITY – BID OPPORTUNITY NO. 31-2014
	2014 Local Street Renewal Program: Wellington Crescent, South Drive and Various other
Locati	
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
(Addres	ss of Bidder)
\//⊏ ⊔	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
	aggregate
	Canadian dollars.
dema Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written and for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	I drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	ss)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 7, 2014

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	(Name of bank or financial institution)			
Per:				
	(Authorized Signing Officer)			
Per:				
	(Authorized Signing Officer)			