FORM A: BID (See B8)

| 1. | Contract Title | North East Exchange [| District 2014 Street Renewals | |
|----|--------------------------------|---|---|--------------------|
| 2. | Bidder | Name of Bidder | | |
| | | Usual Business Name of Bid | der as it appears on Invoice (if different | from above) |
| | | Street | | |
| | | City | Province | Postal Code |
| | (Mailing address if different) | Email Address of Bidder | | |
| | | Facsimile Number | | |
| | | Street or P.O. Box | | |
| | (Choose one) | City | Province | Postal Code |
| | | The Bidder is: | | |
| | | a sole proprietor | | |
| | | a partnership | | |
| | | a corporation | | |
| | | carrying on business u | nder the above name. | |
| 3. | Contact Person | The Bidder hereby aut the Bidder for purposes | horizes the following contact post of the Bid. | erson to represent |
| | | Contact Person | Title | |
| | | Telephone Number | Facsimile Number | |
| 4. | Definitions | | used in the Contract shall ha General Conditions and D2. | ave the meanings |
| 5. | Offer | | ers to perform the Work in ac Bid Price, in Canadian funds, s to. | |

| 6. | Bid Security | In accordance with B11.1, the Bidder encloses bid security in the form of: |
|-----|--------------------------|---|
| | (Choose one) | a bid bond (Form G1: Bid Bond and Agreement to Bond) |
| | | an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) |
| | | a certified cheque or draft |
| | | and agrees that it shall be held by the City in accordance with the Contract. |
| 7. | Execution of Contract | The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4. |
| 8. | Commencement of the Work | The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work. |
| 9. | Contract | The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid. |
| 10. | Addenda | The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: |
| | | No Dated |
| | | |
| | | |
| | - | - |
| 11. | Time | This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline. |

| 12. | Signatures | The Bidder or the Bidder's authorized official or officials have signed this |
|-----|------------|---|
| | | , 20 |
| | | Signature of Bidder or Bidder's Authorized Official or Officials |
| | | (Print here name and official capacity of individual whose signature appears above) |
| | | (Print here name and official capacity of individual whose signature appears above) |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------|---|---------------|-------|---------------------|------------|--------|
| Α | ROADWORKS | | | | | |
| | EARTH AND BASE WORKS | | | | | |
| A.1 | Excavation | CW 3110-R18 | m³ | 1950 | | |
| ٦.2 | Sub-Grade Compaction | CW 3110-R18 | m² | 3080 | | |
| A.3 | Crushed Sub-base Material | CW 3110-R18 | | | | |
| i) | 50 mm | | tonne | 3000 | | |
| ٨.4 | Supplying and Placing Base Course Material | CW 3110-R18 | m³ | 285 | | |
| A.5 | Removal of Existing Concrete Bases | CW 3110-R18 | | | | |
| i) | 600 mm Diameter or Less | | each | 4 | | |
| A.6 | Separation Geotextile Fabric | CW 3130-R4 | m² | 3080 | | |
| | ROADWORKS - RENEWALS | | | | | |
| A.7 | Removal of Existing Waste Receptacle and Bike Loop for Delivery to Public Works | E12 | ls | 1 | | |
| A.8 | Removal and Stockpiling of Existing Unit Pavers and Delivery to Public Works | E13 | m² | 1115 | | |
| \. 9 | Removal of Existing #113 Market Avenue | E12 | Is | 1 | | |
| A.10 | Stairs and Landing Pavement Removal | CW 3110-R18 | | | | |
| i) | Concrete Pavement | | m² | 1735 | | |
| ii) | Asphalt Pavement | | m² | 200 | | |
| \.11 | Partial Slab Patches | CW 3230-R8 | | | | |
| i) | 230 mm Concrete Pavement (Type B) | | m² | 20 | | |
| \.12 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 65 | | |
| .13 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 20 M Deformed Tie Bar | | each | 135 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|--------------------|------|---------------------|------------|--------|
| \.14 | Miscellaneous Concrete Slab Removal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | | m² | 1115 | | |
| A.15 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| a) | Less than 5 sq.m. | | m² | 25 | | |
| b) | 5 sq.m. to 20 sq.m. | | m² | 50 | | |
| A.16 | Concrete Curb Removal | CW 3240-R10 | | | | |
| i) | Barrier Integral | | m | 20 | | |
| A.17 | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | Curb and Gutter (150 mm reveal ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) | SD-200 | | | | |
| a) | 3 m to 30 m | | m | 35 | | |
| \.18 | Planing of Pavement | CW 3450-R5 | | | | |
| i) | 0 - 50 mm Depth (Asphalt) | | m² | 150 | | |
| ٨.19 | Detectable Warning Surface Tiles | CW 3326-R1 | | | | |
| i) | 610 mm X 1220 mm | | each | 5 | | |
| | ROADWORKS - NEW CONSTRUCTION | | | | | |
| A.20 | Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians | CW 3310-R15 | | | | |
| i) | Construction of 200 mm Concrete Pavement (Reinforced) with Concrete Block Outs | CW 3310-R15 E17 | m² | 1300 | | |
| ii) | Construction of 200 mm Concrete Pavement (Reinforced) | CW 3310-R15 | m² | 100 | | |
| iii) | Construction of 150 mm Concrete Pavement (Reinforced) | | m² | 90 | | |

| ITEM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT PRICE | AMOUNT |
|----------|---|-------------------|-------|----------|------------|--------|
| \.21 | Concrete Curbs, Curb and Gutter, and | REF. CW 3310-R15 | | QUANTITY | | |
| | Splash Strips | | | | | |
| i) | Construction of Barrier (180 mm ht, Dowelled) | SD-205 | m | 20 | | |
| ii) | Construction of Curb and Gutter (180mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) | SD-200 | m | 40 | | |
| iii) | Construction of Curb and Gutter (180mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement), Slip Form Paving | SD-200 | m | 250 | | |
| iv) | Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement) | SD-200 SD-229E | m | 35 | | |
| .22 | 100 mm Concrete Sidewalk with Concrete | CW 3325-R5 | m² | 800 | | |
| .23 | Block Outs 100 mm Concrete Sidewalk | E17 CW 3325-R5 | m² | 500 | | |
| .24 | Construction of Asphaltic Concrete Pavements | CW 3410-R10 | | | | |
| i) | Main Line Paving | | | | | |
| а | Type IA | | tonne | 255 | | |
| ii) | Tie-ins and Approaches | | | | | |
| а | Type IA | | tonne | 40 | | |
| .25 | Construction of Asphaltic Concrete Base Course (Type III) | CW 3410-R10 | tonne | 355 | | |
| .26 | Construction of Asphalt Patches | CW 3410-R10 | m² | 10 | | |
| | JOINT AND CRACK SEALING | | | | | |
| .27 | Joint Sealing | CW 3250-R7 | m | 300 | | |
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| 28 i) | Catch Basin c/w Barrier Curb and Gutter Frame and Cover SD-024, 1800 mm deep | CW 2130-R12 | each | 4 | | |
| .29 | Catch Pit c/w Barrier Curb and Gutter Frame | CW 2130-R12 | Jaon | | | |
| i) | and Cover SD-023 | OVV 213U-R12 | each | 1 | | |
| 1) | SD-023 | | each | 1 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|---------------|---------|---------------------|------------|--------|
| .30 | Sewer Service | CW 2130-R12 | | | | |
| i) | 250 mm, SDR-35 | | | | | |
| a) | Trenchless Installation, Class B Bedding, Class 3 Backfill | | m | 32 | | |
| 31 | Replacing Existing Manhole and Catch Basin Frames & Covers | CW 2130-R12 | | | | |
| i) | AP-008 - Barrier Curb and Gutter Inlet Frame and Box | | each | 1 | | |
| ii) | AP-009 - Barrier Curb and Gutter Inlet Cover | | each | 1 | | |
| A.32 | Connecting to Existing Sewer | CW 2130-R12 | | | | |
| i) | 250 mm (Type SDR-35) Connecting Pipe | | | | | |
| a) | Connecting to 375 mm Sewer | | each | 5 | | |
| 33 | Removal of Existing Catch Basins | CW 2130-R12 | each | 3 | | |
| N.34 | Abandoning Existing Drainage Inlets | CW 2130-R12 | each | 3 | | |
| A.35 | Installation of Subdrains | CW 3120-R4 | m | 72 | | |
| | ADJUSTMENTS | | | | | |
| A.36 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 4 | | |
| 37 | Replacing Existing Risers | CW 2130-R12 | | | | |
| i) | Pre-cast Concrete Risers | | vert. m | 0.5 | | |
| .38 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 38 mm | | each | 3 | | |
| ii) | 51 mm | | each | 4 | | |
| ۸.39 | Adjustment of Valve Boxes | CW 3210-R7 | each | 3 | | |
| A.40 | Valve Box Extensions | CW 3210-R7 | each | 3 | | |
| | MISCELLANEOUS | | | | | |
| \.41 | Installation of Conduit in Open Trench | E16 | m | 145 | | |

| UNII PRIC | | | | | | |
|-------------|--|-------------------|------|---------------------|------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| A.42 | Supply and Install CIP Reinforced Concrete Pile for Pedestrian Light (including excavation, anchor rods and conduit for | E30 | each | 9 | | |
| A.43 | electrical) Construction of Cast-in-Place Concrete | E30 | | | | |
|) | Supply and Install #113 Market Avenue CIP Stairs c/w Landing (incl. Footings, and Base Course) | | ls | 1 | | |
| () | Supply and Install Bertha Street Walkway @ John Hirsch Place CIP Stairs (incl. Base Course) | | Is | 1 | | |
| ii) | Supply and Install Bertha Street Walkway @ John Hirsch Place CIP Ramp c/w Adjacent Retaining Walls (incl. Footings, and Base Course) | | ls | 1 | | |
| v) | Supply and Install Bertha Street Walkway CIP Window Wells (incl. Footings, and Connection to Existing Drainage Pipe) | | ls | 1 | | |
| ') | Supply and Install John Hirsch Place Walkway CIP Retaining Wall (incl. Footings, and Base Course) | | Is | 1 | | |
| ri) | Supply and Install John Hirsch Place CIP Stairs (incl. Base Course) | | ls | 1 | | |
| | PROVISIONAL ITEMS | | | | | |
| \.44 | Removal of Concrete Rail Ties | E23 | m³ | 40 | | |
| Α | ROADWORKS | | | | | |
| В | STREETSCAPING | | | | | |
| | EXCAVATIONS AND REMOVALS | | | | | |
| 3.1 | Removal of Wood Lattice Fence | E12 | m | 47 | | |
| 3.2 | Removal and Disposal of Trees and Shrubs | | m² | 167 | | |
| 3.3 | in Planting Beds incl. Wood Edger Removal and Disposal of Trees and Shrubs | | each | 3 | | |
| 3.4 | in Paving Area Removal and Disposal of Sod | | m² | 562 | | |
| | TREE VAULTS | | | | | |
| 3.5 | Construction of Tree Vaults | E11 | m³ | 83 | | |
| 3.6 | Pre-cast Concrete Sidewalk Panel | E11 | each | 56 | | |
| 3.7 | 150mm Diameter Perforated Drainage Pipe | CW 3120-R4 E11 | m | 125 | | |
| | | | | | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|-------------------|------|---------------------|------------|--------|
| | UNIT PAVING | | | | | |
| 3.9 | Removal and Stockpile of Unit Pavers for Reinstallation | E14 | | | | |
| i) | Stockpiled Granite Pavers | | m² | 95 | | |
| ii) | Stockpiled Unit Pavers | | m² | 12 | | |
| 3.10 | Interlocking Paving Stones | CW 3330-R5 E14 | | | | |
| 3.11 | Holland Unit Paver, Sierra Grey Colour | L14 | m² | 42 | | |
| 3.12 | Broadway Unit Paver, Buff Colour | | m² | 110 | | |
| 3.13 | Broadway Unit Paver, Charcoal Colour | | m² | 20 | | |
| 3.14 | Broadway Unit Paver, Mahogony Colour | | m² | 23 | | |
| 3.15 | Broadway 318 Unit Paver, Charcoal Colour | | m² | 130 | | |
| 3.16 | Endicott Brick Paver, Dark Ironspot Colour | | m² | 152 | | |
| | EXTERIOR METAL FABRICATION | | | | | |
| 3.17 | Supply and Installation of Handrail | E20 | m | 36 | | |
| 3.18 | Supply and Installation of Steel Bollards, | E20 | each | 2 | | |
| 3.19 | Painted Flat Black Supply and Installation of Steel Trellis, | E20 | ls | 1 | | |
| 3.20 | Painted Flat Black Supply and Installation of Window Well Heavy Duty Steel Grating | E20 | each | 12 | | |
| | EXTERIOR SITE CARPENTRY | | | | | |
| 3.21 | Supply and Installation of Lattice Screen Fence | E21 | m | 44 | | |
| | RAILS IN CONCRETE BLOCKOUTS | | | | | |
| 3.22 | Salvage and Reinstallation of Rails in Concrete Blockout | E23 | m | 122 | | |
| 3.23 | Supply and Installation of 60#ASCE Enclosed Flangeway | E23 | m | 122 | | |
| | DETECTABLE STRIPS | | | | | |
| 3.24 | Detectable Strips - Balco R300 Single Component Stair Nosing, Black Colour". | E24 | m | 66 | | |
| | PAVEMENT STAINING | | | | | |
| 3.25 | Chemical Etching - Chemical Etching - Lithicrome Chemistain Classic, CS-1 Black Colour | E25 | m² | 8 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|------|---------------------|------------|--------|
| | SITE FURNISHINGS | | | | | |
| B.26 | Victor Stanley Inc. Classic Series C-140 Bench with Centre Arm Rest, Black | E26 | each | 5 | | |
| B.27 | Powdercoated, IPE Hardwood Slats Removal and Stockpile of Existing Bollards for Reinstallation | E15 | each | 6 | | |
| B.28 | Greenscreen Panels | E26 | each | 8 | | |
| | SOFT LANDSCAPING | | | | | |
| B.29 | Pruning of Existing Trees | E3 | ls | 1 | | |
| B.30 | Planting Medium | E28 | m3 | 246 | | |
| B.31 | Wood Chip Mulch | E28 | m² | 613 | | |
| B.32 | Black Granite Mulch | E28 | m² | 113 | | |
| B.33 | Amur Maple | E28 | each | 7 | | |
| B.34 | White Spruce | E28 | each | 5 | | |
| B.35 | Miss Kim Lilac | E28 | each | 390 | | |
| B.36 | False Spirea | E28 | each | 9 | | |
| B.37 | Blue Muffin Viburnum | E28 | each | 48 | | |
| B.38 | Red Osier Dogwood | E28 | each | 21 | | |
| B.39 | Alpine Currant | E28 | each | 19 | | |
| B.40 | Darts Gold Ninebark | E28 | each | 32 | | |
| B.41 | Mugo Pine | E28 | each | 5 | | |
| B.42 | Dwarf Mugo Piune | E28 | each | 5 | | |
| B.43 | Bar Harbour Juniper | E28 | each | 24 | | |
| B.44 | Engleman's Ivy | E28 | each | 20 | | |
| | LANDSCAPE MAINTENANCE | | | | | |
| B.45 | Year One (1) Maintenance | E29 | ls | 1 | | |
| B.46 | Year Two (2) Maintenance | E29 | ls | 1 | | |
| В | STREETSCAPING | | 1 | | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|--|------|---------------------|------------|--------|
| С | <u>ELECTRICAL</u> | | | | | |
| C.1 | Pole Lighting (Utilizing Existing Poles On Site) | 265000 260010 260534 260529 260545 | | | | |
| i) | Holophane Washington Mounted LED Luminaires | | each | 6 | | |
| ii) | 35mm PVC Conduit | | m | 12 | | |
| iii) | #10 RW90 Cu. Wire | | m | 36 | | |
| C.2 | Wall Luminaires | 265000 260010 260534 260529 260545 | | | | |
| i) | Holophane Washington Wall Mounted LED Luminaires | | each | 16 | | |
| ii) | 21mm PVC Conduit | | m | 260 | | |
| iii) | #8 RW90 Cu. Wire | | m | 158 | | |
| iv) | #10 RW90 Cu. Wire | | m | 622 | | |
| 2.3 | Trellis Lighting | 265000 260010 260534 260529 260545 | | | | |
| i) | Bega Luminaires | | each | 9 | | |
| ii) | BK Luminaires | | each | 9 | | |
| iii) | Square 4" Junction Boxes (Painted Black) | | each | 9 | | |
| iv) | Octagonal 4" Junction Boxes (Painted Black) | | each | 9 | | |
| v) | 27mm PVC Conduit | | m | 72 | | |
| vi) | #12 RW90 Cu. Wire | | m | 216 | | |
| C.4 | Site Services | 265000 260010 260534 260529 260545 | | | | |
| i) | CSTE - 200A, 120/240V, 1 | | each | 1 | | |
| ii) | Weatherproof Panel Board - 100A, | | each | 2 | | |
| iii) | 120/240V, 1∮, 3W 41mm PVC Conduit | | m | 41 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT | | | |
|----------|--|---------------|------|---------------------|------------|--------|--|--|--|
| iv) | #1/0 RW90 Cu. Cable | | m | 123 | | | | | |
| С | ELECTRICAL | Subtotal: | | | | | | | |
| | SUMMARY | | | | | | | | |
| Α | ROADWORKS | | | | Subtotal: | | | | |
| В | STREETSCAPING | | | | Subtotal: | | | | |
| С | ELECTRICAL | | | | Subtotal: | | | | |
| TOTAL BI | TOTAL BID PRICE (GST extra) (in figures) | | | | | | | | |

(Seal)

Template Version: C420140606 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

| KNOW ALL MEN BY THESE PRESENTS THAT | |
|-------------------------------------|--|
|-------------------------------------|--|

| KNOW ALL MEN BY THESE PRESENT | STHAT | |
|---|---|---------------------------|
| (hereinafter called the "Principal") and | | |
| called the "Obligee") in the sum of ten p described, for the payment of which sum | eld and firmly bound unto THE CITY OF WINNIPE bercent (10%) of the Total Bid Price set out in the En the Principal and Surety bind themselves, their heigiently and severally, firmly by these presents. | Bid hereinafter |
| WHEREAS the Principal has submitted a | a Bid to the Obligee for | |
| BID OPPORTUNITY NO. 742-2014 Adde | endum 1 | |
| North East Exchange District 2014 Stree | t Renewals | |
| as more fully set out in the Bid Opportuni | ity. | |
| if said Bid is accepted and the Principal, the said Obligee and furnishes the require | obligation is such that if the Bid of the Principal is no in accordance with the terms of the Bid, enters into a red performance security for guaranteeing the faithfu bid, but otherwise shall remain in full force and effect. | Contract with performance |
| IN WITNESS WHEREOF the Principal at | nd Surety have signed and sealed this bond the | |
| day of | | |
| SIGNED AND SEALED in the presence of: (Witness as to Principal if no seal) | (Name of Principal) Per: | (Seal) |
| (witness as to Principal II no seal) | Per: | _ |
| | (Name of Surety) | |

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 742-2014 Addendum 1 North East Exchange District 2014 Street Renewals in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

| (Date) | |
|--------------------------|--|
| Corpo Mater 185 K | city of Winnipeg strate Finance Department ials Management Division ing Street, Main Floor peg MB R3B 1J1 |
| RE: | BID SECURITY – BID OPPORTUNITY NO. 742-2014 Addendum 1 |
| | North East Exchange District 2014 Street Renewals |
| Pursu | ant to the request of and for the account of our customer, |
| (Name | of Bidder) , |
| WE H | EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate |
| | Canadian dollars. |
| demai Letter payme | Standby Letter of Credit may be drawn on by you at any time and from time to time upon written nd for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us. |
| | mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be . |
| Partia | I drawings are permitted. |
| | ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at: |
| (Addres | es) |
| and w | e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us. |

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 20, 2014

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

| (Name | of bank or financial institution) |
|-------|-----------------------------------|
| Per: | (Authorized Signing Officer) |
| Per: | |
| | (Authorized Signing Officer) |