

504-2015 ADDENDUM 2

RE-ROOF COUNCIL BUILDING – 510 MAIN STREET

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY

ISSUED: June 23, 2015 BY: Evan Wiebe TELEPHONE NO. (204) 986-2570

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 7 of Form A: Bid may render your Bid non-responsive.

PART B – BIDDING PROCEDURES

Revise: B2.1 to read: The Submission Deadline is 4:00 p.m. Winnipeg time, June 26, 2015.

PART D – SUPPLEMENTAL CONDITIONS

Revise: D14.1 to read: The Contractor shall achieve Total Performance by October 26, 2015

Critical Stages

Add: D21

- D21.1 The Contractor shall achieve critical stages of the Work in accordance with the following:
 - a. All work on and around the Mayor's office roof and Council Chambers roof to be completed prior to August 31, 2015.

PART E – SPECIFICATIONS

| Revise: | E3.14 to read: | Sheet copper shall be best quality 16 oz. (Cornice Temper) copper, unless otherwise specified |
|---------|----------------|---|
| Add: | E4.19: | The existing outside face bronze flashing on the parpets is to be carefully removed and stored for re-installation upon completion of the new roof assembly. The remaining existing copper flashing on all parapets is to be replaced with new. |
| Revise: | E5.5 to read: | All existing curbs are to be replaced with new curbs fabricated from solid lumber. New curbs are to be a minimum of <u>12</u> " above the top of the new roofing |
| Add: | E6.4: | Contractor to have at least one current fire extinguisher on site for every propane torch. |
| Add: | E6.5: | Avoid contact between dissimilar metals. Use appropriate separation where contact between dissimilar metals is made to prevent corrosion. |